

**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Flatirons Resources
303 E. 17th Avenue
Denver Co. 80203
ATTN: Tim Priest

Conner #14-27

28/18s/30w/ Lane KS

Job Ticket: 43151

DST#: 1

Test Start: 2011.06.09 @ 15:48:15

GENERAL INFORMATION:

Formation: "K"
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 17:46:00
Time Test Ended: 21:58:00
Interval: **4222.00 ft (KB) To 4250.00 ft (KB) (TVD)**
Total Depth: 4250.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole
Tester: Mike Roberts
Unit No: 48
Reference Elevations: 2880.00 ft (KB)
2875.00 ft (CF)
KB to GR/CF: 5.00 ft


Serial #: 6669

Outside

Press @ Run Depth: 30.38 psig @ 4223.00 ft (KB)
Start Date: 2011.06.09 End Date: 2011.06.09
Start Time: 15:48:15 End Time: 21:58:00
Capacity: 8000.00 psig
Last Calib.: 2011.06.09
Time On Btm: 2011.06.09 @ 17:45:45
Time Off Btm: 2011.06.09 @ 20:17:00

TEST COMMENT: IF: Buit to weak surface blow
IS: No return blow
FF: No blow
FS: No return blow

PRESSURE SUMMARY




Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2124.97	114.72	Initial Hydro-static
1	11.52	114.22	Open To Flow (1)
32	21.97	116.37	Shut-In(1)
91	938.90	117.89	End Shut-In(1)
92	22.10	117.50	Open To Flow (2)
122	30.38	119.11	Shut-In(2)
151	929.25	119.73	End Shut-In(2)
152	2127.83	120.20	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	mud with oil spots	0.10

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources

Conner #14-27

303 E. 17th Avenue
Denver Co. 80203

28/18s/30w/ Lane KS

Job Ticket: 43151

DST#: 1

ATTN: Tim Priest

Test Start: 2011.06.09 @ 15:48:15

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 66.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.98 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 3400.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	mud w ith oil spots	0.098

Total Length: 20.00 ft Total Volume: 0.098 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Flatirons Resources
303 E. 17th Avenue
Denver Co. 80203
ATTN: Tim Priest

Conner #14-27

28/18s/30w/ Lane KS

Job Ticket: 45152

DST#: 2

Test Start: 2011.06.10 @ 09:42:15

GENERAL INFORMATION:

Formation: "L"
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 11:23:00
Time Test Ended: 15:46:00
Interval: **4250.00 ft (KB) To 4300.00 ft (KB) (TVD)**
Total Depth: 4300.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole
Tester: Mike Roberts
Unit No: 48
Reference Elevations: 2880.00 ft (KB)
2875.00 ft (CF)
KB to GR/CF: 5.00 ft


Serial #: 6669

Outside

Press @ Run Depth: 36.88 psig @ 4290.00 ft (KB)
Start Date: 2011.06.10 End Date: 2011.06.10
Start Time: 09:42:15 End Time: 15:46:00
Capacity: 8000.00 psig
Last Calib.: 2011.06.10
Time On Btm: 2011.06.10 @ 11:22:45
Time Off Btm: 2011.06.10 @ 13:52:45

TEST COMMENT: IF: Weak surface blow died in 18 min
IS: No return blow
FF: No blow
FS: No return blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2185.37	114.12	Initial Hydro-static
1	33.42	113.88	Open To Flow (1)
30	34.48	114.57	Shut-In(1)
89	827.10	117.09	End Shut-In(1)
90	36.28	116.90	Open To Flow (2)
121	36.88	117.88	Shut-In(2)
150	391.49	118.85	End Shut-In(2)
150	2144.20	119.22	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
15.00	mud w ith oil spots	0.07

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources
303 E. 17th Avenue
Denver Co. 80203
ATTN: Tim Priest

Conner #14-27
28/18s/30w/ Lane KS
Job Ticket: 45152 **DST#: 2**
Test Start: 2011.06.10 @ 09:42:15

Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 66.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.95 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 3400.00 ppm			
Filter Cake: 1.00 inches			


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	mud w ith oil spots	0.074

Total Length: 15.00 ft Total Volume: 0.074 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:





**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Flatirons Resources
303 E. 17th Avenue
Denver Co. 80203
ATTN: Tim Priest

Conner #14-27

28/18s/30w/ Lane KS

Job Ticket: 43153

DST#: 3

Test Start: 2011.06.11 @ 15:24:15

GENERAL INFORMATION:

Formation: **Marmaton-Pawnee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 17:14:00

Time Test Ended: 00:42:15

Test Type: Conventional Bottom Hole

Tester: Mike Roberts

Unit No: 48

Interval: 4372.00 ft (KB) To 4445.00 ft (KB) (TVD)

Reference Elevations: 2880.00 ft (KB)

Total Depth: 4445.00 ft (KB) (TVD)

2875.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6669 Outside

Press @ Run Depth: 849.04 psig @ 4440.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2011.06.11

End Date:

2011.06.12

Last Calib.:

2011.06.12

Start Time: 15:24:15

End Time:

00:42:15

Time On Btm:


2011.06.11 @ 17:13:45

Time Off Btm:

2011.06.11 @ 19:27:45

TEST COMMENT: IF:BOB in 30 sec.
IS:BOB in 15 min.
FF:BOB in 30 sec.
FS:BOB in 21 min.

PRESSURE SUMMARY




Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2217.35	115.00	Initial Hydro-static
1	225.92	114.73	Open To Flow (1)
12	475.45	114.92	Shut-In(1)
41	1108.75	129.45	End Shut-In(1)
42	483.75	129.34	Open To Flow (2)
72	849.04	129.26	Shut-In(2)
134	1104.52	128.58	End Shut-In(2)
134	2201.31	128.12	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
144.00	ocgm 20%o 25%g 55%m	0.71
620.00	gcmo 20%g 10%m 70%o	8.70
372.00	gco 15%g 85%o	5.22
1302.00	gco 20%g 80%o	18.26
0.00	GIP=1054 feet	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources
303 E. 17th Avenue
Denver Co. 80203
ATTN: Tim Priest

Conner #14-27
28/18s/30w/ Lane KS
Job Ticket: 43153 **DST#: 3**
Test Start: 2011.06.11 @ 15:24:15

Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API: 32 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 0 ppm
Viscosity: 55.00 sec/qt	Cushion Volume: bbl	
Water Loss: 7.97 in ³	Gas Cushion Type:	
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig	
Salinity: 3400.00 ppm		
Filter Cake: 1.00 inches		


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
144.00	ocgm 20%o 25%g 55%m	0.708
620.00	gcmo 20%g 10%m 70%o	8.697
372.00	gco 15%g 85%o	5.218
1302.00	gco 20%g 80%o	18.264
0.00	GIP=1054 feet	0.000

Total Length: 2438.00 ft Total Volume: 32.887 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments: API= 32 @60





**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Flatirons Resources
303 E. 17th Avenue
Denver Co. 80203
ATTN: Tim Priest

Conner #14-27

28/18s/30w/ Lane KS

Job Ticket: 43154

DST#: 4

Test Start: 2011.06.12 @ 12:49:15

GENERAL INFORMATION:

Formation: **Myrick Station-Ft.Sc**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 14:32:45

Time Test Ended: 19:06:00

Test Type: Conventional Bottom Hole

Tester: Mike Roberts

Unit No: 48

Interval: 4445.00 ft (KB) To 4492.00 ft (KB) (TVD)

Total Depth: 4492.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2880.00 ft (KB)

2875.00 ft (CF)

KB to GR/CF: 5.00 ft

Serial #: 6669 Outside

Press @ Run Depth: 32.70 psig @ 4482.00 ft (KB)

Start Date: 2011.06.12

End Date:

2011.06.12

Start Time: 12:49:15

End Time:

19:06:00

Capacity: 8000.00 psig

Last Calib.: 2011.06.12

Time On Btm: 2011.06.12 @ 14:32:30


Time Off Btm: 2011.06.12 @ 17:02:00

TEST COMMENT: IF:Weak surface blow died in 20 min.

IS:No return blow

FF:No blow

FS:No return blow



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2207.84	114.25	Initial Hydro-static
1	29.83	113.98	Open To Flow (1)
31	31.16	114.89	Shut-In(1)
90	322.73	117.77	End Shut-In(1)
90	31.96	117.68	Open To Flow (2)
121	32.70	118.89	Shut-In(2)
149	50.53	119.86	End Shut-In(2)
150	2183.10	120.31	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud w ith oil spots	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources

Conner #14-27

303 E. 17th Avenue
Denver Co. 80203

28/18s/30w/ Lane KS

Job Ticket: 43154

DST#: 4

ATTN: Tim Priest

Test Start: 2011.06.12 @ 12:49:15

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 57.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.97 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3400.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud w ith oil spots	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Flatirons Resources
 303 E. 17th Avenue
 Denver Co. 80203
 ATTN: Tim Priest


Conner #14-27
28/18s/30w/ Lane KS
 Job Ticket: 43155 **DST#: 5**
 Test Start: 2011.06.13 @ 08:58:15

GENERAL INFORMATION:

Formation: **Johnson**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 10:42:45
 Time Test Ended: 16:19:00
 Interval: **4504.00 ft (KB) To 4550.00 ft (KB) (TVD)**
 Total Depth: 4550.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole
 Tester: Mike Roberts
 Unit No: 48
 Reference Elevations: 2880.00 ft (KB)
 2875.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 6669 Outside
 Press @ Run Depth: 60.45 psig @ 4540.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2011.06.13 End Date: 2011.06.13 Last Calib.: 2011.06.13
 Start Time: 08:58:15 End Time: 16:19:00 Time On Btm: 2011.06.13 @ 10:42:30
 Time Off Btm: 2011.06.13 @ 14:12:45

TEST COMMENT: IF: Built to 2" blow
 IS: No return blow
 FF: Built to 4" blow
 FS: No return blow



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2216.62	115.37	Initial Hydro-static
1	30.87	115.19	Open To Flow (1)
30	43.25	116.18	Shut-In(1)
90	1157.30	119.59	End Shut-In(1)
90	45.60	119.33	Open To Flow (2)
151	60.45	121.89	Shut-In(2)
210	1121.17	124.04	End Shut-In(2)
211	2208.25	123.97	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
124.00	gcmo10%g 40%m 50%o	0.61
0.00	GIP= 124 feet	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Flatirons Resources

Conner #14-27

303 E. 17th Avenue
Denver Co. 80203

28/18s/30w/ Lane KS

Job Ticket: 43155

DST#: 5

ATTN: Tim Priest

Test Start: 2011.06.13 @ 08:58:15

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 63.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.40 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1800.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
124.00	gcmo10%g 40%m 50%o	0.610
0.00	GIP= 124 feet	0.000

Total Length: 124.00 ft

Total Volume: 0.610 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

JUN 15 2011

Test Ticket

NO. 43151 15893

Well Name & No. CONNER #14-27 Test No. 1 Date 6-9-11
 Company Flatiron Resources Elevation 2880 KB 2875 GL
 Address 303 E 17th Avenue Denver Co. 80203
 Co. Rep / Geo. Tim Priest Rig HD#3
 Location: Sec. 2827 Twp. 18s Rge. 30w Co. LANE State KS

Interval Tested 4222-4250 Zone Tested "K"
 Anchor Length 28' Drill Pipe Run 4086 Mud Wt. 9.3
 Top Packer Depth 4218 Drill Collars Run 144 Vis 66
 Bottom Packer Depth 4222 Wt. Pipe Run Ø WL 8.0
 Total Depth 4250 Chlorides 3400 ppm System LCM 1

Blow Description IF: Built to Weak Surface Blow
IS: No Return Blow
FF: No Blow
FS: No Return Blow


Rec	Feet of	%gas	%oil	%water	%mud
<u>20</u>	<u>M with oil spots</u>			<u>100</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 20 BHT 119 Gravity 1 API RW 1 @ 1 °F Chlorides 1 ppm
 (A) Initial Hydrostatic 2124 Test 1225 T-On Location 14:30
 (B) First Initial Flow 11 Jars _____ T-Started 15:48
 (C) First Final Flow 21 Safety Joint _____ T-Open 17:45
 (D) Initial Shut-In 938 Circ Sub NO T-Pulled 20:15
 (E) Second Initial Flow 22 Hourly Standby _____ T-Out 21:58
 (F) Second Final Flow 30 Mileage 34 RT 47.60 Comments _____
 (G) Final Shut-In 929 Sampler _____
 (H) Final Hydrostatic 2127 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Extra Recorder _____

Initial Open 30
 Initial Shut-In 60
 Final Flow 30
 Final Shut-In 30
 Sub Total 1272.60
 Total 1272.60
 MP/DST Disc't _____

Approved By _____ Our Representative Mike Roberts

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

NO. 43152

JUN 15 2011

Well Name & No. CONNER #14-27 Test No. 2 Date 6-10-11
 Company Flatirons Resources Elevation 2880 KB 2875 GL
 Address 303 E. 17th Avenue Denver Co 80203
 Co. Rep / Geo. Tim Priest Rig HD#3
 Location: Sec. 2827 Twp. 18s Rge. 30W Co. LANE State KS


Interval Tested 4250-4300 Zone Tested "L"
 Anchor Length 50' Drill Pipe Run 4120 Mud Wt. 9.3
 Top Packer Depth 4246 Drill Collars Run 144 Vis 66
 Bottom Packer Depth 4250 Wt. Pipe Run ~~4120~~ 0 WL 8.0
 Total Depth 4300 Chlorides 3400 ppm System LCM 1
 Blow Description FF: Weak Surface Blow died in 18 Min.
IS: NO Return Blow
FF: NO Blow
FS: NO Return Blow

Rec	Feet of	%gas	%oil	%water	%mud
<u>15</u>	<u>M with oil Spots</u>			<u>100</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 15 BHT 118 Gravity 1 API RW 1 @ 1 ° F Chlorides 1 ppm
 (A) Initial Hydrostatic 2185 Test 1225 T-On Location 08:00
 (B) First Initial Flow 33 Jars _____ T-Started 09:42
 (C) First Final Flow 34 Safety Joint _____ T-Open 11:22
 (D) Initial Shut-In 827 Circ Sub NC T-Pulled 13:52
 (E) Second Initial Flow 36 Hourly Standby _____ T-Out 15:46
 (F) Second Final Flow 36 Mileage 34 RT 47.60 Comments _____
 (G) Final Shut-In 391 Sampler _____
 (H) Final Hydrostatic 2144 Straddle _____
 Shale Packer 250 Ruined Shale Packer _____
 Extra Packer _____ Ruined Packer _____
 Extra Recorder _____ Extra Copies _____
 Day Standby _____ Sub Total 8
 Accessibility _____ Total 1522.60
 Sub Total 1522.60 MP/DST Disc't _____

Approved By [Signature] Our Representative Mike Roberts

Trilobite Testing Inc. shall not be liable for damages of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

NO. 43153

JUN 15 2011

4/10

Well Name & No. CONNER #14-27 Test No. 3 Date 6-11-11
 Company Flatirons Resources Elevation 2880 KB 2875 GL
 Address 303 E. 17th Avenue Denver CO 80203
 Co. Rep / Geo. Tim Priest Rig HD#3
 Location: Sec. 2827 Twp. 18S Rge. 30W Co. LANE State KS

Interval Tested 4372-4445 Zone Tested Marmaton - Pawnee
 Anchor Length 73' Drill Pipe Run 4238 Mud Wt. 9.2
 Top Packer Depth 4368 Drill Collars Run 144 Vis 55
 Bottom Packer Depth 4372 Wt. Pipe Run Ø WL 68
 Total Depth 4445 Chlorides 3400 ppm System LCM 2
 Blow Description IF: BOB in 30 Sec.
IS: BOB in 15 Min
FF: BOB in 30 Sec.
FS: BOB in 21 Min


Rec	Feet of	%gas	%oil	%water	%mud
#1302	GIP = 1054	100			
1302	900	20	80		
372	900	15	85		
620434	9cm0	20	70	10	
144	Øcgm	25	20	55	

Rec Total 2438 BHT 128 Gravity 32 API RW / @ / °F Chlorides / ppm

(A) Initial Hydrostatic 2217 Test 1225 T-On Location 14:00
 (B) First Initial Flow 225 Jars _____ T-Started 15:24
 (C) First Final Flow 475 Safety Joint _____ T-Open 17:14
 (D) Initial Shut-In 1108 Circ Sub Dropped BAREO T-Pulled 19:24
 (E) Second Initial Flow 483 Hourly Standby _____ T-Out 12:42
 (F) Second Final Flow 849 Mileage 34 RT 47.60 Comments _____
 (G) Final Shut-In 1104 Sampler _____
 (H) Final Hydrostatic 2201 Straddle _____ Ruined Shale Packer _____
 Shale Packer 250 Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Extra Recorder _____ Sub Total Ø
 Day Standby _____ Total 1572.60
 Accessibility _____ MP/DST Disc't _____
 Sub Total 1572.60

Approved By _____ Our Representative Mike Roberts

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

NO. 43154

JUN 15 2011

Well Name & No. CONNER #14-27 Test No. 4 Date 6-12-11
 Company Flatirons Resources Elevation 2880 KB 2875 GL
 Address 303 E 17th Avenue Denver CO 80203
 Co. Rep / Geo. Tim Priest Rig HD#3
 Location: Sec. 2827 Twp. 18S Rge. 30W Co. LANE State KS

Interval Tested 4445-4492 Zone Tested Myric Station - Ft. Scott
 Anchor Length 47' Drill Pipe Run 4300 Mud Wt. 9.3
 Top Packer Depth 4441 Drill Collars Run 144 Vis 57
 Bottom Packer Depth 4445 Wt. Pipe Run Ø WL 8.0
 Total Depth 4492 Chlorides 3400 ppm System LCM 2
 Blow Description IF: Weak Surface Blow died in 20 Min.
IS: No Return Blow
FF: No Blow
FS: No Return Blow


Rec	Feet of	%gas	%oil	%water	%mud
<u>5</u>	<u>mud with oil spots</u>			<u>5</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 5 BHT 119 Gravity / API RW / @ / °F Chlorides / ppm

(A) Initial Hydrostatic <u>2207</u>	<input checked="" type="checkbox"/> Test <u>1225'</u>	T-On Location <u>12:00</u>
(B) First Initial Flow <u>29</u>	<input type="checkbox"/> Jars	T-Started <u>12:49</u>
(C) First Final Flow <u>31</u>	<input type="checkbox"/> Safety Joint	T-Open <u>14:32</u>
(D) Initial Shut-In <u>322</u>	<input checked="" type="checkbox"/> Circ Sub <u>NC</u>	T-Pulled <u>17:02</u>
(E) Second Initial Flow <u>31</u>	<input type="checkbox"/> Hourly Standby	T-Out <u>19:06</u>
(F) Second Final Flow <u>32</u>	<input checked="" type="checkbox"/> Mileage <u>34RT 47.60</u>	Comments
(G) Final Shut-In <u>50</u>	<input type="checkbox"/> Sampler	
(H) Final Hydrostatic <u>2183</u>	<input type="checkbox"/> Straddle	<input checked="" type="checkbox"/> Ruined Shale Packer <u>280'</u>
Initial Open <u>30</u>	<input checked="" type="checkbox"/> Shale Packer <u>250'</u>	<input type="checkbox"/> Ruined Packer
Initial Shut-In <u>60</u>	<input type="checkbox"/> Extra Packer	<input type="checkbox"/> Extra Copies
Final Flow <u>30</u>	<input type="checkbox"/> Extra Recorder	Sub Total
Final Shut-In <u>30</u>	<input type="checkbox"/> Day Standby	Total <u>1802.60</u>
	<input type="checkbox"/> Accessibility	MP/DST Disc't
	Sub Total <u>1522.60</u>	

Approved By [Signature] Our Representative [Signature]

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

RECEIVED JUN 15 2011

Test Ticket

NO. 43155

Well Name & No. CONNER #14-27 Test No. 5 Date 6-13-11
 Company Flatrons Resources Elevation 2880 KB 2875 GL
 Address 303 E. 17th Avenue Denver CO 80203
 Co. Rep / Geo. Tim Priest Rig HD #3
 Location: Sec. 28 Twp. 18S Rge. 30W Co. LANE State KS

Interval Tested 4504-4550 Zone Tested Johnson
 Anchor Length 46' Drill Pipe Run 4362 Mud Wt. 9.2
 Top Packer Depth 4500 Drill Collars Run 144 Vis 6.3
 Bottom Packer Depth 4504 Wt. Pipe Run Ø WL 6.4
 Total Depth 4550 Chlorides 1800 ppm System LCM 1
 Blow Description IF: Built to 2" Blow
IS: No Return Blow
FF: Built to 4" Blow
FS: No Return Blow

Rec	Feet of	%gas	%oil	%water	%mud
<u>Ø</u>	<u>GIP = 124'</u>	<u>100</u>			
<u>124</u>	<u>gemo</u>	<u>10</u>	<u>50</u>		<u>40</u>

Rec Total 124 BHT 124 Gravity 1 API RW 1 @ 1 °F Chlorides 1 ppm

(A) Initial Hydrostatic 2216 Test 1225 T-On Location 07:30
 (B) First Initial Flow 30 Jars _____ T-Started 08:58
 (C) First Final Flow 43 Safety Joint _____ T-Open 10:42
 (D) Initial Shut-In 1157 Circ Sub NC T-Pulled 14:42
 (E) Second Initial Flow 45 Hourly Standby _____ T-Out 16:19
 (F) Second Final Flow 60 Mileage 34RT 47.60 Comments _____
 (G) Final Shut-In 1121 Sampler _____
 (H) Final Hydrostatic 2208 Straddle _____

Ruined Shale Packer _____
 Ruined Packer _____
 Extra Packer _____
 Extra Copies _____
 Extra Recorder _____
 Day Standby _____
 Accessibility _____
 Sub Total 1522.60 MP/DST Disc't _____

Approved By Tim Priest Our Representative Mike Roberts

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.