

Tool Open: 1st Flow hr. 30 mins: Shut-in Initial hr. 30 min: 2nd Flow hr. 30 min: Shut-in Final hr. 30 min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2224</u>	<u>2224</u>
(B) Initial 1st Flow Pressure	<u>43</u>	<u>41</u>
(C) Final 1st Flow Pressure	<u>43</u>	<u>43</u>
(D) Initial Shut-in Pressure	<u>969</u>	<u>970</u>
(E) Initial 2nd Flow Pressure	<u>52</u>	<u>52</u>
(F) Final 2nd Flow Pressure	<u>52</u>	<u>52</u>
(G) Final Shut-in Pressure	<u>917</u>	<u>917</u>
(H) Final Hydrostatic Pressure	<u>2189</u>	<u>2192</u>

TICKET #894

THUNDERBIRD DRLG., INC.
TESTING DIVISION
Box 18407
WICHITA, KANSAS

Company THUNDERBIRD DRILLING, INC.

Lease and Well No. WHITING NO. 1

County LANE State KANSAS Date 9-13-78

Formation Test No. 1 Total Depth 4303' Elev.

Interval Tested 4277' To 4303' Anchor Length 26'

Size Hole 7 7/8" Size Drill Pipe 4 1/2" XH FH Size Packer 6 3/4"

Mud Weight 9.7 Viscosity 63 Water Loss 11.2 c.c. Bottom Hole Temp. 114 ° F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 894

RECOVERY

BLOW: WEAK BLOW FOR 8 MINUTES.

RECOVERY: 10' OF MUD.

Lease and Well No. WHITING #1 SEC. 29 T4N 18-S RG 30-W NE NE SW

Formation Test No.

DATE 9-13-78 THUNDERBIRD DRILLING, INC. TESTING DIVISION TICKET N^o 894
 SEC. 29 TWN 18-S RG 30-W BOX 18407 PHONE 316 685-1441
 LEGAL DESCRIPTION NE NE SW WICHITA, KANSAS 67218 TEST NO. 1

COMPANY Thunderbird Drllg. Inc.
 ADDRESS Box 18407; Wichita, Ks. 67218
 LEASE Whiting WELL NO. 1 COUNTY Lane, STATE Ks.
 INVOICES SENT TO: Same
 DST COPIES SENT TO: "



GENERAL INFORMATION		PRESSURE DATA & TIME	
		FIELD READINGS	CORRECTED READINGS
TOOL JT. <u>F.H.</u> HOLE SIZE <u>7 7/8"</u> PACKER O.D. <u>6 3/4"</u>	ELEV. _____ TOTAL DEPTH <u>4303'</u>	INITIAL HYDROSTATIC <u>2224</u>	<u>2224</u>
TESTED FROM <u>4277'</u> TO <u>4303'</u>	ANCHOR LENGTH BELOW <u>26'</u> BETWEEN <u>✓</u>	INITIAL 1ST FLOW <u>43</u>	<u>41</u>
TOOL OPEN 1ST FLOW <u>11:00</u> A.M. _____ P.M.	TOOL CLOSED INITIAL SHUT-IN <u>11:30</u> A.M. _____ P.M.	FINAL 1ST FLOW <u>43</u>	<u>43</u>
TOOL OPEN 2ND FLOW <u>12:00</u> A.M. _____ P.M.	TOOL CLOSED FINAL SHUT-IN _____ A.M. <u>12:30</u> P.M.	INITIAL SHUT-IN <u>969</u>	<u>970</u>
MUD WT <u>9.7</u> VISCOSITY <u>63</u> W.L. <u>11.2</u> C.C.	SP. GRAVITY OIL _____ BOTTOM HOLE TEMPERATURE <u>114°</u>	INITIAL 2ND FLOW <u>52</u>	<u>52</u>
LENGTH DRILL COLLAR <u>✓</u> I.D. <u>✓</u>	LENGTH WEIGHT PIPE <u>5-75'</u> I.D. <u>2.76</u>	FINAL 2ND FLOW <u>52</u>	<u>52</u>
SUCCESSFUL TEST NO. <u>1</u> MISRUN NO. _____	CHOKES: TOP <u>1/2"</u> BOTTOM <u>1/2"</u>	FINAL SHUT-IN <u>917</u>	<u>917</u>
		FINAL HYDROSTATIC <u>2189</u>	<u>2192</u>
		TOOL OPEN: 1ST FLOW _____ HR. <u>30</u> MIN.	
		INITIAL SHUT-IN _____ HR. <u>30</u> MIN.	
		2ND FLOW _____ HR. <u>30</u> MIN.	
		FINAL SHUT-IN _____ HR. <u>30</u> MIN.	
		TOP RECORDER NO. <u>2162</u> BOTTOM RECORDER NO. <u>4533</u>	

TYPE BLOW Weak blow for 8 mins.
 RECOVERY: 10' of mud

EXTRA EQUIPMENT None
 APPROVED BY: _____ THUNDERBIRD DRILLING, INC.
 TESTER: Ed Cook
 FORMATION TESTED K.C.
 OPERATOR TIME: _____

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>440.00</u>
EXTRA PACKERS	\$ _____
JARS	\$ _____
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>440.00</u>



Tool Open: 1st Flow hr. 45 mins: Shut-in Initial hr. 45 min: 2nd Flow hr. 45 min: Shut-in Final hr. 45 min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2347</u>	<u>2347</u>
(B) Initial 1st Flow Pressure	<u>87</u>	<u>85</u>
(C) Final 1st Flow Pressure	<u>95</u>	<u>95</u>
(D) Initial Shut-in Pressure	<u>1075</u>	<u>1075</u>
(E) Initial 2nd Flow Pressure	<u>104</u>	<u>102</u>
(F) Final 2nd Flow Pressure	<u>164</u>	<u>162</u>
(G) Final Shut-in Pressure	<u>1075</u>	<u>1073</u>
(H) Final Hydrostatic Pressure	<u>2312</u>	<u>2318</u>

TICKET #895

THUNDERBIRD DRLG., INC.
TESTING DIVISION
Box 18407
WICHITA, KANSAS

Company THUNDERBIRD DRILLING, INC.

Lease and Well No. WHITING NO. 1

County LANE State KANSAS Date 9-14-78

Formation Test No. 2 Total Depth 4440' Elev. _____

Interval Tested 4354' To 4440' Anchor Length _____

Size Hole 7 7/8" Size Drill Pipe 4 1/2 XH FH Size Packer 6 3/4

Mud Weight 9.5 Viscosity 55 Water Loss 10.2 c.c. Bottom Hole Temp. 116 ° F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 895

RECOVERY

BLOW: WEAK TO FAIR BLOW FOR 65 MINUTES.

RECOVERY: 190' OF THIN MUD WITH TRACE OF OIL IN TOOL.

Lease and Well No. WHITING NO. 1 SEC 29 TWN 18-S RG 30-W

Formation Test No. _____

DATE 9-14-78

THUNDERBIRD DRILLING, INC.

TESTING DIVISION

TICKET N^o **895**

SEC. 29 TWN 18-5 RG 30-W

BOX 18407 PHONE 316 685-1441

LEGAL DESCRIPTION NE-NE-SW

WICHITA, KANSAS 67218

TEST NO. 2

COMPANY Thunderbird Drllg. Inc.

ADDRESS Box 18407; Wichita, Ks. 67218

LEASE Whiting WELL NO. 1 COUNTY Lane, STATE Ks.

INVOICES SENT TO: Same

DST COPIES SENT TO: "

GENERAL INFORMATION				PRESSURE DATA & TIME			
4 1/2" X.H. GENERAL INFORMATION							
TOOL JT. <u>F.H.</u>	HOLE SIZE <u>7 7/8"</u>	PACKER O.D. <u>6 3/4"</u>		FIELD READINGS		CORRECTED READINGS	
ELEV. _____	TOTAL DEPTH <u>4440'</u>			INITIAL HYDROSTATIC	<u>2347</u>	<u>2347</u>	
TESTED FROM <u>4354'</u>	TO <u>4440'</u>			INITIAL 1ST FLOW	<u>87</u>	<u>85</u>	
ANCHOR LENGTH BELOW _____	BETWEEN <u>✓</u>			FINAL 1ST FLOW	<u>95</u>	<u>95</u>	
TOOL OPEN 1ST FLOW <u>9:05</u>	A.M.			INITIAL SHUT-IN	<u>1075</u>	<u>1075</u>	
TOOL CLOSED INITIAL SHUT-IN <u>9:30</u>	A.M.			INITIAL 2ND FLOW	<u>104</u>	<u>102</u>	
TOOL OPEN 2ND FLOW <u>10:35</u>	A.M.			FINAL 2ND FLOW	<u>164</u>	<u>162</u>	
TOOL CLOSED FINAL SHUT-IN <u>11:20</u>	A.M.			FINAL SHUT-IN	<u>1075</u>	<u>1072</u>	
MUD WT. <u>9.5</u>	VISCOSITY <u>55</u>	W.L. <u>10.2</u>	C.C. <u>8</u>	FINAL HYDROSTATIC	<u>2312</u>	<u>238</u>	
SP. GRAVITY OIL _____	BOTTOM HOLE TEMPERATURE <u>116</u>			TOOL OPEN: 1ST FLOW _____		HR. <u>45</u>	MIN. _____
LENGTH DRILL COLLAR <u>✓</u>	I.D. <u>✓</u>			INITIAL SHUT-IN _____		HR. <u>45</u>	MIN. _____
LENGTH WEIGHT PIPE <u>575'</u>	I.D. <u>2.76</u>			2ND FLOW _____		HR. <u>45</u>	MIN. _____
SUCCESSFUL TEST NO. <u>2</u>	MISRUN NO. <u>✓</u>			FINAL SHUT-IN _____		HR. <u>45</u>	MIN. _____
CHOKES: TOP <u>1/2"</u>	BOTTOM <u>1/2"</u>			TOP RECORDER NO. <u>2162</u>		BOTTOM RECORDER NO. <u>4332</u>	

TYPE BLOW Weak to Fair blow for 65 mins.

RECOVERY: 190' of thin mud w/trace of oil in Tool

EXTRA EQUIPMENT None

APPROVED BY: _____ **THUNDERBIRD DRILLING, INC.**



TESTER: Ted Cook

FORMATION TESTED M&M.

OPERATOR TIME: _____

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>440.00</u>
EXTRA PACKERS	\$ _____
JARS	\$ _____
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>440.00</u>



Tool Open: 1st Flow hr. 30 mins: Shut-in Initial hr. 30 min: 2nd Flow hr. 30 min: Shut-in Final hr. 30 min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2365</u>	<u>2365</u>
(B) Initial 1st Flow Pressure	<u>43</u>	<u>40</u>
(C) Final 1st Flow Pressure	<u>43</u>	<u>43</u>
(D) Initial Shut-in Pressure	<u>311</u>	<u>315</u>
(E) Initial 2nd Flow Pressure	<u>52</u>	<u>52</u>
(F) Final 2nd Flow Pressure	<u>52</u>	<u>52</u>
(G) Final Shut-in Pressure	<u>95</u>	<u>96</u>
(H) Final Hydrostatic Pressure	<u>2329</u>	<u>2339</u>

TICKET #896

THUNDERBIRD DRLG., INC.
TESTING DIVISION
Box 18407
WICHITA, KANSAS

Company THUNDERBIRD DRILLING, INC.

Lease and Well No. WHITING NO. 1

County LANE State KANSAS Date 9-15-78

Formation Test No. 3 Total Depth 4554' Elev.

Interval Tested 4507' To 4554' Anchor Length 47'

Size Hole 7 7/8" Size Drill Pipe 4 1/2 XH FH Size Packer 6 3/4

Mud Weight 9.3 Viscosity 45 Water Loss 10.6 c.c. Bottom Hole Temp. 116 ° F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 896

RECOVERY

BLOW: WEAK BLOW FOR 8 MINUTES.

RECOVERY: 12' OF MUD WITH TRACE OF OIL.

Lease and Well No. WHITING NO. 1 SEC 29 TWN 18-S RG 30-W NE NE SW Formation Test No. 3

DATE 9-15-78

THUNDERBIRD DRILLING, INC.

SEC. 29 TWN 18-S RG 30-W

TESTING DIVISION

TICKET N^o 896

LEGAL DESCRIPTION NE NE SW

BOX 18407 PHONE 316 685-1441

WICHITA, KANSAS 67218

TEST NO. 3

COMPANY Thunderbird Drlg. Inc.
 ADDRESS Box 18407, Wichita, Mo. 67218
 LEASE Whiting WELL NO. 1 COUNTY Harvey STATE Mo.
 INVOICES SENT TO: S2177C
 DST COPIES SENT TO: "

4 1/2" X.H. GENERAL INFORMATION				PRESSURE DATA & TIME			
TOOL JT. <u>F.H.</u>		HOLE SIZE <u>7 7/8"</u>	PACKER O.D. <u>6 3/4"</u>	FIELD READINGS		CORRECTED READINGS	
ELEV.	TOTAL DEPTH <u>4534'</u>			INITIAL HYDROSTATIC	<u>2365</u>	<u>2365</u>	
TESTED FROM	TO <u>4507'</u> TO <u>4554'</u>			INITIAL 1ST FLOW	<u>43</u>	<u>40</u>	
ANCHOR LENGTH BELOW	<u>47'</u> BETWEEN <input checked="" type="checkbox"/>			FINAL 1ST FLOW	<u>42</u>	<u>42</u>	
TOOL OPEN 1ST FLOW	<u>9:30</u> A.M. P.M.			INITIAL SHUT-IN	<u>311</u>	<u>315</u>	
TOOL CLOSED INITIAL SHUT-IN	<u>10:00</u> A.M. P.M.			INITIAL 2ND FLOW	<u>52</u>	<u>52</u>	
TOOL OPEN 2ND FLOW	<u>10:30</u> A.M. P.M.			FINAL 2ND FLOW	<u>52</u>	<u>52</u>	
TOOL CLOSED FINAL SHUT-IN	<u>11:00</u> A.M. P.M.			FINAL SHUT-IN	<u>95</u>	<u>96</u>	
MUD WT <u>9.3</u>	VIScosity	<u>45</u>	W.L. <u>10.6</u> C.C.	FINAL HYDROSTATIC	<u>2329</u>	<u>2329</u>	
SP. GRAVITY OIL	BOTTOM HOLE TEMPERATURE <u>116°</u>			TOOL OPEN: 1ST FLOW		HR. <u>30</u>	MIN.
LENGTH DRILL COLLAR <input checked="" type="checkbox"/>	I.D. <input checked="" type="checkbox"/>			INITIAL SHUT-IN		HR. <u>30</u>	MIN.
LENGTH WEIGHT PIPE <u>5-75</u>	I.D. <u>2.76</u>			2ND FLOW		HR. <u>30</u>	MIN.
SUCCESSFUL TEST NO. <u>3</u>	MISRUN NO. <input checked="" type="checkbox"/>			FINAL SHUT-IN		HR. <u>30</u>	MIN.
CHOKES: TOP <u>1/2"</u>	BOTTOM <u>1/2"</u>			TOP RECORDER NO. <u>2162</u>	BOTTOM RECORDER NO. <u>4333</u>		

TYPE BLOW Weak blow for 8 mins

RECOVERY: 12' of mud w/trace of O:1

EXTRA EQUIPMENT None

APPROVED BY: _____ **THUNDERBIRD DRILLING, INC.**


TESTER: Ed Cook

FORMATION TESTED Chero.


OPERATOR TIME: _____

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE. OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>440.00</u>
EXTRA PACKERS	\$ _____
JARS	\$ _____
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>440.00</u>



R-4322



(4)

Tool Open: 1st Flow hr. 30 mins: Shut-in Initial hr. 30 min: 2nd Flow hr. 30 min: Shut-in Final hr. 30 min

	Field Reading	Corrected Reading
(A) Initial Hydrostatic Pressure	<u>2400</u>	<u>2400</u>
(B) Initial 1st Flow Pressure	<u>35</u>	<u>35</u>
(C) Final 1st Flow Pressure	<u>35</u>	<u>35</u>
(D) Initial Shut-in Pressure	<u>1090</u>	<u>1090</u>
(E) Initial 2nd Flow Pressure	<u>43</u>	<u>43</u>
(F) Final 2nd Flow Pressure	<u>43</u>	<u>43</u>
(G) Final Shut-in Pressure	<u>1038</u>	<u>1035</u>
(H) Final Hydrostatic Pressure	<u>2347</u>	<u>2362</u>

TICKET #897

THUNDERBIRD DRLG., INC.
TESTING DIVISION
Box 18407
WICHITA, KANSAS

Company THUNDERBIRD DRILLING, INC.

Lease and Well No. WHITING NO. 1

County LANE State KANSAS Date 9-15-78

Formation Test No. 4 Total Depth 4567' Elev. _____

Interval Tested 4544' To 4567' Anchor Length 23'

Size Hole 7 7/8" Size Drill Pipe 4 1/2 XH FH Size Packer 6 3/4

Mud Weight 9.5 Viscosity 47 Water Loss 10.4 c.c. Bottom Hole Temp. 118 ° F

Chokes: Top 1/2 Bottom 1/2 Ticket No. 897

RECOVERY

BLOW: WEAK BLOW FOR 3 MINUTES.

RECOVERY: 8' OF MUD WITH TRACE OF FREE OIL ON TOP.

Lease and Well No. WHITING NO. 1 SEC 29 T1N 18-S RG 30-W NE NE SW

Formation Test No. 4

DATE 9-15-78

THUNDERBIRD DRILLING, INC.

TICKET N^o **897**

SEC. 29 TWN 18-S RG 30-W

TESTING DIVISION

BOX 18407 PHONE 316 685-1441

LEGAL DESCRIPTION NE-NE-SW

WICHITA, KANSAS 67218

TEST NO. 4

COMPANY Thunderbird Drilling, Inc.

ADDRESS Box 18407, Wichita, Mo. 67218

LEASE Whiting WELL NO. 1 COUNTY Butte STATE Ks.

INVOICES SENT TO: James

DST COPIES SENT TO:

GENERAL INFORMATION				PRESSURE DATA & TIME			
		FIELD READINGS			CORRECTED READINGS		
TOOL JT. <u>F.H.</u>	HOLE SIZE <u>7 7/8</u>	PACKER O.D. <u>6 3/4</u>	INITIAL HYDROSTATIC		<u>2400</u>	<u>2400</u>	
ELEV. _____	TOTAL DEPTH <u>4567'</u>	INITIAL 1ST FLOW		<u>35</u>	<u>35</u>		
TESTED FROM <u>4544'</u>	TO <u>4567'</u>	FINAL 1ST FLOW		<u>35</u>	<u>35</u>		
ANCHOR LENGTH BELOW _____	BETWEEN _____	INITIAL SHUT-IN		<u>1090</u>	<u>1090</u>		
TOOL OPEN 1ST FLOW _____	A.M. <u>8:55</u> P.M. _____	INITIAL 2ND FLOW		<u>43</u>	<u>43</u>		
TOOL CLOSED INITIAL SHUT-IN _____	A.M. <u>9:25</u> P.M. _____	FINAL 2ND FLOW		<u>43</u>	<u>43</u>		
TOOL OPEN 2ND FLOW _____	A.M. <u>9:55</u> P.M. _____	FINAL SHUT-IN		<u>1038</u>	<u>1035</u>		
TOOL CLOSED FINAL SHUT-IN _____	A.M. <u>10:25</u> P.M. _____	FINAL HYDROSTATIC		<u>2347</u>	<u>2362</u>		
MUD WT. <u>9.5</u>	VISCOSITY <u>47</u>	W.L. <u>10.4</u>	C.C. _____	TOOL OPEN: 1ST FLOW		HR. <u>30</u>	MIN. _____
SP. GRAVITY OIL _____	BOTTOM HOLE TEMPERATURE <u>118°</u>	INITIAL SHUT-IN		HR. <u>30</u>	MIN. _____		
LENGTH DRILL COLLAR _____	I.D. _____	2ND FLOW		HR. <u>30</u>	MIN. _____		
LENGTH WEIGHT PIPE <u>575'</u>	I.D. <u>2.96</u>	FINAL SHUT-IN		HR. <u>30</u>	MIN. _____		
SUCCESSFUL TEST NO. <u>4</u>	MISRUN NO. _____	TOP RECORDER NO. <u>2162</u>		BOTTOM RECORDER NO. <u>4333</u>			
CHOKES: TOP <u>1/2</u>	BOTTOM <u>1/2</u>						

TYPE BLOW Work blow for 3 mins.

RECOVERY: 8' of mud w/ trace of Free Oil on top

EXTRA EQUIPMENT None

APPROVED BY: _____

TESTER: Ed Cook


FORMATION TESTED Charo. 3d

OPERATOR TIME: _____


THUNDERBIRD DRILLING, INC.

SHALL NOT BE LIABLE FOR ANY DAMAGE OF ANY KIND TO THE PROPERTY OR PERSONNEL OF THE ONE FOR WHOM A TEST IS MADE, OR FOR ANY LOSS SUFFERED OR SUSTAINED, DIRECTLY OR INDIRECTLY, THROUGH THE USE OF ITS EQUIPMENT, OR ITS STATEMENTS OR OPINION CONCERNING THE RESULTS OF ANY TEST. TOOLS LOST OR DAMAGED IN THE HOLE SHALL BE PAID FOR AT COST BY THE PARTY FOR WHOM THE TEST WAS MADE.

CHARGES	
TEST CHARGE	\$ <u>440.00</u>
EXTRA PACKERS	\$ _____
JARS	\$ _____
SAFETY JOINT	\$ _____
HOOK WALL	\$ _____
MISRUN CHARGE	\$ _____
STAND-BY CHARGE	\$ _____
DST EVALUATION	\$ _____
STRADDLE	\$ _____
TOTAL	\$ <u>440.00</u>



0.1.1.55



(4)

0.1.1.7