

**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **FIML Natural Resources, LLC**

410 17th Street
Suite 900
Denver, CO 80202

ATTN: Gary Doke, Josh Austi

31-18s-31w Scott,KS

Kimball 8-31-1831

Start Date: 2008.10.24 @ 10:30:00

End Date: 2008.10.24 @ 17:22:15

Job Ticket #: 32615 DST #: 1

KCC
FEB 10 2009
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 12 2009

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

FIML Natural Resources, LLC

Kimball 8-31-1831

31-18s-31w Scott,KS

DST # 1

Lansing, J.

2008.10.24

31-18s-31w

15-171-20706



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FIML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Doke, Josh Austie 900


31-18s-31w Scott,KS
Job Ticket: 32615 DST#: 1
Test Start: 2008.10.24 @ 10:30:00

GENERAL INFORMATION:

Formation: **Lansing 'J'**
Deviated: **No Whipstock:** ft (KB)
Time Tool Opened: 12:27:15
Time Test Ended: 17:22:15
Interval: **4234.00 ft (KB) To 4280.00 ft (KB) (TVD)**
Total Depth: **4280.00 ft (KB) (TVD)**
Hole Diameter: **7.88 inches** Hole Condition: **Good**
Test Type: **Conventional Bottom Hole**
Tester: **Chuck Smith**
Unit No: **37**
Reference Elevations: **2993.00 ft (KB)**
2981.00 ft (CF)
KB to GR/CF: **12.00 ft**

Serial #: 8017 **Inside**
Press@RunDepth: **116.58 psig @ 4237.00 ft (KB)**
Start Date: **2008.10.24** End Date: **2008.10.24**
Start Time: **10:30:01** End Time: **17:22:15**
Capacity: **7000.00 psig**
Last Calib.: **2008.10.24**
Time On Btm: **2008.10.24 @ 12:26:45**
Time Off Btm: **2008.10.24 @ 15:14:00**

TEST COMMENT: IF: 3" Blow.
IS: No return.
FF: 3" Blow.
FSI: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2062.21	118.84	Initial Hydro-static
1	18.36	117.95	Open To Flow (1)
31	73.28	121.10	Shut-in(1)
61	950.13	123.82	End Shut-in(1)
61	75.09	123.49	Open To Flow (2)
106	116.58	126.53	Shut-in(2)
167	950.51	129.56	End Shut-in(2)
168	2026.74	129.82	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
186.00	MCW 50%M 50%W	0.91
40.00	OSWCM 40%W 60%M	0.56
0.00	No GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

FIML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Doke, Josh Austie 900

31-18s-31w Scott,KS
Job Ticket: 32615 DST#: 1
Test Start: 2008.10.24 @ 10:30:00

Tool Information

Drill Pipe:	Length: 4051.00 ft	Diameter: 3.80 inches	Volume: 56.82 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 186.00 ft	Diameter: 2.25 inches	Volume: 0.91 bbl	Weight to Pull Loose: 85000.00 lb
		Total Volume: 57.73 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial 80000.00 lb
Depth to Top Packer:	4234.00 ft			Final 80000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	46.00 ft			
Tool Length:	68.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4213.00	
Shut In Tool	5.00			4218.00	
Hydraulic tool	5.00			4223.00	
Safety Joint	2.00			4225.00	
Packer	5.00			4230.00	22.00 Bottom Of Top Packer
Packer	4.00			4234.00	
Stubb	1.00			4235.00	
Perforations	2.00			4237.00	
Recorder	0.00	8017	Inside	4237.00	
Recorder	0.00	8351	Inside	4237.00	
Perforations	5.00			4242.00	
Change Over Sub	1.00			4243.00	
Anchor	31.00			4274.00	
Change Over Sub	1.00			4275.00	
Bullnose	5.00			4280.00	46.00 Bottom Packers & Anchor

Total Tool Length: 68.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

FML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street
Suite 900
Denver, CO 80202

31-18s-31w Scott,KS

Job Ticket: 32615

DST#: 1

ATTN: Gary Doke, Josh Austie 900

Test Start: 2008.10.24 @ 10:30:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

17000 ppm

Viscosity: 49.00 sec/qt

Cushion Volume:

bbf

Water Loss: 7.98 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3700.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbf
186.00	MCW 50%M 50%W	0.915
40.00	OSWCM 40%W 60%M	0.561
0.00	No GP	0.000

Total Length: 226.00ft Total Volume: 1.476 bbf

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW: .460 @ 66 Degrees F = 17000 chlorides.





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **FIML Natural Resources, LLC**

410 17th Street
Suite 900
Denver, CO 80202

ATTN: Gary Doke, Josh Austi

31-18s-31w Scott,KS

Kimball 8-31-1831

Start Date: 2008.10.25 @ 03:52:35

End Date: 2008.10.25 @ 11:48:32

Job Ticket #: 32616 DST #: 2

Trilobite Testing, Inc


PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 12 2009

CONSERVATION DIVISION
WICHITA, KS



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FML Natural Resources, LLC
410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Doke, Josh Austie 900


Kimball 8-31-1831
31-18s-31w Scott,KS
Job Ticket: 32616 DST#: 2
Test Start: 2008.10.25 @ 03:52:35

GENERAL INFORMATION:

Formation: **Lansing 'K,L'**
Deviated: **No Whipstock:** ft (KB)
Time Tool Opened: **05:38:37**
Time Test Ended: **11:48:32**
Interval: **4283.00 ft (KB) To 4340.00 ft (KB) (TVD)**
Total Depth: **4340.00 ft (KB) (TVD)**
Hole Diameter: **7.88 inches** Hole Condition: **Good**
Test Type: **Conventional Bottom Hole**
Tester: **Chuck Smith**
Unit No: **37**
Reference Elevations: **2993.00 ft (KB)**
2981.00 ft (CF)
KB to GR/CF: **12.00 ft**

Serial #: 8351 Inside
Press@RunDepth: **206.77 psig @ 4287.00 ft (KB)** Capacity: **7000.00 psig**
Start Date: **2008.10.25** End Date: **2008.10.25** Last Callb.: **2008.10.25**
Start Time: **03:52:36** End Time: **11:48:31** Time On Btm: **2008.10.25 @ 05:32:37**
Time Off Btm: **2008.10.25 @ 09:26:12**

TEST COMMENT: IF: 11" Blow.
IS: Surface return, died @ 25 min.
FF: B.O.B. @ 33 min.
FSI: 1 3/4" return, died @ 40 min.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2066.33	120.19	Initial Hydro-static
6	19.82	118.93	Open To Flow (1)
37	126.25	127.17	Shut-In (1)
81	715.59	126.51	End Shut-In (1)
82	131.91	126.39	Open To Flow (2)
141	206.77	134.21	Shut-In (2)
233	712.39	133.71	End Shut-In (2)
234	2037.01	134.09	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
62.00	OSWCM 50%W 50%M	0.30
187.00	GOCM 15%G 5%O 80%M	1.49
126.00	GWOCM 15%G 10%W 15%O 60%M	1.77
63.00	GOCM 10%G 40%O 50%M	0.88
0.00	240 Feet GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

FIML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Doke, Josh Austle 900

31-18s-31w Scott,KS
Job Ticket: 32616 **DST#: 2**
Test Start: 2008.10.25 @ 03:52:35

Tool Information

Drill Pipe:	Length: 4084.00 ft	Diameter: 3.80 inches	Volume: 57.29 bbl	Tool Weight:	2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 186.00 ft	Diameter: 2.25 inches	Volume: 0.91 bbl	Weight to Pull Loose:	90000.00 lb
			<u>Total Volume: 58.20 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	9.00 ft			String Weight: Initial	77000.00 lb
Depth to Top Packer:	4283.00 ft			Final	79000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	57.00 ft				
Tool Length:	79.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4262.00	
Shut In Tool	5.00			4267.00	
Hydraulic tool	5.00			4272.00	
Safety Joint	2.00			4274.00	
Packer	5.00			4279.00	22.00 Bottom Of Top Packer
Packer	4.00			4283.00	
Stubb	1.00			4284.00	
Perforations	3.00			4287.00	
Recorder	0.00	8017	inside	4287.00	
Recorder	0.00	8351	inside	4287.00	
Perforations	15.00			4302.00	
Change Over Sub	1.00			4303.00	
Anchor	31.00			4334.00	
Change Over Sub	1.00			4335.00	
Bullnose	5.00			4340.00	57.00 Bottom Packers & Anchor

Total Tool Length: 79.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

FML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street

31-18s-31w Scott,KS

Suite 900

Job Ticket: 32616

DST#: 2

Denver, CO 80202

ATTN: Gary Doke, Josh Austie 900

Test Start: 2008.10.25 @ 03:52:35

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

18000 ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.18 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2900.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	OSWCM 50%W 50%M	0.305
187.00	GOCM 15%G 5%O 80%M	1.494
126.00	GWOCM 15%G 10%W 15%O 60%M	1.767
63.00	GOCM 10%G 40%O 50%M	0.884
0.00	240 Feet GIP	0.000

Total Length: 438.00 ft Total Volume: 4.450 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW: .410 @ 62 Degrees F = 18000 chlorides.





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **FIML Natural Resources, LLC**

410 17th Street
Suite 900
Denver, CO 80202

ATTN: Gary Doke, Josh Austi

31-18s-31w Scott,KS

Kimball 8-31-1831

Start Date: 2008.10.25 @ 23:59:45

End Date: 2008.10.26 @ 07:08:45

Job Ticket #: 32617 DST #: 3

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 12 2009

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FIML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Duke, Josh Austie 900

31-18s-31w Scott,KS
Job Ticket: 32617 DST#: 3
Test Start: 2008.10.25 @ 23:59:45

GENERAL INFORMATION:


Formation: **Marmaton**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 01:59:30
 Time Test Ended: 07:08:45
 Interval: **4364.00 ft (KB) To 4420.00 ft (KB) (TVD)**
 Total Depth: **4420.00 ft (KB) (TVD)**
 Hole Diameter: **7.88 inches** Hole Condition: **Good**
 Test Type: **Conventional Bottom Hole**
 Tester: **Chuck Smith**
 Unit No: **37**
 Reference Elevations: **2993.00 ft (KB)**
2981.00 ft (CF)
 KB to GR/CF: **12.00 ft**

Serial #: 8017

Inside

Press@RunDepth: 73.98 psig @ 4367.00 ft (KB)
 Start Date: 2008.10.25 End Date: 2008.10.26
 Start Time: 23:59:46 End Time: 07:08:45
 Capacity: 7000.00 psig
 Last Calib.: 2008.10.26
 Time On Btrr: 2008.10.26 @ 01:59:15
 Time Off Btrr: 2008.10.26 @ 04:48:15

TEST COMMENT: IF: 3" Blow.
 IS: No return.
 FF: 1/2" Blow.
 FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2124.84	118.65	Initial Hydro-static
1	17.19	118.12	Open To Flow (1)
31	41.41	120.31	Shut-in(1)
62	1037.12	123.15	End Shut-in(1)
62	47.94	122.83	Open To Flow (2)
107	73.98	124.49	Shut-in(2)
167	1033.30	127.45	End Shut-in(2)
169	2079.91	127.90	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
62.00	GOCM 5%G10%O 85%M	0.30
62.00	GOCM 5%G 5%O 90%M	0.30
0.00	0 Feet GP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

FIML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Doke, Josh Austie 900

31-18s-31w Scott,KS
Job Ticket: 32617 **DST#: 3**
Test Start: 2008.10.25 @ 23:59:45

Tool Information

Drill Pipe:	Length: 4180.00 ft	Diameter: 3.80 inches	Volume: 58.63 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 186.00 ft	Diameter: 2.25 inches	Volume: 0.91 bbl	Weight to Pull Loose: 90000.00 lb
		Total Volume: 59.54 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	24.00 ft			String Weight: Initial 79000.00 lb
Depth to Top Packer:	4364.00 ft			Final 80000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	56.00 ft			
Tool Length:	78.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4343.00	
Shut In Tool	5.00			4348.00	
Hydraulic tool	5.00			4353.00	
Safety Joint	2.00			4355.00	
Packer	5.00			4360.00	22.00 Bottom Of Top Packer
Packer	4.00			4364.00	
Stubb	1.00			4365.00	
Perforations	2.00			4367.00	
Recorder	0.00	8017	Inside	4367.00	
Recorder	0.00	8351	Inside	4367.00	
Perforations	15.00			4382.00	
Change Over Sub	1.00			4383.00	
Anchor	31.00			4414.00	
Change Over Sub	1.00			4415.00	
Bullnose	5.00			4420.00	56.00 Bottom Packers & Anchor

Total Tool Length: 78.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

FIML Natural Resources, LLC

Kimball 8-31-1831

410 17th Street

31-18s-31w Scott, KS

Suite 900

Job Ticket: 32617

DST#: 3

Denver, CO 80202

ATTN: Gary Duke, Josh Austie 900

Test Start: 2008.10.25 @ 23:59:45

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 55.00 sec/qt

Cushion Volume:

bbf

Water Loss: 7.19 in³

Gas Cushion Type:

Gas Cushion Pressure:

psig

Resistivity: 0.00 ohm.m

Salinity: 2800.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbf
62.00	GOCM 5%G10%O 85%M	0.305
62.00	GOCM 5%G 5%O 90%M	0.305
0.00	0 Feet GIP	0.000

Total Length: 124.00 ft

Total Volume: bbf

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **FIML Natural Resources, LLC**

410 17th Street
Suite 900
Denver, CO 80202

ATTN: Gary Doke, Josh Austi

31-18s-31w Scott,KS

Kimball 8-31-1831

Start Date: 2008.10.27 @ 08:26:45

End Date: 2008.10.27 @ 16:43:45

Job Ticket #: 32618 DST #: 4

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 12 2009

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

FIML Natural Resources, LLC
 410 17th Street
 Suite 900
 Denver, CO 80202
 ATTN: Gary Doke, Josh Austie 900

Kimball 8-31-1831
31-18s-31w Scott,KS
 Job Ticket: 32618 DST#: 4
 Test Start: 2008.10.27 @ 08:26:45

Tool Information

Drill Pipe:	Length: 4432.00 ft	Diameter: 3.80 inches	Volume: 62.17 bbl	Tool Weight:	2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 186.00 ft	Diameter: 2.25 inches	Volume: 0.91 bbl	Weight to Pull Loose:	90000.00 lb
		Total Volume:	63.08 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	6.00 ft			String Weight: Initial	79000.00 lb
Depth to Top Packer:	4632.00 ft			Final	81000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	18.00 ft				
Tool Length:	38.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		
Tool Comments:					

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4613.00	
Shut In Tool	5.00			4618.00	
Hydraulic tool	5.00			4623.00	
Packer	5.00			4628.00	20.00 Bottom Of Top Packer
Packer	4.00			4632.00	
Stubb	1.00			4633.00	
Perforations	12.00			4645.00	
Recorder	0.00	8017	Inside	4645.00	
Recorder	0.00	8351	Inside	4645.00	
Bullnose	5.00			4650.00	18.00 Bottom Packers & Anchor
Total Tool Length:	38.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

FIML Natural Resources, LLC
410 17th Street
Suite 900
Denver, CO 80202
ATTN: Gary Doke, Josh Austle 900

Kimball 8-31-1831
31-18s-31w Scott,KS
Job Ticket: 32618 DST#: 4
Test Start: 2008.10.27 @ 08:26:45

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 32 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 17000 ppm
Viscosity: 48.00 sec/qt	Cushion Volume: bbl	
Water Loss: 7.97 in ³	Gas Cushion Type:	
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig	
Salinity: 2600.00 ppm		
Filter Cake: 1.00 inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	OSMCW 35%M 65%W	0.305
158.00	GOWCM 5%G 5%O 30%W 60%M	1.087
60.00	GO 10%G 90%O	0.842
0.00	190 Feet GIP	0.000

Total Length: 280.00 ft Total Volume: 2.234 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: APT: 32 @ 60 Degrees F = 32
RW: .402 @ 75 Degrees F = 17000 chlorides.

