

## KANSAS DRILLERS LOG

API No. 15 — 009 — 21382  
County Number

Operator

Bankoff Oil Co.

Address

Drawer 2479 Tulsa, Okla

Well No.

#1

Lease Name

Eberhardt

Footage Location

910

feet from (N) (X) line

620

feet from (W) line

Principal Contractor

Allen Drilling Company

Geologist

Stephen B. Powell

Spud Date

May 9, 1978

Total Depth

3354

P.B.T.D.

Date Completed

May 17, 1978

Oil Purchaser

Bigheart Pipe Line


S. 24 T. 19S R. 11WE W

Loc. C S/2 NW NW

County Barton

640 Acres

N



Locate well correctly

Elev.: Gr. 1774

DF 1777 KB 1779

## CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"	354'	354'	60/40 Pos Mix	250	3% cc
Production	7 7/8"	5 1/2"	14#	3352	50/50 Pos Mix	125	

## LINER RECORD

## PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			4		3323-3327

## TUBING RECORD

Size	Setting depth	Packer set at
2"	3320	


## ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
250 Gal Mud acid	3323-27
500 Gal XXM38 acid	3323-27

## INITIAL PRODUCTION

Date of first production May 25, 1978		Producing method (flowing, pumping, gas lift, etc.) swab			
RATE OF PRODUCTION PER 24 HOURS	Oil 40 bbls.	Gas none MCF	Water 40 bbls.	Gas-oil ratio none CFPB	
Disposition of gas (vented, used on lease or sold) none			Producing interval(s) 3323-3327		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas

Bankoff Oil Company		DRY HOLE, SWDW, ETC.:	
Well No. 1	Lease Name Eberhart	Producer	
S 24 T 19 R 11 K W			
<b>WELL LOG</b> Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.		SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.	
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME
	Sample	E. Log	
Anhydrite	504	507	
Topeka	2627	2629	
Heebner	2889	2890	
Toronto	2910	2912	
Douglas	2912	2923	
Brown Lime	3010	3012	
Lansing	3034	3031	
Base Kansas City	3286	3287	
Arbuckle	3315	3311	
USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.			
Date Received	Signature  JULIUS M. BANKOFF Title Co-Partner June 1, 1978 Date		

DRILLER'S WELL LOG

duplicate

15-009-21382  
24-19-11W

DATE COMMENCED: 5-9-78  
DATE COMPLETED: 5-17-78

Bankoff Oil Company  
Eberhardt #1  
Approx. S/2 NW NW, Sec. 24-19-11W,  
Barton County, Kansas

ELEVATION: 1779' K.B.  
1774' G.L.

FORMATION DATA

507- 535' Anhydrite  
2629-2890' Lime  
2890-2895' Shale  
2895-2912' Lime  
2912-3012' Lime  
3012-3031' Lime and Shale  
3031-3287' Lime  
3287-3311' Lime and Shale  
3311-3354' Dolomite  
3354' RTD

Anhydrite 507  
Topeka 2629  
Heebner 2890  
Toronto 2912  
Brown Lime 3012  
Lansing 3031  
Base Kansas City 3287  
Arbuckle 3311  
RTD 3354

RECEIVED  
STATE CORPORATION COMMISSION  
JUN 13 1978  
CONSERVATION DIVISION  
Wichita, Kansas

SURFACE PIPE:

Ran 9 Jts. Used 28# 8 5/8" Casing.  
Tally 247'. Set 354' w/250 sks.  
60-40 Pozmix, 3% c.c. By Sun Cementing.  
Did not circulate - 15' from surface.

PRODUCTION PIPE:

Ran 84 Jts. New 14# 5 1/2" Casing.  
Tally 3356'. Set @ 3353' w/125 sks.  
50-50 Pozmix salt saturated.  
By Sun Cementing.

A F F I D A V I T

STATE OF KANSAS )  
COUNTY OF BARTON ) ss.

DALE L. SMITH, of lawful age, does swear and state that the facts and statements herein contained are true and correct to the best of his knowledge.