

F.G. Holl Co.
Walters 1-36

36-19s-12w
15-009-25144

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530
(800) 792-6902

Company F.G. Holl Company LLC
 Address 9431 E Central St #100 Wichita KS 67206
 Lease & # Walters 1-36 Sec. 36 Twp 19 Rng 12w
 Date 12-29-2007 County Barton Elevation 1790 G.L. 1798 K.B.
 Drilling Contractor Duke Drilling Rig #8
 Drill Pipe Length 1604 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
 Drill Collar Length _____ I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2 XH
 Mud Weight 8.7 Viscosity 6.2 Filtrate 4.0 Chlorides-Pits 4,800 DST _____
 Top Packer Depth 1560 Bottom Packer Depth 1565 Number of Packers 2
 Tested From 1565 to 1662 Total Depth 1662 Anchor Length 97
 Test # 1 Formation Tested Herrington / Winfield Hole Size 7 7/8
 Initial Blow Weak But Building Blow Built 7 inches into Bucket in 30 min
 Blow back on the 1st Shut-in _____
 Final Blow Weak But Building Blow Built Bottom of Bucket in 20 min
 Blow back on the 2nd Shut-in NO Blow Back

Initial Hydrostatic 809 P.S.I. Final Hydrostatic 971 P.S.I. Maximum Temp. 77 F

Initial Opening	<u>86</u> P.S.I. to <u>127</u> P.S.I.	from <u>11:39</u> am to <u>12:09</u> am	<u>30</u> minutes
Initial Shut-in	<u>476</u> P.S.I.	from <u>12:09</u> am to <u>1:09</u> am	<u>60</u> minutes
Final Opening	<u>144</u> P.S.I. to <u>185</u> P.S.I.	from <u>1:09</u> am to <u>1:39</u> am	<u>30</u> minutes
Final Shut-in	<u>378</u> P.S.I.	from <u>1:39</u> am to <u>2:39</u> am	<u>60</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>100</u>	<u>muddy water</u>			<u>80</u>	<u>20</u>

Total Feet Recovered 100 Recovery Chlorides 23,000 Rw. _____ ohms @ _____ Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments Slight plugging first open

Extra Equipment-Jars Yes Safety Joint Yes Circulating Sub _____ Straddle _____
 Electronic Recorder No. 47441 Depth 1658 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 3088 Depth 1659 Extra Packer (4th) _____ Sampler _____
 Tool Operator [Signature] Approved By _____


Ticket No 15539

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



Tool serial number: 99335
Test start: 12/29/2007 04:39:51

1	Initial Hydrostatic Pressure	809
2	Initial Flow Pressure	86
3	Final Initial Flow Pressure	127
4	Initial Shut-In Pressure	476
5	Initial Final Flow Pressure	144
6	Final Flow Pressure	185
7	Final Shut-In Pressure	378
8	Final Hydrostatic Pressure	771

Maximum Temperature 77

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C	
TEST DATE 12/29/07	LEASE AND WELL NUMBER WALTERS 1-36
SECTION-TOWN-RANGE 36-19-12W	FORMATION TESTED HERRINGTON/ WINF
STATE KANSAS	DRILL STEM TEST NUMBER 1
COUNTY BARTON	REPORT NUMBER 15539
ELEVATION GROUND LEVEL 1790	ELEVATION KELLY BUSHINGS 1798
COMPANY REPRESENTATIVE RENE HUSTEAD	TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 1565	TOP PACKER DEPTH 1560
TEST INTERVAL (to) 1662	BOTTOM PACKER DEPTH 1565
ANCHOR LENGTH 97	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 1662	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN		FINAL OPEN	
TOOL OPEN (from) 11:39P		TOOL OPEN (from) 1:09	
TOOL OPEN (to) 12:09		TOOL OPEN (to) 1:39	
DURATION (min.) 30		DURATION (min.) 30	
INITIAL SHUT-IN		FINAL SHUT-IN	
TOOL CLOSED (from) 12:09		TOOL CLOSED (from) 1:39	
TOOL CLOSED (to) 1:09A		TOOL CLOSED (to) 2:39A	
DURATION (min.) 60		DURATION (min.) 60	

INITIAL FLOW WEAK BUT BUILDING BLOW BUILT 7 INCHES INTO BUCKET IN 30 MIN
NO BLOW BACK

FINAL FLOW WEAK BUT BUILDING BLOW BUILT BOTTOM OF BUCKET IN 20 MIN
NO BLOW BACK

Company: F.G HOLL COMPANY L.L.C Lease & Well No. WALTERS 1-36 Test #: 1 Date: 12-29-07 SEC. 36 TWP. 19 RGE. 12

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	E.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1-36
TEST DATE	12/29/07	FORMATION TESTED	HERRINGTON/ WINFEILD
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	15539
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
..... MUSTEAD		

EXTRA EQUIPMENT

.....	EXTRA PACKER (3RD)	NO
SAFETY JOINT	STRADDLE	NO
ELECTRONIC RECORDER	HOOK WALL	NO
.....	NO
20 MILES ROUND TRIP FROM GREAT BEND		
TOP RECORDER DEPTH	BOTTOM RECORDER DEPTH	1659
RECORDER NUMBER	RECORDER NUMBER	9099


WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	1604	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.	MUD WEIGHT #/GAL	8.7
CHLORIDES-PITS	4,800	VISCOSITY	60
CHLORIDES-DST	23,000	WATER LOSS	4

COMMENTS

SLIGHT PLUGGING FIRST OPEN

Temperature / Pressure Data




Tool serial number: 99335
Test start: 12/30/2007 04:18:51

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	1288
2	Initial Flow Pressure	47
3	Final Initial Flow Pressure	48
4	Initial Shut-In Pressure	483
5	Initial Final Flow Pressure	48
6	Final Flow Pressure	48
7	Final Shut-In Pressure	248
8	Final Hydrostatic Pressure	1260

Maximum Temperature 89

Tool serial number: 55331
Test date: 12/31/2007 21:24:01

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 12/31/07

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTER 1- 36

FORMATION TESTED HOWARD

DRILL STEM TEST NUMBER 2

REPORT NUMBER 15540

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 2622

TEST INTERVAL (to) 2656

ANCHOR LENGTH 34

TOTAL DEPTH (ft) 2656

TOP PACKER DEPTH 2617

BOTTOM PACKER DEPTH 2622

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 6:41P

TOOL OPEN (to) 6:56

DURATION (min.) 15

FINAL OPEN

TOOL OPEN (from) 7:26

TOOL OPEN (to) 7:41

DURATION (min.) 15

INITIAL SHUT-IN

TOOL CLOSED (from) 6:56

TOOL CLOSED (to) 7:26

DURATION (min.) 30

FINAL SHUT-IN

TOOL CLOSED (from) 7:41

TOOL CLOSED (to) 8:11P

DURATION (min.) 30

INITIAL FLOW

WEAK SURFACE BLOW STAYED STEADY THROUGHOUT OPEN
NO BLOW BACK

FINAL FLOW

WEAK SURFACE BLOW STAYED STEADY THROUGHOUT OPEN
NO BLOW BACK

Company: F.G HOLL COMPANY L.L.C Lease & Well No. WALTERS 1- 36 Test #: 2 Date: 12-31-07 SEC. 36 TWP. 19 RGE. 12

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTER 1- 36
TEST DATE	12/31/07	FORMATION TESTED	HOWARD
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	15540
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT

JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	2652	BOTTOM RECORDER DEPTH	2653
RECORDER NUMBER	4023	RECORDER NUMBER	3088


WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	2596	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	4,600	MUD WEIGHT #/GAL	8.9
CHLORIDES-DST		VISCOSITY	57
		WATER LOSS	6.4

COMMENTS

HIT BRIDGE 24 STANDS OFF BOTTOM

Temperature / Pressure Data



Tool serial number: 93385
 Test start: 12/31/2007 21:34:01

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company F.G. Hall company LLC
 Address 9431 E Central st. #100 Wichita KS 67206
 Lease & # Walter 1-36 Sec. 36 Twp 19 Rng 12
 Date 1-1-2008 County Barber Elevation 1790 G.L. 1798 K.B.
 Drilling Contractor Duke Drilling Rig #8
 Drill Pipe Length 2872 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 x 4
 Drill Collar Length _____ I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2 x 4
 Mud Weight 9.1 Viscosity 49 Filtrate 7.6 Chlorides-Pits 6/100 DST _____
 Top Packer Depth 2893 Bottom Packer Depth 2898 Number of Packers 2
 Tested From 2898 to 2923 Total Depth 2923 Anchor Length 25
 Test # 3 Formation Tested Topeka Hole Size 7 7/8
 Initial Blow Weak But Building Blow Built 2 inches in 15 min
 Blow back on the 1st Shut-in NO Blow Back
 Final Blow Weak But Building Blow Built 1 1/2 inches into Bucket
 Blow back on the 2nd Shut-in Weak Surface
 Initial Hydrostatic 1460 P.S.I. Final Hydrostatic 1355 P.S.I. Maximum Temp. 94 F

Initial Opening	<u>44</u> P.S.I.	to	<u>48</u> P.S.I.	from	<u>3:17</u> pm	to	<u>3:32</u> pm	minutes	<u>15</u>
Initial Shut-in	<u>811</u> P.S.I.	to		from	<u>3:32</u> pm	to	<u>4:02</u> pm	minutes	<u>30</u>
Final Opening	<u>48</u> P.S.I.	to	<u>52</u> P.S.I.	from	<u>4:02</u> pm	to	<u>4:32</u> pm	minutes	<u>30</u>
Final Shut-in	<u>807</u> P.S.I.	to		from	<u>4:32</u> pm	to	<u>5:32</u> pm	minutes	<u>60</u>

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
15	muddy water			40	100
	Chlorides 25,000				

Total Feet Recovered 15 Recovery Chlorides 25,000 Rw. _____ ohms @ _____ Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____

Extra Equipment-Jars YCP Safety Joint YCP Circulating Sub _____ Straddle _____
 Electronic Recorder No. 47441 Depth 2919 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 3088 Depth 2920 Extra Packer (4th) _____ Sampler _____
 Tool Operator [Signature] Approved By _____

Ticket No. 15541

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
 RGE. 12
 Lease & Well No. WALTERS 1-36
 Test #: 3
 Date: 1-1-08
 SEC. 36
 TWP. 19

Temperature / Pressure Data



Tool serial number: 3335
 Test start: 01/01/08 10:53:59

1	Initial Hydrostatic Pressure	1460
2	Initial Flow Pressure	44
3	Final Initial Flow Pressure	48
4	Initial Shut-In Pressure	811
5	Initial Final Flow Pressure	48
6	Final Flow Pressure	52
7	Final Shut-In Pressure	807
8	Final Hydrostatic Pressure	1355

Maximum Temperature 94

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/1/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1-36

FORMATION TESTED TOPEKA

DRILL STEM TEST NUMBER 3

REPORT NUMBER 15541

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 2898

TEST INTERVAL (to) 2923

ANCHOR LENGTH 25

TOTAL DEPTH (ft) 2923

TOP PACKER DEPTH 2893

BOTTOM PACKER DEPTH 2898

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 3:17P

TOOL OPEN (to) 3:32

DURATION (min.) 15

INITIAL SHUT-IN

TOOL CLOSED (from) 3:32

TOOL CLOSED (to) 4:02

DURATION (min.) 30

FINAL OPEN

TOOL OPEN (from) 4:02

TOOL OPEN (to) 4:32

DURATION (min.) 30

FINAL SHUT-IN

TOOL CLOSED (from) 4:32

TOOL CLOSED (to) 5:32P

DURATION (min.) 60

INITIAL FLOW

WEAK BUT BUILDING BLOW BUILT 2 INCHES INTO BUCKET IN 15 MIN
 NO BLOW BACK

FINAL FLOW

WEAK BUT BUILDING BLOW BUILT 1 1/2 INTO BUCKET IN 30 MIN
 VERY WEAK SURFACE BLOW

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1-36
TEST DATE	1/1/08	FORMATION TESTED	TOPEKA
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	15541
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT

JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	2919	BOTTOM RECORDER DEPTH	2920
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	2872	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,100	MUD WEIGHT #/GAL	9.1
CHLORIDES-DST	25,000	VISCOSITY	49
		WATER LOSS	7.6

COMMENTS

Temperature / Pressure Data



Tool serial number: 93335
 TEST START: 01/01/2008 18:53:50

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

RGE. 12

Company: F.G HOLL COMPANY L.L.C

Lease & Well No. WALTERS 1-36 Test #: 4 Date: 1-2-08 SEC. 36 TWP. 19

Temperature / Pressure Data



Tool Serial number: 83885
Test start: 01/02/2008 14:16:20

- | | | |
|---|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1600 |
| 2 | Initial Flow Pressure | 47 |
| 3 | Final Initial Flow Pressure | 53 |
| 4 | Initial Shut-In Pressure | 73 |
| 5 | Initial Final Flow Pressure | 49 |
| 6 | Final Flow Pressure | 53 |
| 7 | Final Shut-In Pressure | 63 |
| 8 | Final Hydrostatic Pressure | 1585 |

Maximum Temperature 98

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/2/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTER 1-36

FORMATION TESTED LANSING A

DRILL STEM TEST NUMBER 4

REPORT NUMBER 15542

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3089

TEST INTERVAL (to) 3120

ANCHOR LENGTH 31

TOTAL DEPTH (ft) 3120

TOP PACKER DEPTH 3084

BOTTOM PACKER DEPTH 3089

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 10:02A

TOOL OPEN (to) 10:32

DURATION (min.) 30

INITIAL SHUT-IN

TOOL CLOSED (from) 10:32

TOOL CLOSED (to) 11:32

DURATION (min.) 60

FINAL OPEN

TOOL OPEN (from) 11:32

TOOL OPEN (to) 12:02P

DURATION (min.) 30

FINAL SHUT-IN

TOOL CLOSED (from) 12:02

TOOL CLOSED (to) 1:02P

DURATION (min.) 60

INITIAL FLOW

WEAK BUT BUILDING BLOW BUILT 1 1/2 IN 30 MIN
NO BLOW BACK

FINAL FLOW

WEAK SURFACE BLOW BUILT 1/2 AND DIED OFF
NO BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTER 1-36
TEST DATE	1/2/08	FORMATION TESTED	LANSING A
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	4
STATE	KANSAS	REPORT NUMBER	15542
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	20 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3116	BOTTOM RECORDER DEPTH	3117
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3063	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,500	MUD WEIGHT #/GAL	9.1
CHLORIDES-DST		VISCOSITY	68
		WATER LOSS	6

COMMENTS

Temperature / Pressure Data



Tool serial number: 98885
Test start: 01/02/2008 14:26:23

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
 Lease & Well No. WALTERS 1-36
 Test #: 5
 Date: 1-2-08
 SEC. 36
 TWP. 19
 RGE. 12

Temperature / Pressure Data



Tool serial number: 13315
 Test start: 01/02/2008 01:53:08

1	Initial Hydrostatic Pressure	1576
2	Initial Flow Pressure	38
3	Final Initial Flow Pressure	39
4	Initial Shut-In Pressure	46
5	Initial Final Flow Pressure	39
6	Final Flow Pressure	40
7	Final Shut-In Pressure	43
8	Final Hydrostatic Pressure	1537

Maximum Temperature 93

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/2/08

LEASE AND WELL NUMBER WALTERS 1-36

SECTION-TOWN-RANGE 36-19-12W

FORMATION TESTED LANSING B

STATE KANSAS

DRILL STEM TEST NUMBER 5

COUNTY BARTON

REPORT NUMBER 15543

ELEVATION GROUND LEVEL 1790

ELEVATION KELLY BUSHINGS 1798

COMPANY REPRESENTATIVE RENE HUSTEAD

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3120

TOP PACKER DEPTH 3115

TEST INTERVAL (to) 3140

BOTTOM PACKER DEPTH 3120

ANCHOR LENGTH 20

NUMBER OF PACKERS 2

TOTAL DEPTH (ft) 3140

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

FINAL OPEN

TOOL OPEN (from) 10:55P

TOOL OPEN (from) 11:40

TOOL OPEN (to) 11:10

TOOL OPEN (to) 11:55

DURATION (min.) 15

DURATION (min.) 15

INITIAL SHUT-IN

FINAL SHUT-IN

TOOL CLOSED (from) 11:10

TOOL CLOSED (from) 11:55

TOOL CLOSED (to) 11:40

TOOL CLOSED (to) 12:25A

DURATION (min.) 30

DURATION (min.) 30

INITIAL FLOW

WEAK BUT BUILDING BLOW BUILT 1 INCH INTO BUCKET IN 15 MIN
 NO BLOW BACK

FINAL FLOW

VERY WEAK SURFACE BLOW DID NOT BUILD THROUGHOUT OPEN
 VERY WEAK SURFACE BLOW ON BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	E.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1-36
TEST DATE	1/2/08	FORMATION TESTED	LANSING B
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	5
STATE	KANSAS	REPORT NUMBER	15543
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3136	BOTTOM RECORDER DEPTH	3137
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3094	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,500	MUD WEIGHT #GAL	9.1
CHLORIDES-DST		VISCOSITY	68
		WATER LOSS	6

COMMENTS

Temperature / Pressure Data



Tool serial number: 90005

Test start: 01/08/2008 01:53:08

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

RGE. 12

Company: F.G HOLL COMPANY L.L.C

Lease & Well No. WALTERS 1-36 Test #: 6 Date: 1-3-08 SEC. 36 TWP. 19

Temperature / Pressure Data



Test serial number: 88395
 Test date: 01/03/2008 08:35:02

- | | | |
|---|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1607 |
| 2 | Initial Flow Pressure | 63 |
| 3 | Final Initial Flow Pressure | 75 |
| 4 | Initial Shut-In Pressure | 729 |
| 5 | Initial Final Flow Pressure | 89 |
| 6 | Final Flow Pressure | 98 |
| 7 | Final Shut-In Pressure | 703 |
| 8 | Final Hydrostatic Pressure | 1560 |

Maximum Temperature 97

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/3/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1-36

FORMATION TESTED LANSING C,D,E,F

DRILL STEM TEST NUMBER 6

REPORT NUMBER 15544

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3140

TEST INTERVAL (to) 3188

ANCHOR LENGTH 48

TOTAL DEPTH (ft) 3188

TOP PACKER DEPTH 3135

BOTTOM PACKER DEPTH 3140

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 1:25P

TOOL OPEN (to) 1:30

DURATION (min.) 5

INITIAL SHUT-IN

TOOL CLOSED (from) 1:30

TOOL CLOSED (to) 2:30

DURATION (min.) 60

FINAL OPEN

TOOL OPEN (from) 2:30

TOOL OPEN (to) 3:15

DURATION (min.) 45

FINAL SHUT-IN

TOOL CLOSED (from) 3:15

TOOL CLOSED (to) 4:45P

DURATION (min.) 90

INITIAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN 1 MIN
 BLOW BACK BOTTOM OF BUCKET IN 25 MIN

FINAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN 1 MIN
 NO BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1-36
TEST DATE	1/3/08	FORMATION TESTED	LANSING C,D,E,F
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	6
STATE	KANSAS	REPORT NUMBER	15544
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3184	BOTTOM RECORDER DEPTH	3185
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3147	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS		MUD WEIGHT #/GAL	9.1
CHLORIDES-DST	7,000	VISCOSITY	60
		WATER LOSS	8

COMMENTS

Temperature / Pressure Data



Tool serial number: 98835
 Test start: 01/03/2008 18:18:32

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530
(800) 792-6902

Company F.G. Hall Company LLC
 Address 9431 E Central Suite #100 Wichita KS 67206
 Lease & # Walters 1-36 Sec. 36 Twp 19 Rng 12
 Date 1-4-2008 County Barton Elevation 1740 G.L. 1798 K.B.
 Drilling Contractor Duke Drilling Rig # 8 Tool Joint Size 4 1/2 XH
 Drill Pipe Length 3198 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
 Drill Collar Length _____ I.D. of Drill Collars 2.25
 Mud Weight 9.1 Viscosity 60 Filtrate 8.0 Chlorides-Pits 7,000 DST _____
 Top Packer Depth 3219 Bottom Packer Depth 3224 Number of Packers 2
 Tested From 3224 to 3252 Total Depth 3252 Anchor Length 28
 Test # 7 Formation Tested Lansing H zone Hole Size 7 7/8
 Initial Blow Weak But Building Blew Built 1 inch into Bucket in
30 min Blow back on the 1st Shut-in Very Weak Surface
 Final Blow Very weak surface Blow did not Build throughout open
 Blow back on the 2nd Shut-in _____

Initial Hydrostatic 1643 P.S.I. Final Hydrostatic 1562 P.S.I. Maximum Temp. 97 F

Initial Opening <u>38</u> P.S.I. to <u>40</u> P.S.I. from <u>6:53 AM</u> to <u>7:23 AM</u> <u>30</u> minutes
Initial Shut-in <u>53</u> P.S.I. from <u>7:23 AM</u> to <u>8:23 AM</u> <u>60</u> minutes
Final Opening <u>40</u> P.S.I. to <u>40</u> P.S.I. from <u>8:23 AM</u> to <u>8:53 AM</u> <u>30</u> minutes
Final Shut-in <u>46</u> P.S.I. from <u>8:53 AM</u> to <u>9:53 AM</u> <u>60</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
1	Spot Spot oil cut mud		1	99	

Total Feet Recovered 1 Recovery Chlorides _____ Rw. _____ ohms @ _____ Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____
 Extra Equipment-Jars _____ Safety Joint Yes Circulating Sub _____ Straddle _____
 Electronic Recorder No. 47441 Depth 3248 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 13214 Depth 3219 Extra Packer (4th) _____ Sampler _____
 Tool Operator [Signature] Approved By _____

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902


DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

RGE. 12

Company: F.G HOLL COMPANY L.L.C Lease & Well No. WALTERS 1-36 Test #: 7 Date: 1-4-08 SEC. 36 TWP. 19

Temperature / Pressure Data



Tool serial number: 83385
Test start: 01/04/2008 11:18:39

1	Initial Hydrostatic Pressure	1643
2	Initial Flow Pressure	38
3	Final Initial Flow Pressure	40
4	Initial Shut-In Pressure	53
5	Initial Final Flow Pressure	40
6	Final Flow Pressure	40
7	Final Shut-In Pressure	46
8	Final Hydrostatic Pressure	1562

Maximum Temperature 97

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/4/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1 - 36

FORMATION TESTED LANSING H

DRILL STEM TEST NUMBER 7

REPORT NUMBER 15545

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3224

TEST INTERVAL (to) 3252

ANCHOR LENGTH 28

TOTAL DEPTH (ft) 3252

TOP PACKER DEPTH 3219

BOTTOM PACKER DEPTH 3224

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 6:53A

TOOL OPEN (to) 7:23

DURATION (min.) 30

FINAL OPEN

TOOL OPEN (from) 8:23

TOOL OPEN (to) 8:53

DURATION (min.) 30

INITIAL SHUT-IN

TOOL CLOSED (from) 7:23

TOOL CLOSED (to) 8:23

DURATION (min.) 60

FINAL SHUT-IN

TOOL CLOSED (from) 8:53

TOOL CLOSED (to) 9:53P

DURATION (min.) 60

INITIAL FLOW

WEAK BUT BUILDING BLOW BUILT 1 INCH IN 30 MIN
VERY WEAK SURFACE BLOW

FINAL FLOW

VERY WEAK SURFACE BLOW DID NOT BUILD THROUGH OUT OPEN
NO BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME **F.G HOLL COMPANY L.L.C**
TEST DATE **1/4/08** LEASE AND WELL NUMBER **WALTERS 1 - 36**
SECTION-TOWN-RANGE **36-19-12W** FORMATION TESTED **LANSING H**
STATE **KANSAS** DRILL STEM TEST NUMBER **7**
COUNTY **BARTON** REPORT NUMBER **15545**
ELEVATION GROUND LEVEL **1790** ELEVATION KELLY BUSHINGS **1798**
COMPANY REPRESENTATIVE **RENE HUSTEAD** TESTING ENGINEER **JARED SCHECK**

EXTRA EQUIPMENT


JARS **NO** EXTRA PACKER (3RD) **NO**
SAFETY JOINT **YES** EXTRA PACKER (4TH) **NO**
ELECTRONIC RECORDER **YES** STRADDLE **NO**
CIRCULATING SUB **NO** HOOK WALL **NO**
SAMPLER **NO**
20 MILES ROUND TRIP FROM GREAT BEND
TOP RECORDER DEPTH **3248** BOTTOM RECORDER DEPTH **3249**
RECORDER NUMBER **4023** RECORDER NUMBER **3088**

WELL INFORMATION

DRILLING CONTRACTOR **DUKE DRILLING RIG #8**
DRILL PIPE LENGTH **3198** DRILL COLLAR LENGTH
DRILL PIPE I.D. **3.8** DRILL COLLAR I.D. **2.25**
TOOL JOINT SIZE **4 1/2 X.H.** TOOL JOINT SIZE **4 1/2 X.H.**
CHLORIDES-PITS **7,000** MUD WEIGHT #/GAL **9.1**
CHLORIDES-DST VISCOSITY **60**
WATER LOSS **8**

COMMENTS

Temperature / Pressure Data



Tool serial number: 98835
Test start: 01/04/2008 11:13:33

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company F.6 Holl Company LLC
 Address 9431 E Central Suite #100 Wichita KS 67206
 Lease & # Walkers 1-36 Sec. 36 Twp 19 Rng 12
 Date 1-4-2008 County Barton Elevation 1790 G.L. 1798 K.B.
 Drilling Contractor Duke Drilling Rig #8
 Drill Pipe Length 3231 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
 Drill Collar Length _____ I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2 XH
 Mud Weight 9.1 Viscosity 51 Filtrate 8.8 Chlorides-Pits 7,000 DST _____
 Top Packer Depth 3247 Bottom Packer Depth 3252 Number of Packers 2
 Tested From 3252 to 3265 Total Depth 3265 Anchor Length 13
 Test # 8 Formation Tested Lansing I Hole Size 7.718
 Initial Blow Weak But Building Blow Built 8 inches in 30 min

Final Blow Weak But Building Blow Built 9 inches in 45 min
 Blow back on the 1st Shut-in NO Blow Back

Initial Hydrostatic 1646 P.S.I. Final Hydrostatic 1573 P.S.I. Maximum Temp. 96 F
 Blow back on the 2nd Shut-in NO Blow Back

Initial Opening <u>37</u> P.S.I. to <u>65</u> P.S.I. from <u>6:22</u> pm to <u>6:52</u> pm <u>30</u> minutes
Initial Shut-in <u>595</u> P.S.I. from <u>6:52</u> pm to <u>7:52</u> pm <u>60</u> minutes
Final Opening <u>69</u> P.S.I. to <u>103</u> P.S.I. from <u>7:52</u> pm to <u>8:37</u> pm <u>45</u> minutes
Final Shut-in <u>516</u> P.S.I. from <u>8:37</u> pm to <u>10:07</u> pm <u>90</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>15</u>	<u>water</u>			<u>1</u>	<u>99</u>
<u>120</u>	<u>water</u>			<u>1</u>	<u>99</u>
	<u>Chlorides</u>				
	<u>75,000</u>				

Total Feet Recovered 135 Recovery Chlorides 75,000 Rw. 1 ohms @ 74 Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____

Extra Equipment-Jars _____ Safety Joint yes Circulating Sub _____ Straddle _____
 Electronic Recorder No. 47441 Depth 3261 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 13214 Depth 3262 Extra Packer (4th) _____ Sampler _____
 Tool Operator [Signature] Approved By _____

Ticket No. **15546**

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

RGE. 12


Company: F.G HOLL COMPANY L.L.C

Lease & Well No. WALTERS 1-36

Test #: 8 Date: 1-4-08

SEC. 36 TWP. 19

Temperature / Pressure Data



Tool serial number: 93336
Data source: 01/04/2008 20:01:27

- | | | |
|---|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1646 |
| 2 | Initial Flow Pressure | 37 |
| 3 | Final Initial Flow Pressure | 65 |
| 4 | Initial Shut-In Pressure | 595 |
| 5 | Initial Final Flow Pressure | 68 |
| 6 | Final Flow Pressure | 103 |
| 7 | Final Shut-In Pressure | 516 |
| 8 | Final Hydrostatic Pressure | 1573 |

Maximum Temperature 96

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/4/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1-36

FORMATION TESTED LANSING I

DRILL STEM TEST NUMBER 8

REPORT NUMBER 15546

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3252

TEST INTERVAL (to) 3265

ANCHOR LENGTH 13

TOTAL DEPTH (ft) 3265

TOP PACKER DEPTH 3247

BOTTOM PACKER DEPTH 3252

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN
TOOL OPEN (from) 6:22P

TOOL OPEN (to) 6:52

DURATION (min.) 30

FINAL OPEN
TOOL OPEN (from) 7:52

TOOL OPEN (to) 8:37

DURATION (min.) 45

INITIAL SHUT-IN
TOOL CLOSED (from) 6:52

TOOL CLOSED (to) 7:52

DURATION (min.) 60

FINAL SHUT-IN
TOOL CLOSED (from) 8:37

TOOL CLOSED (to) 10:07P

DURATION (min.) 90

INITIAL FLOW WEAK BUT BUILDING BLOW BUILT 8 INCHES IN 30 MIN
NO BLOW BACK

FINAL FLOW WEAK BUT BUILDING BLOW BUILT 9 INCHES IN 45 MIN
NO BLOW BACK

Temperature / Pressure Data



Tool serial number: 33335
 Test start: 01/04/2008 23:51:27

SUPERIOR TESTERS ENTERPRISES L.L.C.


DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

1(800)792-6902

Company: F.G HOLL COMPANY L.L.C
 RGE. 12
 Lease & Well No. WALTERS 1-36
 Test #: 9
 Date: 1-5-08
 SEC. 36
 TWP. 19

Temperature / Pressure Data



Tool serial number: 53393
 Test start: 01/06/2008 14:47:22

- | | | |
|---|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1675 |
| 2 | Initial Flow Pressure | 43 |
| 3 | Final Initial Flow Pressure | 46 |
| 4 | Initial Shut-In Pressure | 761 |
| 5 | Initial Final Flow Pressure | 44 |
| 6 | Final Flow Pressure | 46 |
| 7 | Final Shut-In Pressure | 367 |
| 8 | Final Hydrostatic Pressure | 1539 |

Maximum Temperature 96

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/5/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1-36

FORMATION TESTED LANSING K

DRILL STEM TEST NUMBER 9

REPORT NUMBER 15547

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3296

TEST INTERVAL (to) 3332

ANCHOR LENGTH 36

TOTAL DEPTH (ft) 3332

TOP PACKER DEPTH 3291

BOTTOM PACKER DEPTH 3296

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN
 TOOL OPEN (from) 11:03A

TOOL OPEN (to) 11:33

DURATION (min.) 30

INITIAL SHUT-IN
 TOOL CLOSED (from) 11:33

TOOL CLOSED (to) 12:33P

DURATION (min.) 60

FINAL OPEN
 TOOL OPEN (from) 12:33

TOOL OPEN (to) 12:48

DURATION (min.) 15

FINAL SHUT-IN
 TOOL CLOSED (from) 12:48

TOOL CLOSED (to) 1:18P

DURATION (min.) 30

INITIAL FLOW WEAK BUT BUILDING BLOW BUILT 1 1/2 INCHES IN 30 MIN
 NO BLOW BACK

FINAL FLOW WEAK BLOW DID NOT BUILD

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1-36
TEST DATE	1/5/08	FORMATION TESTED	LANSING K
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	9
STATE	KANSAS	REPORT NUMBER	15547
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3328	BOTTOM RECORDER DEPTH	3329
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3275	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	7,000	MUD WEIGHT #/GAL	9.1
CHLORIDES-DST		VISCOSITY	51
		WATER LOSS	8.8

COMMENTS

Temperature / Pressure Data




Tool serial number: 93335
 Test start: 01/05/2008 14:47:22

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



Test serial number: 59835
 Test start: 01/05/2009 00:19:58

1	Initial Hydrostatic Pressure	1627
2	Initial Flow Pressure	30
3	Final Initial Flow Pressure	31
4	Initial Shut-In Pressure	38
5	Initial Final Flow Pressure	31
6	Final Flow Pressure	31
7	Final Shut-In Pressure	34
8	Final Hydrostatic Pressure	1611

Maximum Temperature 96

GENERAL INFORMATION

COMPANY NAME **F.G HOLL COMPANY L.L.C**

TEST DATE **1/5/08**

SECTION-TOWN-RANGE **36-19-12W**

STATE **KANSAS**

COUNTY **BARTON**

ELEVATION GROUND LEVEL **1790**

COMPANY REPRESENTATIVE **RENE HUSTEAD**

LEASE AND WELL NUMBER **WALTERS 1-36**

FORMATION TESTED **LANSING L**

DRILL STEM TEST NUMBER **10**

REPORT NUMBER **15548**

ELEVATION KELLY BUSHINGS **1798**

TESTING ENGINEER **JARED SCHECK**

TOOL SETTING INFORMATION

TEST INTERVAL (From) **3332**

TEST INTERVAL (to) **3344**

ANCHOR LENGTH **12**

TOTAL DEPTH (ft) **3344**

TOP PACKER DEPTH **3327**

BOTTOM PACKER DEPTH **3332**

NUMBER OF PACKERS **2**

PACKER SIZE **6 3/4**

HOLE SIZE **7 7/8**

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) **10:34P**

TOOL OPEN (to) **11:04**

DURATION (min.) **30**

INITIAL SHUT-IN

TOOL CLOSED (from) **11:04**

TOOL CLOSED (to) **12:04**

DURATION (min.) **60**

FINAL OPEN

TOOL OPEN (from) **12:04**

TOOL OPEN (to) **12:19A**

DURATION (min.) **15**

FINAL SHUT-IN

TOOL CLOSED (from) **12:19**

TOOL CLOSED (to) **12:49**

DURATION (min.) **30**

INITIAL FLOW **WEAK SURFACE BLOW DID NOT BUILD**

FINAL FLOW **WEAK SURFACE BLOW DID NOT BUILD**

Company: F.G HOLL COMPANY L.L.C Lease & Well No. WALTERS 1-36 Test #: 10 Date: 1-5-08 SEC. 36 TWP. 19
 RGE. 12

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1-36
TEST DATE	1/5/08	FORMATION TESTED	LANSING L
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	10
STATE	KANSAS	REPORT NUMBER	15548
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3340	BOTTOM RECORDER DEPTH	3341
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3311	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	7,500	MUD WEIGHT #/GAL	9
CHLORIDES-DST		VISCOSITY	61
		WATER LOSS	7.2

COMMENTS

Temperature / Pressure Data



Tool serial number: 38385
Test start: 01/06/2008 02:19:58

Start Here

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company F.G. Holl Company LLC
 Address 9431 E Central Suite #100 Wichita, KS 67206
 Lease & # Walter 1-36 Sec. 36 Twp 19 Rng 12
 Date 1-16-2008 County Barton Elevation 1790 G.L. 1798 K.B.
 Drilling Contractor Duke Drilling Rig # 8
 Drill Pipe Length 3323 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 x 1 1/4
 Drill Collar Length _____ I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2 x 1 1/4
 Mud Weight 8.9 Viscosity 55 Filtrate 7.2 Chlorides-Pits 6,000 DST _____
 Top Packer Depth 3339 Bottom Packer Depth 3344 Number of Packers 2
 Tested From 3344 to 3385 Total Depth 3385 Anchor Length 41
 Test # 11 Formation Tested Arbuckle Hole Size 7 7/8
 Initial Blow Weak But Building Blow Built Litch 15 min
 Blow back on the 1st Shut-in NO
 Final Blow Weak Surface Blow Did not Build

Blow back on the 2nd Shut-in NO
 Initial Hydrostatic 1685 P.S.I. Final Hydrostatic 1654 P.S.I. Maximum Temp. 98 F

Initial Opening	<u>45</u> P.S.I. to <u>47</u> P.S.I.	from <u>1:23</u> p.m. to <u>1:38</u> p.m.	<u>15</u> minutes
Initial Shut-in	<u>436</u> P.S.I.	from <u>1:38</u> p.m. to <u>2:08</u> p.m.	<u>30</u> minutes
Final Opening	<u>48</u> P.S.I. to <u>48</u> P.S.I.	from <u>2:08</u> p.m. to <u>2:23</u> p.m.	<u>15</u> minutes
Final Shut-in	<u>815</u> P.S.I.	from <u>2:23</u> p.m. to <u>2:53</u> p.m.	<u>30</u> minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
<u>60</u>	<u>Drilling mrd</u>				

Total Feet Recovered 60 Recovery Chlorides _____ Rw. _____ ohms @ _____ Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____

Extra Equipment-Jars _____ Safety Joint Yes Circulating Sub _____ Straddle _____
 Electronic Recorder No. 47441 Depth 3381 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 13214 Depth 3382 Extra Packer (4th) _____ Sampler _____
 Tool Operator _____ Approved By _____

Ticket No. 15549

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

RGE. 12


Company: F.G HOLL COMPANY L.L.C

Lease & Well No. WALTERS 1-36

Test #: 11 Date: 1-6-08

SEC. 36 TWP. 19

Temperature / Pressure Data



Plot serial number: 3335
Date stamp: 01/06/2008 15:21:10

1	Initial Hydrostatic Pressure	1685
2	Initial Flow Pressure	45
3	Final Initial Flow Pressure	47
4	Initial Shut-In Pressure	8366
5	Initial Final Flow Pressure	48
6	Final Flow Pressure	48
7	Final Shut-In Pressure	815
8	Final Hydrostatic Pressure	1654

Maximum Temperature 98

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/6/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BATRON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1- 36

FORMATION TESTED ARBUCKLE

DRILL STEM TEST NUMBER 11

REPORT NUMBER 15549

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3344

TEST INTERVAL (to) 3385

ANCHOR LENGTH 41

TOTAL DEPTH (ft) 3385

TOP PACKER DEPTH 3339

BOTTOM PACKER DEPTH 3344

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 1:23P

TOOL OPEN (to) 1:38

DURATION (min.) 15

FINAL OPEN

TOOL OPEN (from) 2:08

TOOL OPEN (to) 2:23

DURATION (min.) 15

INITIAL SHUT-IN

TOOL CLOSED (from) 1:38

TOOL CLOSED (to) 2:08

DURATION (min.) 30

FINAL SHUT-IN

TOOL CLOSED (from) 2:23

TOOL CLOSED (to) 2:53P

DURATION (min.) 30

INITIAL FLOW

WEAK BUT BUILDING BLOW BUILT 1 INCH IN 15 MIN
NO BLOW BACK

FINAL FLOW

WEAK SURFACE BLOW DID NOT BUILD
NO BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1- 36
TEST DATE	1/6/08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	11
STATE	KANSAS	REPORT NUMBER	15549
COUNTY	BATRON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	20 MILES ROUND TRIP FROM		GREAT BEND
TOP RECORDER DEPTH	3381	BOTTOM RECORDER DEPTH	3382
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3323	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,000	MUD WEIGHT #/GAL	8.9
CHLORIDES-DST		VISCOSITY	55
		WATER LOSS	7.2

COMMENTS

Temperature / Pressure Data



Tool Serial Number: 58836
Test Date: 01/05/2008 16:29:10

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company FG Hall Company LLC
 Address 9431 E Central Suite #100 Wichita KS 67206
 Lease & # Walters 1-36 Sec. 36 Twp 19 Rng 12
 Date 1-7-2008 County Barton Elevation 1790 G.L. 1798 K.B.
 Drilling Contractor Duke Drilling Rig #8
 Drill Pipe Length 3364 I.D. of Drill Pipe 3.8 Tool Joint Size 4 1/2 XH
 Drill Collar Length _____ I.D. of Drill Collars 225 Tool Joint Size 4 1/2 XH
 Mud Weight 8.9 Viscosity 55 Filtrate 7.2 Chlorides-Pits 6,000 DST _____
 Top Packer Depth 3380 Bottom Packer Depth 3385 Number of Packers 2
 Tested From 3385 to 3395 Total Depth 3395 Anchor Length 10
 Test # 12 Formation Tested Airbuckle Hole Size 7 7/8
 Initial Blow Weak But Building Blow Built 6 inches in 15 min
 Blow back on the 1st Shut-in 10
 Final Blow Weak But Building Blow Built 4 inches in 15 min
 Blow back on the 2nd Shut-in Very Weak 15 min
 Initial Hydrostatic 1695 P.S.I. Final Hydrostatic 1653 P.S.I. Maximum Temp. 104 F

Initial Opening <u>35</u> P.S.I. to <u>53</u> P.S.I.	from <u>12:23 A</u> m to <u>12:38 A</u> m	minutes	
Initial Shut-in <u>1102</u> P.S.I.	from <u>12:38 A</u> m to <u>1:08 A</u> m	<u>30</u> minutes	
Final Opening <u>55</u> P.S.I. to <u>70</u> P.S.I.	from <u>1:08 A</u> m to <u>1:23 A</u> m	<u>15</u> minutes	
Final Shut-in <u>1072</u> P.S.I.	from <u>1:23 A</u> m to <u>1:53 A</u> m	<u>30</u> minutes	

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
90	muddy water			50	50
	Chlorides 23,000				

Total Feet Recovered 90 Recovery Chlorides 23,000 Rv. 3 ohms @ 70 Degrees
 Gravity of oil _____ Corrected Gas to Surface in _____ minutes into the _____
 Max. Gas Gauged _____ MCF/day See Gas Flow Report Was a gas sample taken _____
 Comments _____

Extra Equipment-Jars _____ Safety Joint yes Circulating Sub _____ Straddle _____
 Electronic Recorder No. 47441 Depth 3391 Extra Packer (3rd) _____ Hook Wall _____
 Bottom Recorder No. 13214 Depth 3392 Extra Packer (4th) _____ Sampler _____
 Tool Operator _____ Approved By _____

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT


GREAT BEND, KANSAS 67530

RGE. 12

Company: F.G HOLL COMPANY L.L.C

Lease & Well No. WALTERS 1-36 Test #: 12 Date: 1-7-08 SEC. 36 TWP. 19

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	1695
2	Initial Flow Pressure	35
3	Final Initial Flow Pressure	53
4	Initial Shut-In Pressure	1102
5	Initial Final Flow Pressure	55
6	Final Flow Pressure	70
7	Final Shut-In Pressure	1072
8	Final Hydrostatic Pressure	1653

Maximum Temperature 104

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPANY L.L.C

TEST DATE 1/7/08

SECTION-TOWN-RANGE 36-19-12W

STATE KANSAS

COUNTY BARTON

ELEVATION GROUND LEVEL 1790

COMPANY REPRESENTATIVE RENE HUSTEAD

LEASE AND WELL NUMBER WALTERS 1 -36

FORMATION TESTED ARBUCKLE

DRILL STEM TEST NUMBER 12

REPORT NUMBER 15550

ELEVATION KELLY BUSHINGS 1798

TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3385

TEST INTERVAL (to) 3395

ANCHOR LENGTH 10

TOTAL DEPTH (ft) 3395

TOP PACKER DEPTH 3380

BOTTOM PACKER DEPTH 3385

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN
TOOL OPEN (from) 12:23A

TOOL OPEN (to) 12:38

DURATION (min.) 15

FINAL OPEN
TOOL OPEN (from) 1:08

TOOL OPEN (to) 1:23

DURATION (min.) 15

INITIAL SHUT-IN
TOOL CLOSED (from) 12:38

TOOL CLOSED (to) 1:08

DURATION (min.) 30

FINAL SHUT-IN
TOOL CLOSED (from) 1:23

TOOL CLOSED (to) 1:53

DURATION (min.) 30

INITIAL FLOW

WEAK BUT BUILDING BLOW BUILT 6 INCHES IN 15 MIN
NO BLOW BACK

FINAL FLOW

WEAK BUT BUILDING BLOW BUILT 4 INCHES IN 15 MIN
VERY WEAK SURFACE BLOW ON THE BLOW BACK

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPANY L.L.C	LEASE AND WELL NUMBER	WALTERS 1 -36
TEST DATE	1/7/08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	36-19-12W	DRILL STEM TEST NUMBER	12
STATE	KANSAS	REPORT NUMBER	15550
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1798
ELEVATION GROUND LEVEL	1790	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	RENE HUSTEAD		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
	20 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3391	BOTTOM RECORDER DEPTH	3392
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	DUKE DRILLING RIG #8	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH	3364	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
CHLORIDES-PITS	6,000	MUD WEIGHT #/GAL	8.9
CHLORIDES-DST		VISCOSITY	55
		WATER LOSS	7.2

COMMENTS

Temperature / Pressure Data



Tool serial number: 8886
ISSN 0000: 01/07/2008 08:20:33