


IMPORTANT  
Kans. Geo. Survey request  
samples on this well.  
20,029

S. 5 T. 19 R. 38 W

Loc. C SE

County Wichita

640 Acres  
N



Elev.: Gr. 3447

DF 3455 KB 3456

API No. 15 — 203 —  
County Number

Operator  
Shenandoah Oil Corp.

Address  
230 Hightower Building Oklahoma City, Oklahoma

Well No. # 1 Lease Name Buller

Footage Location  
1320 feet from ~~(W)~~ (S) line 1320 feet from (E) ~~(S)~~ line

Principal Contractor Jim Snyder DRILLING Co. Geologist Charles Ferguson

Spud Date April 16, 1975 Total Depth 3225 P.B.T.D. 3225

Date Completed Plug and Abandoned 4-22-75 Oil Purchaser NONE

**CASING RECORD**

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4	8 5/8	28	367	Common	250	3% CC

**LINER RECORD**

**PERFORATION RECORD**

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

**TUBING RECORD**

Size	Setting depth	Packer set at

**ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD**

Amount and kind of material used	Depth interval treated
NONE	

**INITIAL PRODUCTION**


Date of first production NONE Producing method (flowing, pumping, gas lift, etc.) P & A

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio

Disposition of gas (vented, used on lease or sold) \_\_\_\_\_ Producing interval(s) \_\_\_\_\_

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

126630



Date June 3, 1975  
 Title West. Slope. Prod. Co.  
 Signature Donald J. Howard

Date Received

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

DEPTH	NAME	BOTTOM	TOP	FORMATION DESCRIPTION, CONTENTS, ETC.
2512	Red Cave			NONE
2786	Herrington			
2814	Krider			
2853	Winfield			
2900	U. Ft. Riley			
2926	L. Ft. Riley			
3053	Wreford			
3074	Council Grove			
3225	Rotary T.D.			
	Plugged off Rotary			

Operator Shenandoah Oil Corporation

Well No. #1 Lease Name Buller

5 5 T 19 S R 38 W

WELL LOG

Show all important zones of porosity and contents thereof; core intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWD, ETC.

Dry Hole

Menandoah Oil Corporation  
#1 Buller  
C-SE $\frac{1}{4}$  Section 5, T19S, R38W  
Wichita County, Kansas

May 26, 1975

5-19-38W

RECEIVED  
OKLA CITY,

JUN 2 1975

0' - 65', Sand  
65' - 370', Sand and shale  
370' - 818', Shale and chalk  
818' - 1404', Shale, sand and chalk  
1404' - 1625', Shale and red beds  
1625' - 2145', Shale and salt  
2145' - 2425', Shale and shells  
2425' - 2635', Shale and sand  
2635' - 3225', Shale and lime

I certify that the above sample description is a true and complete record of the formations encountered in the drilling of the captioned well as taken from the daily drilling reports of Jim Snyder Drilling Company.

JIM SNYDER DRILLING COMPANY

By:

Fran Rovlenchik  
Fran Rovlenchik

