

State Geological Survey
WICHITA, KANSAS
LOG

IMPORTANT
Kans. Geo. Survey request
samples on this well.


8-15-32

S. 8 T. 1 R. 32 ^RW

Loc. C NW SE

County Rawlins

640 Acres
N



Elev.: Gr. 2958'

DF KB 2963'

API No. 15 — 153 — 20,206
County Number

Operator

Skelly Oil Company

Address

Box 339 Hays, Kansas

Well No.

#1

Lease Name

C. D. Wicke

Footage Location

1980 feet from (W) (S) line 1980 feet from (E) (W) line

Principal Contractor

John O. Farmer

Geologist

Spud Date

4-21-75

Total Depth

4180'

P.B.T.D.

Surface

Date Completed

5-2-75

Oil Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12½	8 5/8"	24#	344	Regular	275	2% Ca. Cl.

LINER RECORD

Top, ft.	Bottom, ft.	Sacks cement
None		

PERFORATION RECORD

Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at
None		

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD


Amount and kind of material used	Depth interval treated
None	

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)		
Dry Hole				
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrer 66044.

Operator Skelly Oil Company		DESIGNATE TYPE OF COMP. DRY HOLE, SWDW, ETC.:		
Well No. 1	Lease Name C. D. Wicke		Dry Hole	
S <u>8</u> T <u>1S</u> R <u>32</u> ^E _W				
WELL LOG		SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. Sample Tops:		
Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.				
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Clay & Sand	Surface	260		
Blue Shale	260	344		
Shale	344	1580		
Shale & Shells	1580	2080		
Shale & Sand	2080	2600		
Shale	2600	2751		
Anhydrite	2751	2794		
Shale	2794	3075		
Shale & Lime	3075	3690	Foraker	3466'
Lime & Shale	3690	3765	Topeka	3724'
Shale & Lime	3765	3820		
Lime & Shale	3820	3905	Oread	3840'
			Douglas	3868'
			Lansing KC "A"	3884'
			" " "D"	3944'
Lime	3905	3969		
Lime & Shale	3969	3986		
Lime	3986	4015		
Lime & Shale	4015	4070		
Lime	4070	4180	Lansing KC "J"	4079'
				
USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.				
Date Received	 Signature Area Superintendent Title June 11, 1975 Date			

CASING RECORD:

OPERATOR: Skeelly Oil Company

DESCRIPTION:

344' w/ 805/8"
cemented w/ 275 sx.

CONTRACTOR: John O. Farmer, Inc.

NW SE
Sec. 8-1S-32W
Rawlins County, Ks.TOTAL DEPTH:
80'

COMMENCED: April 21, 1975


COMPLETED: May 2, 1975

FORMATION	FROM	TO	REMARKS
Shale	344	1580	
Shale & Shells	1580	2088	
Shale & Sand	2088	2600	
Shale	2600	2751	
Anhydrite	2751	2794	
Shale	2794	3075	
Shale & Lime	3075	3690	
Lime & Shale	3690	3765	
Shale & Lime	3765	3820	
Lime & Shale	3820	3905	
Lime	3905	3969	
Lime & Shale	3969	3986	
Lime	3986	4015	
Lime & Shale	4015	4070	
Lime	4070	4180	
Total Depth	4180		

I certify that this is a true and correct copy of the above log to the best of my knowledge.

JOHN O. FARMER, INC.

By


John O. Farmer
President

Subscribed and sworn to before me this 6th day of May, 1975.


Commission Expires:
HELEN CARLSON - NOTARY PUBLIC