


32-20s-1w



DRILL STEM TEST REPORT

Prepared For: **American Energies Corp.**

155 N. Market, Ste. 710
Wichita Ks. 67202

ATTN: Doug Davis

32-20s-1w McPherson

Hoyer #1-32

Start Date: 2006.06.15 @ 17:05:13

End Date: 2006.06.16 @ 00:10:28

Job Ticket #: 24862 DST #: 1

15-113-21305-08-00

RECEIVED
JUN 26 2006
KCC WICHITA

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

American Energies Corp.


Hoyer #1-32

32-20s-1w McPherson

DST # 1

Miss.

2006.06.15



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

American Energies Corp.

155 N. Market, Ste. 710
Wichita Ks. 67202

ATTN: Doug Davis

Hoyer #1-32

32-20s-1w McPherson

Job Ticket: 24862

DST#: 1

Test Start: 2006.06.15 @ 17:05:13

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 18:52:13

Time Test Ended: 00:10:28

Test Type: Conventional Bottom Hole

Tester: Gary Pevoteaux

Unit No: 23

Interval: 2975.00 ft (KB) To 3005.00 ft (KB) (TVD)

Total Depth: 3005.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 1533.00 ft (KB)

1525.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 6771 Inside

Press@RunDepth: 178.02 psig @ 2976.00 ft (KB)

Start Date: 2006.06.15

End Date:

2006.06.16

Start Time: 17:05:18

End Time:

00:10:27


Capacity: 7000.00 psig

Last Calib.: 2006.06.16

Time On Btm: 2006.06.15 @ 18:49:58

Time Off Btm: 2006.06.15 @ 21:54:28

TEST COMMENT: IF: Strong blow . B.O.B. in 4 mins.
IS: Weak blow . 1 - 2".
FF: Strong blow . B.O.B. in 5 1/2 mins.
FS: Weak blow . 1 - 2 1/2".



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1496.23	98.58	Initial Hydro-static
3	29.45	98.73	Open To Flow (1)
33	122.76	105.38	Shut-In(1)
91	847.47	105.58	End Shut-In(1)
92	132.69	105.34	Open To Flow (2)
122	178.02	107.42	Shut-In(2)
183	828.07	106.98	End Shut-In(2)
185	1498.35	106.35	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
245.00	SW Rw .073 ohms@ 75 deg.	1.80
120.00	MW 36% m 64% w	1.68
0.00	360 ft. of GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Energies Corp.

155 N. Market, Ste. 710
Wichita Ks. 67202

ATTN: Doug Davis

Hoyer #1-32

32-20s-1w McPherson

Job Ticket: 24862

DST#: 1

Test Start: 2006.06.15 @ 17:05:13

Tool Information

Drill Pipe:	Length: 2792.00 ft	Diameter: 3.80 inches	Volume: 39.16 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose: 78000.00 lb
			<u>Total Volume: 40.05 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	24.00 ft			String Weight: Initial 58000.00 lb
Depth to Top Packer:	2975.00 ft			Final 60000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	30.00 ft			
Tool Length:	57.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			2949.00	
Shut In Tool	5.00			2954.00	
Hydraulic tool	5.00			2959.00	
Jars	5.00			2964.00	
Safety Joint	2.00			2966.00	
Packer	4.00			2970.00	27.00 Bottom Of Top Packer
Packer	5.00			2975.00	
Stubb	1.00			2976.00	
Recorder	0.00	6771	Inside	2976.00	
Perforations	24.00			3000.00	
Recorder	0.00	13222	Outside	3000.00	
Bullnose	5.00			3005.00	30.00 Bottom Packers & Anchor

Total Tool Length: 57.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Energies Corp.

Hoyer #1-32

155 N. Market, Ste. 710
Wichita Ks. 67202

32-20s-1w McPherson

Job Ticket: 24862

DST#: 1

ATTN: Doug Davis

Test Start: 2006.06.15 @ 17:05:13

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

105000 ppm

Viscosity: 45.00 sec/qt

Cushion Volume:

bbl

Water Loss: 12.79 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
245.00	SW Rw .073 ohms@ 75 deg.	1.797
120.00	MW 36% m 64% w	1.683
0.00	360 ft. of GIP	0.000

Total Length: 365.00 ft Total Volume: 3.480 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

