


15-009-24973



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **American Warrior**
PO Box 399
Garden City KS 67846

KCC
DEC 12 2006
CONFIDENTIAL

ATTN: James Diltz

24 20S 13W Barton KS

Kurt Rugan 1-24

Start Date: 2006.08.20 @ 11:18:40

End Date: 2006.08.20 @ 17:47:08

Job Ticket #: 25310 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

RECEIVED
DEC 15 2006

Printed: 2006.08.24 10:56:54 Page 1
KCC WICHITA

American Warrior

Kurt Rugan 1-24

24 20S 13W Barton KS

DST # 1

LKC "C"

2006.08.20



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

American Warrior
 PO Box 399
 Garden City KS 67846
 ATTN: James Ditz


Kurt Rugan 1-24
24 20S 13W Barton KS
 Job Ticket: 25310 **DST#: 1**
 Test Start: 2006.08.20 @ 11:18:40

GENERAL INFORMATION:

Formation: **LKC "C"**
 Deviated: No Whipstock: ft (KB)
 Test Type: Conventional Bottom Hole
 Time Tool Opened: 13:14:08 Tester: Brian Fairbank
 Time Test Ended: 17:47:08 Unit No: 24
 Interval: **3248.00 ft (KB) To 3311.00 ft (KB) (TVD)** Reference Elevations: 1859.00 ft (KB)
 Total Depth: 3311.00 ft (KB) (TVD) 1851.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 8.00 ft

Serial #: 6769 Inside
 Press@RunDepth: 30.93 psig @ 3251.01 ft (KB) Capacity: 7000.00 psig
 Start Date: 2006.08.20 End Date: 2006.08.20 Last Calib.: 2006.08.20
 Start Time: 11:18:40 End Time: 17:47:08 Time On Btm: 2006.08.20 @ 13:13:53
 Time Off Btm: 2006.08.20 @ 15:58:53

TEST COMMENT: IFP Weak blow died 14 min. - 1/4" - dead
 ISI No blow back
 FFP No blow
 FSI No blow back



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1570.58	96.58	Initial Hydro-static
1	17.21	95.97	Open To Flow (1)
15	20.83	96.18	Shut-In(1)
74	744.98	97.39	End Shut-In(1)
74	22.77	97.17	Open To Flow (2)
105	30.93	97.58	Shut-In(2)
165	540.69	98.82	End Shut-In(2)
165	1500.73	99.13	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	100%M	0.14

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior
PO Box 399
Garden City KS 67846

ATTN: James Diltz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25310 **DST#: 1**
Test Start: 2006.08.20 @ 11:18:40

Tool Information

Drill Pipe:	Length: 3259.00 ft	Diameter: 3.80 inches	Volume: 45.72 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 62000.00 lb
			<u>Total Volume: 45.72 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	31.00 ft			String Weight: Initial 49000.00 lb
Depth to Top Packer:	3248.00 ft			Final 49000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	63.02 ft			
Tool Length:	83.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

KCC
DEC 12 2006
CONFIDENTIAL

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Shut In Tool	5.00			3233.00	
Hydraulic tool	5.00			3238.00	
Packer	5.00			3243.00	20.00 Bottom Of Top Packer
Packer	5.00			3248.00	
Stubb	1.00			3249.00	
Perforations	1.00			3250.00	
Change Over Sub	1.00			3251.00	
Recorder	0.01	6769	Inside	3251.01	
Blank Spacing	31.00			3282.01	
Change Over Sub	1.00			3283.01	
Perforations	25.00			3308.01	
Recorder	0.01	13548	Outside	3308.02	
Bullnose	3.00			3311.02	63.02 Bottom Packers & Anchor

Total Tool Length: 83.02

RECEIVED



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior

Kurt Rugan 1-24

PO Box 399
Garden City KS 67846

24 20S 13W Barton KS

Job Ticket: 25310

DST#: 1

ATTN: James Diltz

Test Start: 2006.08.20 @ 11:18:40

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 47.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.70 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3500.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	100%M	0.140

Total Length: 10.00 ft Total Volume: 0.140 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6769

Inside

American Warrior

24 20S 13W Barton KS

DST Test Number: 1



KCC
 DEC 12 2006
 CONFIDENTIAL


20 Sun Aug 2006

RECEIVED
 DEC 15 2006
 KCC WICHITA

Ref. No: 25310

Injion Testing, Inc

Printed: 2006.08.24 @ 10:56:55 Page 5



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **American Warrior**

PO Box 399
Garden City KS 67846

ATTN: James Diltz

24 20S 13W Barton KS

Kurt Rugan 1-24

Start Date: 2006.08.21 @ 06:14:41

End Date: 2006.08.21 @ 12:23:24

Job Ticket #: 25311 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2006.08.24 @ 12:23:24 Page 1

RECEIVED

DEC 15 2006

KCC WICHITA

American Warrior

Kurt Rugan 1-24

24 20S 13W Barton KS

DST # 2

LKC "H.K"

2006.08.21



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

American Warrior
PO Box 399
Garden City KS 67846
ATTN: James Diltz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25311 **DST#: 2**
Test Start: 2006.08.21 @ 06:14:41

GENERAL INFORMATION:

Formation: **LKC "H-K"**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 08:10:09
Time Test Ended: 12:23:24
Interval: **3342.00 ft (KB) To 3432.00 ft (KB) (TVD)**
Total Depth: 3432.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Good
Test Type: Conventional Bottom Hole
Tester: Brian Fairbank
Unit No: 24
Reference Elevations: 1859.00 ft (KB)
1851.00 ft (CF)
KB to GR/CF: 8.00 ft


Serial #: 6769

inside

Press@RunDepth: 34.72 psig @ 3346.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2006.08.21 End Date: 2006.08.21 Last Calib.: 2006.08.21
Start Time: 06:14:41 End Time: 12:23:24 Time On Btm: 2006.08.21 @ 08:09:39
Time Off Btm: 2006.08.21 @ 10:49:24

TEST COMMENT: IFP Weak sur blow died 18 min.
ISI No blow back
FFP No blow
FSI No blow back

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1685.59	98.48	Initial Hydro-static
1	32.89	98.15	Open To Flow (1)
30	33.92	99.02	Shut-In(1)
91	70.11	100.12	End Shut-In(1)
91	34.44	100.11	Open To Flow (2)
101	34.72	100.26	Shut-In(2)
160	51.46	101.03	End Shut-In(2)
160	1538.86	101.89	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2.00	O spt M 100%M	0.03

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior
PO Box 399
Garden City KS 67846

ATTN: James Diltz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25311 **DST#: 2**
Test Start: 2006.08.21 @ 06:14:41

Tool Information

Drill Pipe:	Length: 3355.00 ft	Diameter: 3.80 inches	Volume: 47.06 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 54000.00 lb
			<u>Total Volume: 47.06 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	33.00 ft			String Weight: Initial 49000.00 lb
Depth to Top Packer:	3342.00 ft			Final 49000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	90.02 ft			
Tool Length:	110.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3327.00	
Hydraulic tool	5.00			3332.00	
Packer	5.00			3337.00	20.00 Bottom Of Top Packer
Packer	5.00			3342.00	
Stubb	1.00			3343.00	
Perforations	2.00			3345.00	
Change Over Sub	1.00			3346.00	
Recorder	0.01	6769	Inside	3346.01	
Blank Spacing	62.00			3408.01	
Change Over Sub	1.00			3409.01	
Perforations	20.00			3429.01	
Recorder	0.01	13548	Outside	3429.02	
Bullnose	3.00			3432.02	90.02 Bottom Packers & Anchor

Total Tool Length: 110.02

RECEIVED
DEC 15 2006
KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior
PO Box 399
Garden City KS 67846
ATTN: James Ditz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25311 **DST#: 2**
Test Start: 2006.08.21 @ 06:14:41

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 47.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.91 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 6400.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2.00	O spt M 100%M	0.028

Total Length: 2.00 ft Total Volume: 0.028 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

Serial #: 6769


Inside

American Warrior

24 20S 13W Barton KS

DST Test Number: 2

Pressure vs. Time



RECEIVED
DEC 15 2006
KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **American Warrior**

PO Box 399
Garden City KS 67846

ATTN: James Diltz

24 20S 13W Barton KS

Kurt Rugan 1-24

Start Date: 2006.08.21 @ 20:52:04

End Date: 2006.08.22 @ 03:45:32

Job Ticket #: 25312 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2006.08.24 @ 10:57:35 Page 1

RECEIVED
DEC 15 2006

KCC WICHITA

American Warrior

Kurt Rugan 1-24

24 20S 13W Barton KS

DST # 3

Arbuckle

2006.08.21



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

American Warrior
PO Box 399
Garden City KS 67846
ATTN: James Diltz


Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25312 DST#: 3
Test Start: 2006.08.21 @ 20:52:04

GENERAL INFORMATION:

Formation: **Arbuckle**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 22:59:17
Time Test Ended: 03:45:32
Test Type: Conventional Bottom Hole
Tester: Brian Fairbank
Unit No: 24
Interval: **3470.00 ft (KB) To 3500.00 ft (KB) (TVD)**
Reference Elevations: 1859.00 ft (KB)
Total Depth: 3500.00 ft (KB) (TVD) 1851.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 8.00 ft

Serial #: 6769 Inside
Press@RunDepth: 33.95 psig @ 3472.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2006.08.21 End Date: 2006.08.22 Last Calib.: 2006.08.22
Start Time: 20:52:04 End Time: 03:45:32 Time On Btm: 2006.08.21 @ 22:58:32
Time Off Btm: 2006.08.22 @ 01:58:17

TEST COMMENT: IFP Sur blow died 21 min.
ISI No blow back
FFP No blow
FSI No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1760.20	100.31	Initial Hydro-static
1	30.89	100.00	Open To Flow (1)
31	32.22	100.41	Shut-In(1)
89	707.51	101.96	End Shut-In(1)
90	31.11	101.76	Open To Flow (2)
121	33.95	102.79	Shut-In(2)
180	517.59	103.71	End Shut-In(2)
180	1580.89	104.08	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
9.00	VSOCM 5%O 95%M	0.13
1.00	FREE OIL 100%	0.01

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior
PO Box 399
Garden City KS 67846
ATTN: James Diltz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25312 **DST#: 3**
Test Start: 2006.08.21 @ 20:52:04

Tool Information

Drill Pipe:	Length: 3478.00 ft	Diameter: 3.80 inches	Volume: 48.79 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 52000.00 lb
			<u>Total Volume: 48.79 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial 49000.00 lb
Depth to Top Packer:	3470.00 ft			Final 49000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	30.02 ft			
Tool Length:	50.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Shut In Tool	5.00			3455.00	
Hydraulic tool	5.00			3460.00	
Packer	5.00			3465.00	20.00 Bottom Of Top Packer
Packer	5.00			3470.00	
Stubb	1.00			3471.00	
Perforations	1.00			3472.00	
Recorder	0.01	6769	Inside	3472.01	
Perforations	25.00			3497.01	
Recorder	0.01	13548	Outside	3497.02	
Bullnose	3.00			3500.02	30.02 Bottom Packers & Anchor
Total Tool Length:	50.02				

RECEIVED

DEC 15 2006

KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior
PO Box 399
Garden City KS 67846
ATTN: James Diltz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25312 **DST#: 3**
Test Start: 2006.08.21 @ 20:52:04

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 42.00 sec/qt	Cushion Volume: bbl		
Water Loss: 12.33 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 9100.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
9.00	VSOCM 5%O 95%M	0.126
1.00	FREE OIL 100%	0.014

Total Length: 10.00 ft Total Volume: 0.140 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:


Serial #: 6769

Inside

American Warrior

24 20S 13W Barton KS

DST Test Number: 3



9PM

21 Mon Aug 2006

22 Tue

3AM

Time (Hours)

RECEIVED


DEC 15 2006

KCC WICHITA

Trillium Testing, Inc

Ref. No: 25312

Printed: 2006.08.24 @ 10:57:36 Page 5



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **American Warrior**

PO Box 399
Garden City KS 67846

ATTN: James Diltz

24 20S 13W Barton KS

Kurt Rugan 1-24

Start Date: 2006.08.22 @ 10:39:22

End Date: 2006.08.22 @ 17:55:35

Job Ticket #: 25313 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Printed: 2006.08.24 @ 10:57:35 Page 1

RECEIVED

DEC 15 2006

KCC WICHITA

American Warrior

Kurt Rugan 1-24

24 20S 13W Barton KS

DST # 4

Arbuckle (2)

2006.08.22



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

American Warrior
PO Box 399
Garden City KS 67846
ATTN: James Diltz


Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25313 **DST#: 4**
Test Start: 2006.08.22 @ 10:39:22

GENERAL INFORMATION:

Formation: **Arbuckle (2)**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 12:16:35
Time Test Ended: 17:55:35
Interval: **3500.00 ft (KB) To 3515.00 ft (KB) (TVD)**
Total Depth: 3515.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Good
Test Type: Conventional Bottom Hole
Tester: Brian Fairbank
Unit No: 24
Reference Elevations: 1859.00 ft (KB)
1851.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 6769 Inside
Press@RunDepth: 37.60 psig @ 3502.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2006.08.22 End Date: 2006.08.22 Last Calib.: 2006.08.22
Start Time: 10:39:22 End Time: 17:55:35 Time On Btm: 2006.08.22 @ 12:16:20
Time Off Btm: 2006.08.22 @ 16:01:20

TEST COMMENT: IFP Weak blow throughout sur - 3/4 " - died 1/2 "
ISI No blow back
FFP No blow
FSI No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1748.71	97.39	Initial Hydro-static
1	34.60	96.56	Open To Flow (1)
30	35.86	98.75	Shut-In(1)
90	586.00	100.66	End Shut-In(1)
91	31.62	100.58	Open To Flow (2)
135	37.60	101.74	Shut-In(2)
225	388.49	103.46	End Shut-In(2)
225	1618.48	103.98	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
13.00	SOCM 10%O 90%M	0.18
7.00	FREE OIL 97%O 3%M	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior
PO Box 399
Garden City KS 67846

ATTN: James Diltz

Kurt Rugan 1-24
24 20S 13W Barton KS
Job Ticket: 25313 **DST#: 4**
Test Start: 2006.08.22 @ 10:39:22

Tool Information

Drill Pipe:	Length: 3513.00 ft	Diameter: 3.80 inches	Volume: 49.28 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 62000.00 lb
			<u>Total Volume: 49.28 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	33.00 ft			String Weight: Initial 49000.00 lb
Depth to Top Packer:	3500.00 ft			Final 51000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	15.02 ft			
Tool Length:	35.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut In Tool	5.00			3485.00	
Hydraulic tool	5.00			3490.00	
Packer	5.00			3495.00	20.00 Bottom Of Top Packer
Packer	5.00			3500.00	
Stubb	1.00			3501.00	
Perforations	1.00			3502.00	
Recorder	0.01	6769	Inside	3502.01	
Perforations	10.00			3512.01	
Recorder	0.01	13548	Outside	3512.02	
Bullnose	3.00			3515.02	15.02 Bottom Packers & Anchor
Total Tool Length:	35.02				

RECEIVED

DEC 15 2006

KCC WICHITA



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior

Kurt Rugan 1-24

PO Box 399
Garden City KS 67846

24 20S 13W Barton KS

Job Ticket: 25313

DST#: 4

ATTN: James Diltz

Test Start: 2006.08.22 @ 10:39:22

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	39 deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	42.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	12.35 in ³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	9100.00 ppm				
Filter Cake:	inches				

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
13.00	SOCM 10%O 90%M	0.182
7.00	FREE OIL 97%O 3%M	0.098

Total Length: 20.00 ft Total Volume: 0.280 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6769

Inside

American Warrior

24 20S13W Barton KS

DST Test Number: 4



22 Tue Aug 2006

RECEIVED
DEC 15 2006
KCC WICHITA

Temperature Testing, Inc

Ref. No: 25313

Printed: 2006.08.24 @ 10:57:51 Page 5