

F.G. Hall Co.
Nicolet 1-7

7-205-13w
15-009-24953

Superior Testers Enterprises, Inc. 1887

R.R. 3, Box 295B, Great Bend, Kansas 67530
(316) 792-6902

Date 07-05-2006 Location C 7/2 3/4 S 4 7-20^s-13^w Elevation 1879 County Saerton 1884-KK

Company F.G. Hall Company L.L.C. Number of Copies 5

Charts Mailed to 9431 East Central Suite 100 Wichita Kansas 67206

Drilling Contractor Petro Mack Drilling Rig #1

Length Drill Pipe 3215 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" T.H.

Length Weight Pipe None I.D. Weight Pipe None Tool Joint Size None

Length Drill Collars None I.D. Drill Collars None Tool Joint Size None

Top Packer Depth 3231 Bottom Packer Depth 3236 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3236 TO 3298 ANCHOR LENGTH 62 TOTAL DEPTH 3298 Hole Size 7 7/8"

LEASE & WELL NO. Nicolet #1-7 FORMATION TESTED Kansas City TEST NO. 1

Mud Weight 9.2 Viscosity 55 Water Loss 9.4 Chlorides - Pits 6000 D.S.T. _____

Maximum Temp. 104 °F Initial Hydrostatic Pressure (A) 1056 P.S.I. Final Hydrostatic Pressure (H) 1598 P.S.I.

Tool Open I.F.P. from 9:30 Am to 9:45 Am 15 min
Tool Closed I.C.I.P. from 9:45 Am to 10:15 Am 30 min
Tool Open F.F.P. from 10:15 Am to 10:30 Am 15 min
Tool Closed F.C.I.P. from 10:30 Am to 11:00 Am 30 min
Initial Blow Weak Blow for 7 minutes & DIED

from [B] <u>56</u> P.S.I. to [C] <u>57</u> P.S.I.
[D] <u>123</u> P.S.I.
from [E] <u>58</u> P.S.I. to [F] <u>59</u> P.S.I.
[G] <u>74</u> P.S.I.

Final Blow No blow

Total Feet Recovered 10 Gravity of Oil _____ Corrected _____

<u>10</u> Feet of <u>Heavy mud</u>	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____

Remarks _____

Extra Equipment - Jars None Safety Joint yes Extra Packer None Straddle None Hook Wall None

Top Recorder No. 91917 Clock No. Electronic Depth 3294 Cir. Sub None Sampler None

Bottom Recorder No. 3875 Clock No. 42441 Depth 3295 Insurance None

Price of Job _____

Tool Operator Alan Buldy

Approved By _____

No 14493


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



- | | | |
|----------|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1656 |
| 2 | Initial Flow Pressure | 56 |
| 3 | Final Initial Flow Pressure | 57 |
| 4 | Initial Shut-In Pressure | 123 |
| 5 | Initial Final Flow Pressure | 58 |
| 6 | Final Flow Pressure | 59 |
| 7 | Final Shut-In Pressure | 74 |
| 8 | Final Hydrostatic Pressure | 1598 |

Maximum Temperature 104

GENERAL INFORMATION

COMPANY NAME F.G.HOLL COMPANY L.L.C.	
TEST DATE 7/5/06	LEASE AND WELL NUMBER NICOLET 1-7
SECTION-TOWN-RANGE 7-20S-13W	FORMATION TESTED KANSAS CITY
STATE KANSAS	DRILL STEM TEST NUMBER 1
COUNTY BARTON	REPORT NUMBER 14493
ELEVATION GROUND LEVEL 1879	ELEVATION KELLY BUSHINGS 1884
COMPANY REPRESENTATIVE RENE	TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3236	TOP PACKER DEPTH 3231
TEST INTERVAL (to) 3298	BOTTOM PACKER DEPTH 3236
ANCHOR LENGTH 62	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3298	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 9:30	TOOL OPEN (from) 10:15
INITIAL OPEN TOOL OPEN (to) 9:45	FINAL OPEN TOOL OPEN (to) 10:30
DURATION (min.) 15	DURATION (min.) 15
TOOL CLOSED (from) 9:45	TOOL CLOSED (from) 10:30
INITIAL SHUT-IN TOOL CLOSED (to) 10:15	FINAL SHUT-IN TOOL CLOSED (to) 11:00
DURATION (min.) 30	DURATION (min.) 30

INITIAL FLOW WEAK BLOW FOR 7 MINUTES AND DIED

FINAL FLOW NO BLOW

Feet of Recovery	RESISTIVITY	AT	DEGREES	CHLORIDES			
	RECOVERY DESCRIPTION			% GAS	% OIL	% MUD	% WATER
1) 10	DRILLING MUD						
2)							
3)							
4)							
5)							

Company: F.G.HOLL COMPANY L.L.C. Lease & Well No. NICOLET #1-7 Test #: 1 Date: 07-05-2006 SEC. 7
 TWP. 20S RGE. 13W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G.HOLL COMPANY L.L.C.	LEASE AND WELL NUMBER	NICOLET 1-7
TEST DATE	7/5/06	FORMATION TESTED	KANSAS CITY
SECTION-TOWN-RANGE	7-20S-13W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	14493
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1884
ELEVATION GROUND LEVEL	1879	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	RENE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	12 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3294	BOTTOM RECORDER DEPTH	3295
RECORDER NUMBER	91917	RECORDER NUMBER	3875

WELL INFORMATION

DRILLING CONTRACTOR	PETROLMARK DRILLING RIG #1		
DRILL PIPE LENGTH	3215	DRILL COLLAR LENGTH	
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.2
WEIGHT PIPE I.D.	2.25	VISCOSITY	55
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	9.6
		CHLORIDES-PITS	6000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

1884 R^S

Date 07-06-06 Location C⁵/₂ - W⁵/₄ - E⁴ 7-20-13^W Elevation 1879 County Barton Number of Copies 5

Company F. C. Hall COMPANY L.L.C.

Charts Mailed to 9431 East Central Suite 100 Wichita Kansas 67206

Drilling Contractor Petromax Drilling Co #1 Tool Joint Size 4 1/2" x 1 1/2"

Length Drill Pipe 3280 I.D. Drill Pipe 3.80 Tool Joint Size NONE

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3293 Bottom Packer Depth 3398 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3298 TO 3322 ANCHOR LENGTH 24 TOTAL DEPTH 3322 Hole Size 7 7/8"

LEASE & WELL NO. Nicolst #1-7 FORMATION TESTED KANSAS L¹/₄ "F" TEST NO. 2

Mud Weight 9.7 Viscosity 55 Water Loss 9.4 Chlorides - Pits 6000 D.S.T. _____

Maximum Temp. 102 °F Initial Hydrostatic Pressure (A) 1688 P.S.I. Final Hydrostatic Pressure (H) 1613 P.S.I.

Tool Open I.F.P. from 12:00 A.M. to 12:00 A.M. 15 min

Tool Closed I.C.I.P. from 12:15 A.M. to 12:45 A.M. 30 min

Tool Open F.F.P. from 12:45 A.M. to 1:00 A.M. 15 min

Tool Closed F.C.I.P. from 1:00 A.M. to 1:30 A.M. 30 min

Initial Blow Weak blow for 5 minutes & DIED

Final Blow No Blow

Total Feet Recovered 1 Feet of Drilling mud

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

_____ Feet of _____

from [B] <u>36</u> P.S.I. to [C] <u>37</u> P.S.I.
[D] <u>67</u> P.S.I.
from [E] <u>37</u> P.S.I. to [F] <u>38</u> P.S.I.
[G] <u>49</u> P.S.I.

Total Feet Recovered	% Gas	% Oil	% Mud	% Water
<u>1</u> Feet of <u>Drilling mud</u>	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____
_____ Feet of _____	_____	_____	_____	_____

Remarks _____

Extra Equipment - Jars NONE Safety Joint YES Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91917 Clock No. Electron Depth 3316 Cir. Sub NONE Sampler NONE

Bottom Recorder No. 385 Clock No. 4744 Depth 3319 Insurance NONE

Price of Job _____

Tool Operator Jim Sully

Approved By No 14494

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G.HOLL COMPANY L.L.C. Lease & Well No. NICOLET #1-7 Test #: 2 Date: 07-06-2006 SEC. 7 TWP.
20S RGE. 13W



1	Initial Hydrostatic Pressure	1688
2	Initial Flow Pressure	36
3	Final Initial Flow Pressure	37
4	Initial Shut-In Pressure	67
5	Initial Final Flow Pressure	37
6	Final Flow Pressure	38
7	Final Shut-In Pressure	49
8	Final Hydrostatic Pressure	1613

Maximum Temperature 102

GENERAL INFORMATION

COMPANY NAME F.G.HOLL COMPANY L.L.C.	
TEST DATE 7/6/06	LEASE AND WELL NUMBER NICOLET #1-7
SECTION-TOWN-RANGE 7-20S-13W	FORMATION TESTED KANSAS CITY "F"
STATE KANSAS	DRILL STEM TEST NUMBER 2
COUNTY BARTON	REPORT NUMBER 14494
ELEVATION GROUND LEVEL 1879	ELEVATION KELLY BUSHINGS 1884
COMPANY REPRESENTATIVE RENE	TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3298	TOP PACKER DEPTH 3293
TEST INTERVAL (to) 3322	BOTTOM PACKER DEPTH 3298
ANCHOR LENGTH 24	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3322	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES


TOOL OPEN (from) 12:00	TOOL OPEN (from) 12:45
INITIAL OPEN TOOL OPEN (to) 12:15	FINAL OPEN TOOL OPEN (to) 1:00
DURATION (min.) 15	DURATION (min.) 15
TOOL CLOSED (from) 12:15	TOOL CLOSED (from) 1:00
INITIAL SHUT-IN TOOL CLOSED (to) 12:45	FINAL SHUT-IN TOOL CLOSED (to) 1:30
DURATION (min.) 30	DURATION (min.) 30

INITIAL FLOW WEAK BLOW FOR 5 MINUTES AND DIED

FINAL FLOW NO BLOW

Feet of Recovery	RESISTIVITY		AT	DEGREES	CHLORIDES			
	RECOVERY DESCRIPTION				% GAS	% OIL	% MUD	% WATER
1)	1	DRILLING MUD						
2)								
3)								
4)								
5)								

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

1884 KB

18796.1

County Barton

Date 07-06-06 Location C 1/2 - S 1/4 - 9 1/4 - 7-21-13 Elevation 18796.1 County Barton Number of Copies 2

Company F.B. Holl Company LLC

Charts Mailed to 9451 East Central Suite 100 Wichita, Kansas 67206

Drilling Contractor Petromac Drilling Rig 41

Length Drill Pipe 3345 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" KH

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3361 Bottom Packer Depth 3366 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3366 TO 3404 ANCHOR LENGTH 38 TOTAL DEPTH 3404 Hole Size 7 7/8"

LEASE & WELL NO. Nicolet #1-7 FORMATION TESTED Kansas City "A" TEST NO. 3

Mud Weight 9.1 Viscosity 45 Water Loss 12.7 Chlorides - Pits 9700 D.S.T. _____

Maximum Temp. 106 °F Initial Hydrostatic Pressure (A) 1696 P.S.I. Final Hydrostatic Pressure (H) 1662 P.S.I.

Tool Open I.F.P. from 10:09:45 m to 10:00 f m 15 min

Tool Closed I.C.I.P. from 10:00 f m to 10:30 f m 30 min

Tool Open F.F.P. from 10:30 f m to 11:15 f m 45 min

Tool Closed F.C.I.P. from 11:15 f m to 12:45 f m 90 min

Initial Blow weak building blow built to 3 inches into the water

Final Blow weak building blow built to 7 inches into the water

Total Feet Recovered 30 Gravity of Oil _____ Corrected _____

100 Feet of Gas in the P.P.E % Gas _____ % Oil _____ % Mud _____ % Water _____

30 Feet of slightly oil specked mud with % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of free oil between the tools % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NONE Safety Joint YES Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91971 Clock No. Electron Depth 3400 Cir. Sub NONE Sampler NONE

Bottom Recorder No. 3876 Clock No. 47441 Depth 3401 Insurance NONE

Price of Job _____

Tool Operator L. Ambler

Approved By _____

No 14495

from [B]	<u>46</u>	P.S.I. to [C]	<u>54</u>	P.S.I.
[D]	<u>94</u>			P.S.I.
from [E]	<u>50</u>	P.S.I. to [F]	<u>55</u>	P.S.I.
[G]	<u>109</u>			P.S.I.

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G.HOLL COMPANY L.L.C. Lease & Well No. NICOLET #1-7 Test #: 3 Date: 07-06-2006 SEC. 7
 TWP. 21S RGE. 13W



1	Initial Hydrostatic Pressure	1696
2	Initial Flow Pressure	46
3	Final Initial Flow Pressure	54
4	Initial Shut-In Pressure	94
5	Initial Final Flow Pressure	50
6	Final Flow Pressure	55
7	Final Shut-In Pressure	109
8	Final Hydrostatic Pressure	1662

Maximum Temperature 106

GENERAL INFORMATION

COMPANY NAME F.G.HOLL COMPANY L.L.C.

TEST DATE 7/6/06

LEASE AND WELL NUMBER NICOLET #1-7

SECTION-TOWN-RANGE 7-21S-13W

FORMATION TESTED KANSAS CITY "H" \

STATE KANSAS

DRILL STEM TEST NUMBER 3

COUNTY BARTON

REPORT NUMBER 14495

ELEVATION GROUND LEVEL 1879

ELEVATION KELLY BUSHINGS 1884

COMPANY REPRESENTATIVE RENE

TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3366

TOP PACKER DEPTH 3361

BOTTOM PACKER DEPTH 3366

TEST INTERVAL (to) 3404

NUMBER OF PACKERS 2

ANCHOR LENGTH 38

PACKER SIZE 6 3/4

TOTAL DEPTH (ft) 3404

HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 9:45

TOOL OPEN (from) 10:30

INITIAL OPEN TOOL OPEN (to) 10:00

FINAL OPEN TOOL OPEN (to) 11:15

DURATION (min.) 15

DURATION (min.) 45

TOOL CLOSED (from) 10:00

TOOL CLOSED (from) 11:15

INITIAL SHUT-IN TOOL CLOSED (to) 10:30

FINAL SHUT-IN TOOL CLOSED (to) 12:45

DURATION (min.) 30

DURATION (min.) 90

INITIAL FLOW

WEAK BLOW BUILT TO 3 INCHES INTO THE WATER

FINAL FLOW

WEAK BLOW BUILT TO 7 INCHES INTO THE WATER

Feet of Recovery	RESISTIVITY	AT DEGREES	CHLORIDES			
	RECOVERY DESCRIPTION		% GAS	% OIL	% MUD	% WATER
1) 100	GAS IN THE PIPE					
2) 30	SLIGHTLY OIL SPECKED MUD					
3)	THERE WAS FREE OIL BETWEEN THE TOOLS					
4)						
5)						

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G.HOLL COMPANY L.L.C.	LEASE AND WELL NUMBER	NICOLET #1-7
TEST DATE	7/6/06	FORMATION TESTED	KANSAS CITY "H"
SECTION-TOWN-RANGE	7-21S-13W	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	14495
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1884
ELEVATION GROUND LEVEL	1879	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	RENE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	12 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3400	BOTTOM RECORDER DEPTH	3401
RECORDER NUMBER	91971	RECORDER NUMBER	3875

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK DRILLING RIC #1		
DRILL PIPE LENGTH	3345	DRILL COLLAR LENGTH	
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.1
WEIGHT PIPE I.D.	2.25	VISCOSITY	45
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.4
		CHLORIDES-PITS	9700
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 07-07-06 Location C 1/2 - S 1/4 - Sec 7 - T 25 - R 20 W Elevation 1894 ft County Barrow

Company F.G. Hall Company, LLC Number of Copies 5

Charts Mailed to 9431 East Central Suite 100 Wichita Kansas 67206

Drilling Contractor Petromack Drilling 210 #1

Length Drill Pipe 3379 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" X 1 1/4"

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3395 Bottom Packer Depth 3400 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3400 TO 3428 ANCHOR LENGTH 28 TOTAL DEPTH 3428 Hole Size 7 7/8"

LEASE & WELL NO. Nicol et # 1-7 FORMATION TESTED KANSAS CITY "I" TEST NO. 4

Mud Weight 9.9 Viscosity 48 Water Loss 10.4 Chlorides - Pits 10000 D.S.T. _____

Maximum Temp. 101 °F Initial Hydrostatic Pressure (A) 1691 P.S.I. Final Hydrostatic Pressure (H) 1663 P.S.I.

Tool Open I.F.P. from 1:30 p.m. to 1:45 p.m. 15 min

Tool Closed I.C.I.P. from 1:45 p.m. to 2:15 p.m. 30 min

Tool Open F.F.P. from 2:15 p.m. to 2:30 p.m. 15 min

Tool Closed F.C.I.P. from 2:30 p.m. to 3:00 p.m. 30 min

Initial Blow WEAK blow for 6 min & DIED

Final Blow WEAK intermittent blow for 12 minutes & DIED

Total Feet Recovered 25 Gravity of Oil _____ Corrected _____

25 Feet of SLIGHTLY oil speckled mud % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NONE Safety Joint yes Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91971 Clock No. Electronic Depth 3424 Cir. Sub. NONE Sampler NONE

Bottom Recorder No. 3875 Clock No. 4144 Depth 3425 Insurance NONE

Price of Job _____

Tool Operator Don Bully

Approved By No 14496

from [B]	<u>41</u>	P.S.I. to [C]	<u>45</u>	P.S.I.
[D]	<u>79</u>			P.S.I.
from [E]	<u>46</u>	P.S.I. to [F]	<u>47</u>	P.S.I.
[G]	<u>60</u>			P.S.I.

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G.HOLL COMPANY L.L.C. Lease & Well No. NICOLET #1-7 Test #: 4 Date: 07-07-2006 SEC. 7 TWP.
21S RGE. 13W

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	1691
2	Initial Flow Pressure	41
3	Final Initial Flow Pressure	45
4	Initial Shut-In Pressure	79
5	Initial Final Flow Pressure	46
6	Final Flow Pressure	47
7	Final Shut-In Pressure	60
8	Final Hydrostatic Pressure	1663
Maximum Temperature		101

GENERAL INFORMATION

COMPANY NAME F.G.HOLL COMPANY L.L.C.	
TEST DATE 7/7/06	LEASE AND WELL NUMBER NICOLET#1-7
SECTION-TOWN-RANGE 7-21S-13W	FORMATION TESTED KANSASA CITY "J"
STATE KANSAS	DRILL STEM TEST NUMBER 4
COUNTY BARTON	REPORT NUMBER 14496
ELEVATION GROUND LEVEL 1879	ELEVATION KELLY BUSHINGS 1884
COMPANY REPRESENTATIVE RENE	TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3400	TOP PACKER DEPTH 3395
TEST INTERVAL (to) 3428	BOTTOM PACKER DEPTH 3400
ANCHOR LENGTH 28	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3428	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 1:30	TOOL OPEN (from) 2:15
INITIAL OPEN TOOL OPEN (to) 1:45	FINAL OPEN TOOL OPEN (to) 3:30
DURATION (min.) 15	DURATION (min.) 15
TOOL CLOSED (from) 1:45	TOOL CLOSED (from) 3:30
INITIAL SHUT-IN TOOL CLOSED (to) 2:15	FINAL SHUT-IN TOOL CLOSED (to) 3:00
DURATION (min.) 30	DURATION (min.) 30

INITIAL FLOW WEAK BLOW FOR 6 MINUTES AND DIED

FINAL FLOW WEAJ UBTERNUTABT BKIW FOR 12 MINUTES ABD DIED

Feet of Recovery	RESISTIVITY	AT	DEGREES	CHLORIDES			
	RECOVERY DESCRIPTION			% GAS	% OIL	% MUD	% WATER
1) 25	SLIGHTLY OIL SPECKED MUD						
2)							
3)							
4)							
5)							

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G.HOLL COMPANY L.L.C.	LEASE AND WELL NUMBER	NICOLET#1-7
TEST DATE	7/7/06	FORMATION TESTED	KANSASA CITY "J"
SECTION-TOWN-RANGE	7-21S-13W	DRILL STEM TEST NUMBER	4
STATE	KANSAS	REPORT NUMBER	14496
COUNTY	BARTON	ELEVATION KELLY BUSHINGS	1884
ELEVATION GROUND LEVEL	1879	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	RENE		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOE WALL	NO
	12 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3424	BOTTOM RECORDER DEPTH	3425
RECORDER NUMBER	91971	RECORDER NUMBER	3875

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK DRILLING RIG #1		
DRILL PIPE LENGTH	3379	DRILL COLLAR LENGTH	
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9
WEIGHT PIPE I.D.	2.25	VISCOSITY	48
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	10.4
		CHLORIDES-PITS	10000
		CHLORIDES-DST	

COMMENTS

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 7-8-06 Location 7-21-13w Elevation _____ County Barton
 Company FO Hall Company LLC Number of Copies 5

Parts Mailed to 9431 E Central St #100 Wichita KS 67206

Drilling Contractor Peromark Rig #1
 Length Drill Pipe 3423 I.D. Drill Pipe 225 Tool Joint Size 4 1/2 X 14

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____
 Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 3437 Bottom Packer Depth 3442 Number of Packers 2 Packer Size 6 3/4
 TESTED FROM 3442 TO 3505 ANCHOR LENGTH 63 TOTAL DEPTH 3505 Hole Size 7 1/4

LEASE & WELL NO. Nicolet #1-7 FORMATION TESTED CON TEST NO. 5

Mud Weight 9.05 Viscosity 46 Water Loss 9.2 Chlorides - Pits 8,200 D.S.T. _____
 Maximum Temp. 107 °F Initial Hydrostatic Pressure (A) 1718 P.S.I. Final Hydrostatic Pressure (H) 1618 P.S.I.

Tool Open I.F.P. from 7:45 A m to 8:50 A m 5 min
 Tool Closed I.C.I.P. from 7:50 A m to 8:50 A m 60 min
 Tool Open F.F.P. from 8:50 A m to 9:50 A m 60 min
 Tool Closed F.C.I.P. from 9:50 A m to 11:20 A m 90 min

from [B] <u>636</u>	P.S.I. to [C] <u>476</u>	P.S.I.
[D] _____	<u>930</u>	P.S.I.
from [E] <u>141</u>	P.S.I. to [F] <u>159</u>	P.S.I.
[G] _____	<u>427</u>	P.S.I.

Initial Blow Strong Blow Bottom Bucket in 1 min
 Final Blow Strong Blow Bottom Bucket in 1 min Gas to Surface

Total Feet Recovered 248 Total Gravity of Oil _____ Corrected _____

<u>68</u>	Feet of <u>Slightly a/c cut mud</u>	% Gas <u>5</u>	% Oil _____	% Mud _____	% Water _____
<u>120</u>	Feet of <u>Slightly a/c cut mud</u>	% Gas <u>5</u>	% Oil _____	% Mud _____	% Water _____
<u>120</u>	Feet of <u>Slightly a/c cut mud</u>	% Gas <u>10</u>	% Oil _____	% Mud _____	% Water _____
_____	Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____	Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____	Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____	Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____	Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____
_____	Feet of _____	% Gas _____	% Oil _____	% Mud _____	% Water _____

Remarks Gas to surface

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer _____ Straddle _____ Hook Wall _____

Top Recorder No. 3123 Clock No. Electronigan Depth 3601 Cir. Sub _____ Sampler _____
 Bottom Recorder No. 3088 Clock No. 47941 Depth 3502 Insurance _____

Price of Job _____
 Tool Operator Paul Edna
 Approved By _____
 No 14497

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.


DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

1(800)792-6902

Company: F.G HOLL COMPANY L.L.C
 REG. 13
 Lease & Well No. NICOLET #1-7 Test #: 5 Date: 7-8-06 SEC. 7 TWP. 21

Temperature / Pressure Data



- | | | |
|---|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1718 |
| 2 | Initial Flow Pressure | 556 |
| 3 | Final Initial Flow Pressure | 476 |
| 4 | Initial Shut-In Pressure | 930 |
| 5 | Initial Final Flow Pressure | 141 |
| 6 | Final Flow Pressure | 154 |
| 7 | Final Shut-In Pressure | 427 |
| 8 | Final Hydrostatic Pressure | 1678 |

Maximum Temperature 107

GENERAL INFORMATION

COMPANY NAME F.G HOLL COMPNY L.L.C	
TEST DATE 7/8/06	LEASE AND WELL NUMBER NICOLET#1-7
SECTION-TOWN-RANGE 7-21-13W	FORMATION TESTED Arbuckle Arbuckle
STATE KANSAS	DRILL STEM TEST NUMBER 5
COUNTY BRTON	REPORT NUMBER 14497
ELEVATION GROUND LEVEL 1879	ELEVATION KELLY BUSHINGS 1884
COMPANY REPRESENTATIVE FRANK	TESTING ENGINEER JRED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3442	TOP PACKER DEPTH 3437
TEST INTERVAL (to) 3505	BOTTOM PACKER DEPTH 3442
ANCHOR LENGTH 63	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3505	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 7:45A	TOOL OPEN (from) 8:50
INITIAL OPEN TOOL OPEN (to) 7:50	FINAL OPEN TOOL OPEN (to) 9:50
DURATION (min.) 5	DURAT 1678 60
TOOL CLOSED (from) 7:50	TOOL CLOSED (from) 9:50
INITIAL SHUT-IN TOOL CLOSED (to) 8:50	FINAL SHUT-IN TOOL CLOSED (to) 11:20
DURATION (min.) 60	DURATION (min.) 90

INITIAL FLOW STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

FINAL FLOW STRONG BLOW BOTTOM OF BUCKET IN 1 MIN GAS TO SURFACE IN 5

Feet of Recovery	RESISTIVITY	AT	DEGREES	CHLORIDES			
	RECOVERY DESCRIPTION			% GAS	% OIL	% MUD	% WATER
1) 68	SLIGHLEY OIL CUT MUD				5	95	
2) 120	SLIGHLEY OIL CUT MUD				5	95	
3) 120	SLIGHLEY OIL CUT MUD				10	90	
4)							
5)							

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G HOLL COMPNY L.L.C	LEASE AND WELL NUMBER	NICOLET#1-7
TEST DATE	7/8/06	FORMATION TESTED	
SECTION-TOWN-RANGE	7-21-13W	DRILL STEM TEST NUMBER	5
STATE	KANSAS	REPORT NUMBER	14497
COUNTY	BRTON	ELEVATION KELLY BUSHINGS	1884
ELEVATION GROUND LEVEL	1879	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	FRANK		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH		BOTTOM RECORDER DEPTH	1
RECORDER NUMBER	91971	RECORDER NUMBER	3875

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK RIG #1	DRILL COLLAR LENGTH	
DRILL PIPE LENGTH		DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	
WEIGHT PIPE I.D.	2.25	VISCOSITY	
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	
		CHLORIDES-PITS	
		CHLORIDES-DST	

COMMENTS

SUPERIOR TESTERS ENTERPRISES L.L.C.

GREAT BEND, KANSAS

GAS FLOW RATE

(800) 792-6902

#

STATE..... KANSAS
 COUNTY..... BRTON
 FIELD.....

Test Date 1/0/1900
 Sec Town Range 7-21-13W
 Report Number 14497


Initial Flow

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
7:45		NO					

Final Flow

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
TOOL OPEN	9:00	10	50			1/2	44.300
8:50 AM	9:10	10	35			1/2	38.000
	9:20	10	30			1/2	34.300
	9:30	10	20			1/2	28.000
	9:40	10	15			1/2	24.500
	9:50	10	15			1/2	24.500
GAS SAMPLE WAS TAKEN							

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

te 7-8-06 Location 7-21-13 W Elevation 1879 County Barton

Company F.G. Hall Company LLC Number of Copies 5

Parts Mailed to 9431 E Central St #100 Wichita KS 67200

Drilling Contractor Patromark Rig #1

Length Drill Pipe 3486 I.D. Drill Pipe _____ Tool Joint Size 4 1/2 XH

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars _____ I.D. Drill Collars _____ Tool Joint Size _____

Top Packer Depth 3505 Bottom Packer Depth 3505 Number of Packers 1 Packer Size 6 3/4

TESTED FROM 3505 TO 3520 ANCHOR LENGTH 15 TOTAL DEPTH 3520 Hole Size 9 7/8

Case & Well No. Nicolat #1-7 FORMATION TESTED Arbuckle TEST NO. 6

Mud Weight 9.05 Viscosity 46 Water Loss 9.2 Chlorides - Pits 8200 D.S.T. 24,000

Maximum Temp. 113 °F Initial Hydrostatic Pressure (A) 1729 P.S.I. Final Hydrostatic Pressure (H) 1642 P.S.I.

Tool Open I.F.P. from 11:28 p.m. to 11:28 p.m. 5 min

Tool Closed I.C.I.P. from 10:28 p.m. to 11:32 p.m. 60 min

Tool Open F.F.P. from 12:32 a.m. to 1:17 a.m. 45 min

Tool Closed F.C.I.P. from 1:17 a.m. to 2:47 a.m. 90 min

from [B] <u>179</u> P.S.I. to [C] <u>156</u> P.S.I.
[D] <u>996</u> P.S.I.
from [E] <u>203</u> P.S.I. to [F] <u>334</u> P.S.I.
[G] <u>813</u> P.S.I.

Initial Blow Strong Blow Bottom Bucket in 1min

Final Blow Strong Blow Bottom of Bucket in 1min Gas to surface

Total Feet Recovered 570 total fluid Gravity of Oil _____ Corrected _____

150 Feet of slightly Gassy oil cut mud 15 % Gas 10 % Oil 75 % Mud _____ % Water

180 Feet of slightly oil cut mud water _____ % Gas 10 % Oil 90 % Mud 90 % Water

300 Feet of water slightly oil cut _____ % Gas 3 % Oil 3 % Mud 94 % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Remarks Gas to surface

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer _____ Straddle _____ Hook Wall _____

Top Recorder No. 4023 Clock No. Electronic Depth 3516 Cir. Sub _____ Sampler _____

Bottom Recorder No. 5008 Clock No. 47441 Depth 3517 Insurance _____

Price of Job _____

Tool Operator Paul Bode

Approved By _____

No. 14498

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.


1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: F.G HOLL COMPANY L.L.C
 RGE. 13
 Lease & Well No. NICOLET 1-7 Test #: 6 Date: 7-8-09 SEC. 7 TWP. 21

Temperature / Pressure Data



1	Initial Hydrostatic Pressure	1729
2	Initial Flow Pressure	179
3	Final Initial Flow Pressure	156
4	Initial Shut-In Pressure	996
5	Initial Final Flow Pressure	203
6	Final Flow Pressure	334
7	Final Shut-In Pressure	813
8	Final Hydrostatic Pressure	1642
Maximum Temperature		113

GENERAL INFORMATION

COMPANY NAME F.,G HOLL COMPANY L.L.C	
TEST DATE 7/8/06	LEASE AND WELL NUMBER NICOLET 1-7
SECTION-TOWN-RANGE 7-21-13W	FORMATION TESTED ARBUCKLE
STATE KANSAS	DRILL STEM TEST NUMBER 6
COUNTY BARTON	REPORT NUMBER 14498
ELEVATION GROUND LEVEL 1879	ELEVATION KELLY BUSHINGS
COMPANY REPRESENTATIVE RENE	TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3505	TOP PACKER DEPTH 3505
TEST INTERVAL (to) 3520	BOTTOM PACKER DEPTH 3505
ANCHOR LENGTH 15	NUMBER OF PACKERS 1
TOTAL DEPTH (ft) 3520	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 11:27P	TOOL OPEN (from) 12:32
INITIAL OPEN TOOL OPEN (to) 11:32	FINAL OPEN TOOL OPEN (to) 1:17
DURATION (min.) 5	DURATION (min.) 45
TOOL CLOSED (from) 11:32	TOOL CLOSED (from) 1:17
INITIAL SHUT-IN TOOL CLOSED (to) 12:32	FINAL SHUT-IN TOOL CLOSED (to) 2:47
DURATION (min.) 60	DURATION (min.) 90

INITIAL FLOW STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

FINAL FLOW STRONG BLOW BOTTOM OF BUCKET IN 1 MIN

Feet of Recovery	RESISTIVITY		AT	DEGREES	CHLORIDES			
	570		RECOVERY DESCRIPTION		% GAS	% OIL	% MUD	% WATER
1) 150			SLIGHLEY GASSEY OIL CUT MUD		15	10	75	
2) 120			SLIGHLEY OIL CUT MUDDY WATER			10	10	80
3) 300			WATER SLIGHLEY OIL CUT			3	3	94
4)								
5)								

SUPERIOR TESTERS ENTERPRISES L.L.C.

GREAT BEND, KANSAS

GAS FLOW RATE

(800) 792-6902

#

STATE KANSAS	Test Date 1/0/1900
COUNTY BARTON	Sec Town Range 7-21-13W
FIELD	Report Number 14498

Initial Flow

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (In)	Gas Rate (MCF/Day)

Final Flow

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (In)	Gas Rate (MCF/Day)
TOOL OPEN	12:42	10	30			1/2	34.300
12:32	12:52	10	15			1/2	24.500
	1:02	10		5		1/8	6.390
	1:12	10		8		1/8	8.300
GAS SAMPLE WAS TAKEN							

Temperature / Pressure Data

