

27-20s-13w

GEOLOGICAL REPORT

15-009-24939-00-00

AMERICAN WARRIOR, INC.

ENGLEMAN #1-27
SW SW SE
Sec. 27 T. 20S R. 13W
Barton County, Kansas

RECEIVED
MAR 30 2007
KCC WICHITA

OPERATOR: AMERICAN WARRIOR, INC.

WELL: ENGLEMAN #1-27
LOCATION: SW SW SE
460 FSL & 2300 FEL
SEC. 27 T 20S R. 13 W
BARTON COUNTY, KANSAS

API NUMBER: 15-009-24939-0000

COMMENCED: 6/2/2006
COMPLETED: 6/9/2006

DRILLING CONTRACTOR: DUKE DRILLING CO. Rig 8

ELEVATIONS: Kelly Bushing 1887
Ground Level 1879

TOTAL DEPTH: RTD 3664
LTD 3663

CASING: SURFACE: 8 5/8 @ 313 W/ 300 SX
PRODUCTION: 5 1/2 @ 3662 W/ 165 SX

DRILLING MUD MUD-CO
Mud Type: Chemical
Mud Up: 3000

DRILL STEM TESTS Trilobite Testing Inc.
Tests: 3

ELOGS: Logging Company: LOG TECH
Logs: DIL CDL/CNL BCS MEL

GAS DETECTOR: MBC Well Logging

DRILL TIME: 2700 TO RTD

SAMPLES: 2700 TO RTD

GEOLOGIST: JAMES DILTS

RECEIVED
MAR 30 2007
KCC WICHITA


LOG TOPS:

Stone Corral	720	1167
Tarkio	2629	-742
Topeka	2854	-967
Heebner	3130	-1243
Toronto	3147	-1260
Douglas	3166	-1279
Brown Lime	3249	-1362
Lansing	3262	-1375
H Zone	3386	-1499
BKC	3481	-1594
Cong	3500	-1613
Arbuckle	3543	-1656
RTD	3664	-1777
LTD	3663	-1776

RECOMMENDATIONS:

It was recommended to set 5 1/2 inch casing to further evaluate the oil shows encountered during drilling of this well.

Respectfully Submitted,


James Dilts

RECEIVED
MAR 30 2007
KCC WICHITA