

ALLIED CEMENTING CO., INC.

6116

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT:

Ness City

DATE <u>8-20-97</u>	SEC. <u>10</u>	TWP. <u>20</u>	RANGE <u>20</u>	CALLED OUT <u>7:00pm</u>	ON LOCATION <u>8:45pm</u>	JOB START <u>10:20</u>	JOB FINISH <u>11:00pm</u>
LEASED <u>Dechant</u>	WELL # <u>1</u>	LOCATION <u>Alexander 10s 1 3/4 E N.S</u>			COUNTY <u>Reese</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Duke Drey #4
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 500
 CASING SIZE 8 5/8 DEPTH 499
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15
 PERFS.

OWNER Same

CEMENT

AMOUNT ORDERED

240 6 9/40 3%cc 2%del.

COMMON	<u>144</u>	@	<u>6.35</u>	<u>914.40</u>
POZMIX	<u>96</u>	@	<u>3.25</u>	<u>312.00</u>
GEL	<u>4</u>	@	<u>9.50</u>	<u>38.20</u>
CHLORIDE	<u>7</u>	@	<u>28.00</u>	<u>196.00</u>

EQUIPMENT

PUMP TRUCK # <u>224</u>	CEMENTER <u>J. Weighaus</u>
BULK TRUCK # <u>116</u>	HELPER <u>B. Norton</u>
BULK TRUCK # <u>116</u>	DRIVER <u>J. Weighaus</u>
BULK TRUCK # <u>116</u>	DRIVER

HANDLING	<u>240</u>	@	<u>1.05</u>	<u>252.00</u>
MILEAGE	<u>30</u>			<u>288.00</u>

TOTAL 2000.60

REMARKS:

Circ 8 5/8 Mix 240 6 9/40
3%cc 2%del, Drop 31 BBL
Plus Down 11:00pm
Cement did Circ 1

Thanks

SERVICE

DEPTH OF JOB	<u>499'</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>470.00</u>
EXTRA FOOTAGE	<u>199'</u>	@	<u>.43</u> <u>85.57</u>
MILEAGE	<u>30</u>	@	<u>2.85</u> <u>85.50</u>
PLUG	<u>2-Cup</u>	@	<u>45.00</u> <u>45.00</u>

RECEIVED

STATE OF KANSAS

JAN 2 1998

TOTAL \$686.07

FLOAT EQUIPMENT

CHARGE TO: Heller Drey Inc Co
 STREET 125 N. Market #1422
 CITY Wichita STATE Ks ZIP 67202

ALLIED CEMENTING CO., INC.

6119

ORIGINAL

MIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
SEP 13 1997
Wichita City

DATE <u>8-28-97</u>	SEC. <u>10</u>	TWP. <u>20</u>	RANGE <u>20</u>	CALLED OUT <u>12:00AM</u>	ON LOCATION <u>2:00AM</u>	JOB START <u>7:45am</u>	JOB FINISH <u>10:15pm</u>
LEASE <u>Dechant</u>	WELL # <u>1</u>	LOCATION <u>Alexander 10S 134E N.S.</u>			COUNTY <u>Rauver</u>	STATE <u>KS</u>	

OLD OR NEW (Circle one)

CONTRACTOR Duke Dyle
TYPE OF JOB Production
HOLE SIZE 7 7/8 T.D. 4269
CASING SIZE 5 1/2 DEPTH 4263
TUBING SIZE DEPTH
DRILL PIPE DEPTH
TOOL DEPTH
PRES. MAX 900# MINIMUM
MEAS. LINE yes SHOE JOINT 800
CEMENT LEFT IN CSG. 8'
PERFS.

OWNER Same

CEMENT

AMOUNT ORDERED

140 ASC #5 Kol Seal per sx
500 gal. ASF 1.5x Hel spacer

COMMON @

POZMIX @

GEL @

CHLORIDE @

Kol Seal 700# @ .38 266.00

ASC Blend 140# @ 8.20 1148.00

@

ASFUSH 500 GAL @ 1.00 500.00

@

HANDLING 140 @ 1.05 147.00

MILEAGE 30 @ .04 168.00

TOTAL 2229.00

EQUIPMENT

PUMP TRUCK # <u>224</u>	CEMENTER <u>J. Weighaus</u>
BULK TRUCK # <u>116</u>	HELPER <u>B. Norton</u>
BULK TRUCK #	DRIVER <u>D. Wells</u>
BULK TRUCK #	DRIVER

REMARKS:

cir 5 1/2 cas, Plug RH.
mix 12534 ASC, Plug Down
10:15 AM.
500 gal. flush, 1.5x Hel spacer
ahead of cement.

Thanks.

SERVICE

DEPTH OF JOB 4263'

PUMP TRUCK CHARGE 1145.00

EXTRA FOOTAGE @

MILEAGE 30 @ 2.85 85.50

PLUG Rubber 5 1/2" @ 50.00 50.00

Rotating Head @ 75.00 75.00

TOTAL 1355.50

CHARGE TO: Heller Dyle Co Inc,
STREET 125 N. Market #1422
CITY Wichita STATE Ks ZIP 67202

FLOAT EQUIPMENT

1-5 1/2 Guide Shoe @ 168.00

1- AEL Inserts @ 263.00

10 - Centerligers @ 56.00 560.00

1-5 1/2 X 8 Landing @ 93.00

ORIGINAL

INVOICE




HALLIBURTON ENERGY SERVICES, INC.

 REMIT TO:
 P.O. BOX 951046
 DALLAS, TX 75395-1046
 Corporate FIN 73-0271280

INVOICE NO. DATE

197174 10/15/1997

WELL LEASE NO./PROJECT		WELL/PROJECT LOCATION		STATE	OWNER
DECHANT 1		PAWNEE		KS	SAME
SERVICE LOCATION	CONTRACTOR	JOB PURPOSE			TICKET DATE
HAYS	EXPRESS WELL SERVICE	SHOWN BELOW			10/15/1997
ACCT. NO.	CUSTOMER AGENT	VENDOR NO.	CUSTOMER P.O. NUMBER	SHIPPED VIA	FILE NO.
378690	GREG EILERT			COMPANY TRUCK	31681

 HELLAR DRILLING CO. INC.
 125 N. MARKET - #1422
 WICHITA, KS 67202


DIRECT CORRESPONDENCE TO:

 1102 E. 8TH
 HAYS KS 67601
 913-625-3431

REFERENCE NO.	DESCRIPTION	QUANTITY	UM	UNIT PRICE	AMOUNT
PRICING AREA - MID CONTINENT					
JOB PURPOSE - SQUEEZE PERFORATIONS					
000-117	MILEAGE CEMENTING ROUND TRIP	100	MI	3.20	320.00 *
		1	UNT		
009-134	CEMENT SQUEEZE	4233	FT	2,019.00	2,019.00 *
009-019		1	UNT		
128-546	SQUEEZE MANIFOLD	1	DAY	305.00	305.00 *
		1	EA		
504-308	CEMENT - STANDARD	125	SK	10.83	1,353.75 *
507-775	HALAD-322	42	LB	7.70	323.40 *
500-207	BULK SERVICE CHARGE	125	CFT	1.55	193.75 *
500-306	MILEAGE CMTG MAT DEL OR RETURN	294.8	TM1	1.18	347.86 *
JOB PURPOSE SUBTOTAL					4,862.76
INVOICE SUBTOTAL					4,862.76
DISCOUNT- (BID)					1,383.42-
INVOICE BID AMOUNT					3,479.34
*-KANSAS STATE SALES TAX					170.48
*-HAYS CITY SALES TAX					34.79
INVOICE TOTAL - PLEASE PAY THIS AMOUNT =====>					\$3,684.61

 RECEIVED
 STATE OF KANSAS COMMISSION

JAN 2 1998

 CONSERVATION DIVISION
 Wichita, Kansas

TERMS: If Customer does not have an approved open account with Halliburton, all sums due are payable in cash at the time of performance of services or delivery of equipment, products or materials. If customer has an approved open account, invoices are payable on the twentieth day after date of invoice. Customer agrees to pay interest on any unpaid balance from the date payable until paid at the highest lawful contract rate applicable, but never to exceed 18% per annum. In the event Halliburton employs an attorney for collection of any account, Customer agrees to pay attorney fees of 20% of the unpaid account, plus all collection and court costs.

ALLIED CEMENTING CO. INC.

3680

REMIT TO: P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: 6 BEAT BEND

DATE 10-2-97 SEC. 10 TWP. 20 RANGE 20-W CALLED OUT 12:30 PM ON LOCATION 2:30 PM JOB START 3:00 PM JOB FINISH 6:00 PM
LEASE DECHALT WELL # LOCATION ALEXANDER 10S 134EN/S COUNTY FAUDRE STATE KANSAS
OLD OR NEW (Circle one)

CONTRACTOR EXPRESS WELL SERVICE OWNER HELLAR DRILLING CO. INC.
TYPE OF JOB PERF SQZ - SQZ CHANNEL CEMENT
HOLE SIZE 7 7/8" T.D. 4269'
CASING SIZE 5 1/2" DEPTH 4268' AMOUNT ORDERED 150 LBS GUMM
TUBING SIZE 2 7/8" DEPTH
DRILL PIPE DEPTH
TOOL DEPTH
PRES. MAX 2200# MINIMUM
MEAS. LINE SHOE JOINT
CEMENT LEFT IN CSG. 4229-33' 4245-51'
PERFS. 4229-33' 4245-51'

EQUIPMENT
PUMP TRUCK CEMENTER BUD DUARJE
120 HELPER KEVIN ROSE
BULK TRUCK
260 DRIVER BILL WHITE
BULK TRUCK
DRIVER
COMMON 90 SX @ 6.35 571.50
POZMIX @
GEL @
CHLORIDE @
FL-10 IS# @ 7.25 108.75
HANDLING 150 @ 1.05 157.50
MILEAGE 150 @ 30 180.00
TOTAL 1017.75

REMARKS: 5 1/2" PACKER AT 4178' (PERFS 4245-51')
CIRCULATE H2O (CLEAN), SET PACKER PRESS.
ALXUS 500# HELD, TOOK INJECTION RATE
2 1/2 BLS AT 1500 PSI (MIX FLUID LOSS)
MIXED 40% COMMON @ 2.00# FLUID LOSS
FOUDED 10 50 SX COMMON DISPLACED
2 1/4 BLS TO MAIN FLOW 2200# SQUEEZE
REVERSED OUT 3 1/2 BLS (CEMENT DISCH)
100% SET PACKER PRESSURE TO 1500#
DEPTH OF JOB 4229'
PUMP TRUCK CHARGE 1145.00
EXTRA FOOTAGE @
MILEAGE 30 @ 2.85 85.50
PLUG @
SQUEEZE MANIFOLD @ 75.00 75.00

CHARGE TO: HELLAR DRILLING CO. INC.
STREET 125 N MARKET SUITE 1422
CITY WICHITA STATE KS ZIP 67202

TOTAL \$ 1305.50

FLOAT EQUIPMENT

CONSULTATION DIVISION
Wichita, Kansas