DRILL STEM TEST REPORT

TRILOBITE TESTING, INC

American Warrior,Inc.

PO Box 399
Garden City, KS. 67846

ATTN: Jason Alm

Coddington 31

1-20s-21w-Ness

Job Ticket: 39035 **DST#: 1**

Test Start: 2010.08.17 @ 22:42:15

GENERAL INFORMATION:

Formation: **Mississippi**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 01:28:00
Time Test Ended: 04:47:15

Test Type: Conventional Bottom Hole
Tester: Jason McLemore
Unit No: 32

Interval: 4402.00 ft (KB) To 4411.00 ft (KB) (TVD)
Total Depth: 4411.00 ft (KB) (TVD)
Hole Diameter: 7.80 inches Hole Condition: Good


Reference Elevations: 2268.00 ft (KB)
2262.00 ft (CF)
KB to GR/CF: 6.00 ft

Serial #: 6755 **Inside**

Press@RunDepth: 68.94 psig @ 4404.00 ft (KB)
Start Date: 2010.08.17 End Date: 2010.08.18
Start Time: 22:42:17 End Time: 04:47:15

Capacity: 8000.00 psig
Last Calib.: 2010.08.18
Time On Btm: 2010.08.18 @ 01:27:30
Time Off Btm: 2010.08.18 @ 03:05:30

TEST COMMENT: IFP-Weak Intermittant Blow
ISI-Dead
FFP-Dead,Flush Tool, Still Dead,Pull Tool



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2249.12	115.30	Initial Hydro-static
1	62.35	114.81	Open To Flow (1)
31	68.94	116.96	Shut-In(1)
85	1272.22	118.46	End Shut-In(1)
86	70.85	118.01	Open To Flow (2)
97	76.06	118.27	Shut-In(2)
98	2136.25	118.65	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
90.00	VSOCM 2%0 98%M	0.44

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior,Inc.

PO Box 399
Garden City, KS. 67846

ATTN: Jason Alm

Coddington 31

1-20s-21w-Ness

Job Ticket: 39035 **DST#: 1**

Test Start: 2010.08.17 @ 22:42:15

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	51.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	10.38 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	3900.00 ppm				
Filter Cake:	inches				


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
90.00	VSOCM 2%0 98%M	0.443

Total Length: 90.00 ft Total Volume: 0.443 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
6755 Pressure
6755 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
2000
1500
1000
500
0
Pressure
120
115
110
105
100
95
90
85
80
75
Temperature
18 Wed
3AM
Aug 2010
Time (Hours)

DRILL STEM TEST REPORT

TRILOBITE TESTING, INC.

American Warrior,Inc.

PO Box 399
Garden City, KS. 67846

ATTN: Jason Alm

Coddington 31

1-20s-21w-Ness

Job Ticket: 39036 **DST#: 2**

Test Start: 2010.08.18 @ 10:53:04

GENERAL INFORMATION:

Formation: **Mississippi**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 13:44:04
Time Test Ended: 17:16:19

Test Type: Conventional Bottom Hole
Tester: Jason McLemore
Unit No: 32

Interval: 4403.00 ft (KB) To 4416.00 ft (KB) (TVD)
Total Depth: 4416.00 ft (KB) (TVD)
Hole Diameter: 7.80 inches Hole Condition: Good


Reference Elevations: 2268.00 ft (KB)
2262.00 ft (CF)
KB to GR/CF: 6.00 ft

Serial #: 6755 **Inside**

Press@RunDepth: 29.60 psig @ 4405.00 ft (KB)
Start Date: 2010.08.18 End Date: 2010.08.18
Start Time: 10:53:06 End Time: 17:16:19

Capacity: 8000.00 psig
Last Calib.: 2010.08.18
Time On Btm: 2010.08.18 @ 13:43:49
Time Off Btm: 2010.08.18 @ 15:31:19

TEST COMMENT: IFP-Weak Blow ,Built to 1-3/4"
ISI-Dead
FFP-Weak Surface Blow Starting After 10 Min.,Pull Tool



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2230.49	106.39	Initial Hydro-static
1	16.60	105.46	Open To Flow (1)
46	29.60	108.73	Shut-In(1)
91	1163.21	111.19	End Shut-In(1)
92	33.98	110.54	Open To Flow (2)
107	38.01	110.76	Shut-In(2)
108	2166.12	113.46	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	clean Oil	0.10
20.00	OCM-10%O-90%M	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior,Inc.

PO Box 399
Garden City, KS. 67846

ATTN: Jason Alm

Coddington 31

1-20s-21w-Ness

Job Ticket: 39036 **DST#: 2**

Test Start: 2010.08.18 @ 10:53:04

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	59.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	10.39 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	6800.00 ppm				
Filter Cake:	inches				


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	clean Oil	0.098
20.00	OCM-10%O-90%M	0.098

Total Length: 40.00 ft Total Volume: 0.196 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
6755 Pressure
6755 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
2000
1500
1000
500
0
Pressure
115
110
105
100
95
90
85
80
75
Temperature
12PM
3PM
18 Wed Aug 2010
Time (Hours)

DRILL STEM TEST REPORT

TRILOBITE TESTING, INC

American Warrior,Inc.

PO Box 399
Garden City, KS. 67846

ATTN: Jason Alm

Coddington 31

1-20s-21w-Ness

Job Ticket: 39037 **DST#: 3**

Test Start: 2010.08.18 @ 22:43:53

GENERAL INFORMATION:

Formation: **Mississippi**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 02:39:06
Time Test Ended: 08:31:36

Test Type: Conventional Bottom Hole
Tester: Jason McLemore
Unit No: 32


Interval: 4404.00 ft (KB) To 4421.00 ft (KB) (TVD)
Total Depth: 4421.00 ft (KB) (TVD)
Hole Diameter: 7.80 inches Hole Condition: Good

Reference Elevations: 2268.00 ft (KB)
2262.00 ft (CF)
KB to GR/CF: 6.00 ft

Serial #: 6755 **Inside**
Press@RunDepth: 45.71 psig @ 4406.00 ft (KB)
Start Date: 2010.08.18 End Date: 2010.08.19
Start Time: 22:43:53 End Time: 08:31:36

Capacity: 8000.00 psig
Last Calib.: 2010.08.19
Time On Btm: 2010.08.19 @ 02:38:36
Time Off Btm: 2010.08.19 @ 05:52:51

TEST COMMENT: IFP-Weak Blow ,Built to 1-3/4"
ISI-Dead
FFP-Surface Blow throughout
FSI-Dead



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2235.07	108.00	Initial Hydro-static
1	16.26	106.65	Open To Flow (1)
51	31.47	110.43	Shut-In(1)
95	1091.30	112.55	End Shut-In(1)
95	35.07	112.07	Open To Flow (2)
138	45.71	113.50	Shut-In(2)
194	1047.19	115.57	End Shut-In(2)
195	2122.84	115.87	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
45.00	OCM 20%O 90%M	0.22
30.00	Clean Oil	0.15

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior,Inc.

PO Box 399
Garden City, KS. 67846

ATTN: Jason Alm

Coddington 31

1-20s-21w-Ness

Job Ticket: 39037 **DST#: 3**

Test Start: 2010.08.18 @ 22:43:53

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	59.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	10.39 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	6800.00 ppm				
Filter Cake:	inches				


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
45.00	OCM 20%O 90%M	0.221
30.00	Clean Oil	0.148

Total Length: 75.00 ft Total Volume: 0.369 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
6755 Pressure
6755 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
Pressure
Temperature
2250
2000
1750
1500
1250
1000
750
500
250
0
115
110
105
100
95
90
85
80
75
70
19 Thu
3AM
6AM
Aug 2010
Time (Hours)