

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

OR

Strike out upper line when reporting plugging off formations.

A 4x4 grid map. The top edge is labeled "NORTH" and the right edge is labeled "6 W". A star symbol is located in the third row from the top and second column from the right. The number "15" is located in the third row from the top and second column from the right, directly below the star.

Locate well correctly on above
Section Plat


OIL, GAS OR WATER RECORDS

CASING RECORD

[illegible]

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet tofeet for each plug set.

10' to Base Cellar - 8 Sacks Cement



JUN 25
STATE CORP. COMM.
CONSERV. DIV.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to C. L. Carlock, 212 Ellis Singleton Bldg.,
Address Wichita, Kansas.

STATE OF Kansas, COUNTY OF Sedgwick ss

.....**C. L. Carlock**.....~~XXXXXXXXXXXX~~..... (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-
described well as filed and that the same are true and correct. So help me God. **||**

(Signature) X

212 Ellis Singleton Bldg
(Address)

SUBSCRIBED AND SWORN to before me this 24th day of June, 1940

My commission expires.....June 27th-1940

18-357 7-39-3M

Notary Public.

Well No. 15-159-30492
 Drilled on 5/25/49
 Casing Foot Commenced 5/25/49
 Casing Foot Completed 5/25/49 Jan 3 1950

CONRAD E. HALL
 200 W. 2nd St. Kansas City, Mo.
 160694

0-40	Surface Clay
40	Clay and Shale
100	Red rock and Shale Surface Clay
100	Red rock and Shale
100	Limestone and Shale and Sand
100	Shale and Sand
100	Lime and Shale
104	Limestone
104	Shale and Shale
104	Sandy Shale
1001	Sandy Lime
1040	Shale and Lime
2001	Sandy Lime and Shale
1001	Shale and Lime
1025	Shale
1028	Shale and Lime and Sand
1001	Lime
2005	Sandy Lime
2010	Lime and Shale
3000	Shale
3000	Lime and Shale
2000	Lime
2040	Lime and Shale
2040	Lime
2020	Lime and Shale
2075	Lime
2300	Shale and Lime
3300	Shale
3300 T. D.	Black Shale and Lime

SURFACE STRING:

Run 116' of 10" 8th casing connected with 75 sacks of cement
 Completed at 8:45 A.M.

2 1/2" STRING

Run 3300' of 7 1/2" 8th casing, over all measurement 3528'.
 with 35 sacks of cement. Completed at 10:00 A.M.


State of Kansas,
 County of LeFlore,

I, the undersigned, being duly sworn on oath, depose and say that the above and within statement is a true and correct record of the well drilled at the location above described, so far as my knowledge and belief.

George W. H. Hays
 George W. H. Hays

Subscribed and sworn to before me this 5th day of June
 My Commission expired Apr 2, 1947

Evelyn Hays
 Evelyn Hays



JUN 25
 STATE GEO. SURV.
 KANSAS, MO.