



12/11 - dly 2200'

12/18 - " 2410'

12/23 - " 2580'

12/30 - " 2660'

1930

1/8 - " 2780'

1/15 - HFW 2825' dly 2845'

1/22 - S.D. 2895'

1/29 - dly 3050'

2/5 - U.R. 8" - 3125'

2/12

2/19 - dly 3140'

2/26 - Top Chat 3295'

dly 3297'

3/5 - Base line 3395'

dly 3570'

3/12 - 5" 3571' dly 3580'

Slg. out.

3/19 - Sand 3632-3658'

HFW - S.D.

3/26 - Wilcox 3652-58'

T.D. 3658' HFW

Abandoned

Map No. KANSAS Sec. 24 Twp. 20 R. 6 WWell No. 48 JohnsonHerty Oil Company

Contractor

## SECTION PLAT

220 Ft. from N. Line

Ft. from S. Line

990 Ft. from E. Line

Ft. from W. Line

|  |  |  |   |
|--|--|--|---|
|  |  |  |   |
|  |  |  |   |
|  |  |  | o |
|  |  |  |   |

ABANDONED

Location

Rig up

Drilling and Remarks:

W. No. 3652-58HFW

## RECORD

Cased in, ft.

Sand

Gas

Oil

Total Depth 3658

## PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Map No. KANSAS Sec. 24 Twp. 20 R. 6 WWell No. 48 JohnsonHerty Oil Company

Contractor

## SECTION PLAT

220 Ft. from N. Line

Ft. from S. Line

990 Ft. from E. Line

Ft. from W. Line

|  |  |  |   |
|--|--|--|---|
|  |  |  |   |
|  |  |  |   |
|  |  |  | o |
|  |  |  |   |

FIRST REPORTS

Location

Rig up

Drilling and Remarks:

ROG

## RECORD

Cased in, ft.

Sand

Gas

Oil

Total Depth

## PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

MAR 261929S. J. LEWIS Scout

Date

JUL 24 19291929S. J. LEWIS Scout