


WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY  
503 East Murdock, Wichita, Kansas

Company- ANDERSON-PRITCHARD OIL CORP.  
Farm- Goossen No. 4

SEC. 12 T. 21 R. 1W  
NE NE NE

Total Depth. 3530'  
Comm. 8-20-58 Comp. 9-1-58  
Shot or Treated.  
Contractor. Peel Brothers, Inc.  
Issued. 11-29-58

County McPherson  
KANSAS



Elevation. 1540' RB

Production. 39 BO & 55% wtr.

CASING:

8 5/8" 221' cem.  
5 1/2" 3449' cem.

Figures indicate Bottom of Formations.

sand, clay	80
shale	221
shale, lime	810
lime	960
lime, shale	1435
shale, shells	1665
shale, lime	2170
shale	2240
sand	2275
shale	2335
shale, lime	2530
lime	2615
lime, shale	2675
lime	2760
lime, shale	2935
lime	2990
lime, chert	3017
chert	3060
lime, chert	3150
lime	3240
shale, lime	3520
sand	3530
Total Depth	

TOPS:	SAMPLE	SCHL.
Lansing	2344	2344
Conglomerate	2939	2939
Mississippi	2966	2959
Kinderhook	3253=	3253
Hunton	3388	3389
Maquoketa	3395	3395
Viola	3473	3472
Simpson Sdy Dolomite		3499
Dimpson Sand		3507

DST #1: 2936-90. Rec. 90' fluid, 60%  
drlg. mud & 40% partially spent acid.  
(Acid tool plugged, no pressures)

Spotted 50 gal. acid in hole & 40 BW.  
Perf. 3389-96 w/6 jet holes per ft.  
Rec. 1/3 BFPH--10% oil & 90% wtr.  
Az w/500 gals. Tested 3 hrs. @ rate  
of 3/4 BOPH, 5% wtr. POP. P/10 BO/  
1/2 BW/24 hrs.  
Pulled pump & rods Az w/3000 acid.  
POP. P/16 BO / 20 BW/24 hrs. Pounding  
Fluid.