


Section 10 Township 21 Range 13-W

Well No. #1 Rothgarn

Company W. P. Faulkner & Atlantic



Sec. 10 Twp. 21 R. 13-W

Well No. #1 Rothgarn Farm

W. P. Faulkner & Atlantic Company


Wildcat

_____ Ft. from N. Line

660 Ft. from S. Line

_____ Ft. from E. Line

990 Ft. from W. Line



C EL SW SE Elev. 1878 We have NE 14-21-

1943 REPORT 13W

1/13	Location
1/20	Rotary.
1/27	10" Casing set 178' TD 188 WOC.
2/3	Drlg. 2650'
2/10	Lans. 3308 SO 3329-32 Congl. 3535 Simp. 3552 Arb. 3573-78 TD SW SD
2/17	TD 3609 5" Casing set 3608 RUST.
2/24	24 shots 3584-88 SO 24 shots 3569-79 Plug 3594' Swab 1 bbl oil per hr.
3/3	1500 gal. acid. 5 bailers oil per hr.
3/10	1000 gal. acid. No help. 500 gal. acid. Testing.
3/17	Lans 3308 Arb. 3573. 5" @ 3608' Plug 3594' T.D. 3609' 48 shots 3569-88 7500 gal. acid Pump 180 Pot. Gravity 35.6

COMPLETED *

KANSAS

Map No. 82 Sec. 10 Twp. 21 R. 13W

Well No. 1 Rothgarn

W. P. Faulkner & Company

FIRST REPORT Atlantic Contractor

C EL SW SE

SECTION PLAT

 Ft. from N. Line

660 Ft. from S. Line

 Ft. from E. Line

990 Ft. from W. Line

WILDGAT

Location XXX

Rig up

Drilling and Remarks:

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

JAN 13 1943 19 S. I. LEWIS Scout

Stafford

KANSAS
 Map No. 22 Sec. 10 Twp. 21 R. 13W

Well No. 1 Rothgarn

W. P. Faulkner & Atlantic Company
 Contractor

COMPLETED

C E L S W S E

SECTION PLAT

_____ Ft. from N. Line

660 Ft. from S. Line

_____ Ft. from E. Line

990 Ft. from W. Line

WILDCAT

Location _____

Rig up _____

Drilling and Remarks:

Loss 3308
Cor 3578
5" C 3608
Plug 3594
482 lb 1/2 3565-88
7500 acid
Pump 180 RY

Date

3568

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth 3609

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

MAR 17 1943 19

S. J. LEWIS
Scout