

F.G. Hall Co.
Schafen 'A' 8-11

11-215-11w
15-185-23129

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 6-10-2001 Location 90° 25' W 192° 45' W 11-28-11w 1753 KB. Elevation 17466 County Shawnee

Company F.G. Hall Company L.L.C. Number of Copies 5

Charts Mailed to 6427 East 8th Ave P.O. Box 78067 Wichita Kansas 67278-016

Drilling Contractor Steelinc Drilling Rig #4

Length Drill Pipe 2338 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" X.H.

Length Weight Pipe none I.D. Weight Pipe none Tool Joint Size none

Length Drill Collars 249 I.D. Drill Collars 225 Tool Joint Size 4 1/2" X.H.

Top Packer Depth 2603 Bottom Packer Depth 2608 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 2608 TO 2662 ANCHOR LENGTH 54 TOTAL DEPTH 2662 Hole Size 7 7/8"

LEASE & WELL NO. Schafen 'A' # 8-11 FORMATION TESTED Power Sand TEST NO. 1

Mud Weight 8.5 Viscosity 36 Water Loss 12.8 Chlorides - Pits None D.S.T. 8000

Maximum Temp. 96 °F Initial Hydrostatic Pressure (A) 1261 P.S.I. Final Hydrostatic Pressure (H) 1230 P.S.I.

Tool Open I.F.P. from 8:45 pm to 9:00 pm 25 min

Tool Closed I.C.I.P. from 9:00 pm to 9:30 pm 30 min

Tool Open F.F.P. from 9:30 pm to 9:45 pm 15 min

Tool Closed F.C.I.P. from 9:45 pm to 10:15 pm 30 min

Initial Blow Large blow built to the bottom of a 5 gallon bucket in 4 min.

Final Blow Large blow built to the bottom of a 5 gallon bucket in 5 min.

Total Feet Recovered 640 Gravity of Oil _____ Corrected

640 Feet of SLIGHTLY muddy water % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars yes Safety Joint yes Extra Packer none Straddle none Hook Wall none

Top Recorder No. 78225 Clock No. Electronic Depth 2654 Cir. Sub none Sampler none

Bottom Recorder No. 13181 Clock No. 47441 Depth 2659 Insurance none

Price of Job _____

Tool Operator Sam Smith

Approved By _____

NP 11035

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, of for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.


Great Bend, Kansas

CHART DATA

(316) 792-6902

State KANSAS
County STAFFORD
Field

Test Date June 10, 2001
Sec Town Range 11-21S-11W
Report Number 11835



Field Reading

(1)	Initial Hydrostatic Pressure	1261
(2)	Initial Flow Pressure	146
(3)	Final Initial Flow Pressure	289
(4)	Initial Shut-In Pressure	992
(5)	Initial Final Flow Pressure	301
(6)	Final Flow Pressure	383
(7)	Final Shut-In Pressure	986
(8)	Final Hydrostatic Pressure	1230

ELECTRONIC RECORDER DEPTH 2654 FT, RECORDER NUMBER 78225

Company: F.G.HOLL COMPANY L.L.C. Lease & Well No. SCAFER "A" #8-11 Test #: 1 Date: 6-10-2001 SEC. 11 TWP. 21S RGE. 11W

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G.HOLL COMPANY L.L.C.	LEASE AND WELL NUMBER	SCAFER #8-11
TEST DATE	6/10/01	FORMATION TESTED	SEVERY SAND
SECTION-TOWN-RANGE	11-21S-11W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	11835
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1753
ELEVATION GROUND LEVEL	1744	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	BIL REE		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	2608	TOP PACKER DEPTH	2603
TEST INTERVAL (to)	2662	BOTTOM PACKER DEPTH	2608
ANCHOR LENGTH	54	NUMBER OF PACKERS	2
TOTAL DEPTH (ft)	2662	PACKER SIZE	6 3/4
		HOLE SIZE	7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from)	8:45
TOOL OPEN (to)	9:00
DURATION (min.)	15

INITIAL SHUT-IN

TOOL CLOSED (from)	9:00
TOOL CLOSED (to)	9:30
DURATION (min.)	30

FINAL OPEN

TOOL OPEN (from)	9:30
TOOL OPEN (to)	9:45
DURATION (min.)	15

FINAL SHUT-IN

TOOL CLOSED (from)	9:45
TOOL CLOSED (to)	10:15
DURATION (min.)	30

PRESSURE READINGS

INITIAL HYDROSTATIC	1261
INITIAL FLOW	146
FINAL INITIAL FLOW	289
INITIAL SHUT-IN	992
INITIAL FINAL FLOW	301
FINAL FLOW	383
FINAL SHUT-IN	986
FINAL HYDROSTATIC	1230
MAXIMUM TEMPERATURE	96
TOP RECORDER DEPTH	2654
RECORDER NUMBER	78225
BOTTOM RECORDER DEPTH	2659
RECORDER NUMBER	13189

INITIAL BLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 4 MINUTES

FINAL BLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 5 MINUTES

EXTRA EQUIPMENT

JARS	YES	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO

SUPERIOR TESTERS ENTERPRISES INC.
DRILL STEM TEST REPORT
 GREAT BEND, KANSAS 67530 (316)792-6902

WELL INFORMATION

DRILLING CONTRACTOR **STERLING DRILLING RIG #4**

DRILL PIPE LENGTH **2338**

DRILL PIPE I.D. **3.8**

TOOL JOINT SIZE **4 1/2 X.H.**

DRILL COLLAR LENGTH **249**

DRILL COLLAR I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

WEIGHT PIPE LENGTH

WEIGHT PIPE I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

MUD WEIGHT #/GAL **8.5**

VISCOSITY **36**

WATER LOSS **12.8**

CHLORIDES-PITS **8000**

CHLORIDES-DST **98000**

FEET OF RECOVERY	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 640	SLIGHTLY MUDDY WATER CHLORIDES 98000				
2)					
3)					
4)					
5)					
6)					
7)					
8)					
9)					
10)					
11)					
12)					
13)					
14)					
15)					
	TOTAL RECOVERY				

COMMENTS

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 6-12-01 Location 90/25' W C 42-1/2-S 11-21-11 Elevation 1753 RB County Stafford

Company F.G. Hall Company L.L.C. Number of Copies 5

Charts Mailed to 6427 East Kellogg P.O. Box 780167 Wichita Kansas 67228-0167

Drilling Contractor STERLING Drilling Rig # 4

Length Drill Pipe 3081 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" X. H.

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars 249 I.D. Drill Collars 2.25 Tool Joint Size 4 1/2" X. H.

Top Packer Depth 3346 Bottom Packer Depth 3351 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3351 TO 3389 ANCHOR LENGTH 38 TOTAL DEPTH 3389 Hole Size 7 7/8"

LEASE & WELL NO. Scater "A" #8-11 FORMATION TESTED CONGLOMERATE TEST NO. 2

Mud Weight 8.9 Viscosity 39 Water Loss 9.2 Chlorides - Pits 12000 D.S.T. _____

Maximum Temp. 102 °F Initial Hydrostatic Pressure (A) 1651 P.S.I. Final Hydrostatic Pressure (H) 1626 P.S.I.

Tool Open I.F.P. from 8:15 p.m. to 8:30 p.m. 15 min

Tool Closed I.C.I.P. from 8:30 p.m. to 9:30 p.m. 60 min

Tool Open F.F.P. from 9:30 p.m. to 9:45 p.m. 15 min

Tool Closed F.C.I.P. from 9:45 p.m. to 10:45 p.m. 60 min

Initial Blow VERY WEAK surface blow for 12 minutes DIED

Final Blow no blow

Total Feet Recovered 10 Gravity of Oil _____ Corrected _____

10 Feet of VERY SLIGHTLY oil speckled mud % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars NONE Safety Joint YES Extra Packer NONE Straddle YES Hook Wall YES

Top Recorder No. 78225 Clock No. Electronic Depth 3382 Cir. Sub YES Sampler YES

Bottom Recorder No. 13189 Clock No. 47441 Depth 3386 Insurance YES

Price of Job _____

Tool Operator Jim Budiy

Approved By _____

11836

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES INC.


Great Bend, Kansas

CHART DATA

(316) 792-6902

State KANSAS
County STAFFORD
Field

Test Date June 12, 2001
Sec Town Range 11-21S-11W
Report Number 11836



Field Reading

(1)	Initial Hydrostatic Pressure	1651
(2)	Initial Flow Pressure	58
(3)	Final Initial Flow Pressure	60
(4)	Initial Shut-In Pressure	70
(5)	Initial Final Flow Pressure	60
(6)	Final Flow Pressure	61
(7)	Final Shut-In Pressure	67
(8)	Final Hydrostatic Pressure	1626

ELECTRONIC RECORDER DEPTH 3382 FT, RECORDER NUMBER 78225

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G.HOLL COMPANY L.L.C.	LEASE AND WELL NUMBER	SCAFER "A"#8-11
TEST DATE	6/12/01	FORMATION TESTED	CONGLOMERATE
SECTION-TOWN-RANGE	11-21S-11W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	11836
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1753
ELEVATION GROUND LEVEL	1744	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	BILL REE		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	3351	TOP PACKER DEPTH	3346
TEST INTERVAL (to)	3389	BOTTOM PACKER DEPTH	3351
ANCHOR LENGTH	38	NUMBER OF PACKERS	2
TOTAL DEPTH (ft)	3389	PACKER SIZE	6 3/4
		HOLE SIZE	7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from)	8:15
TOOL OPEN (to)	8:30
DURATION (min.)	15

INITIAL SHUT-IN

TOOL CLOSED (from)	8:30
TOOL CLOSED (to)	9:30
DURATION (min.)	60

FINAL OPEN

TOOL OPEN (from)	9:30
TOOL OPEN (to)	9:45
DURATION (min.)	15

FINAL SHUT-IN

TOOL CLOSED (from)	9:45
TOOL CLOSED (to)	10:45
DURATION (min.)	60

PRESSURE READINGS

INITIAL HYDROSTATIC	1651
INITIAL FLOW	58
FINAL INITIAL FLOW	60
INITIAL SHUT-IN	70
INITIAL FINAL FLOW	60
FINAL FLOW	61
FINAL SHUT-IN	67
FINAL HYDROSTATIC	1626
MAXIMUM TEMPERATURE	102
TOP RECORDER DEPTH	3382
RECORDER NUMBER	78225
BOTTOM RECORDER DEPTH	3386
RECORDER NUMBER	13189

INITIAL BLOW

WEAK SURFACE BLOW FOR 12 MINUTES AND DIED

FINAL BLOW

NO BLOW

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

WELL INFORMATION

DRILLING CONTRACTOR **STERLING DRILLING RIG #4**

DRILL PIPE LENGTH **3081**

DRILL PIPE I.D. **3.8**

TOOL JOINT SIZE **4 1/2 X.H.**

DRILL COLLAR LENGTH **249**

DRILL COLLAR I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

WEIGHT PIPE LENGTH

WEIGHT PIPE I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

MUD WEIGHT #/GAL **8.9**

VISCOSITY **39**

WATER LOSS **9.2**

CHLORIDES-PITS **12000**

CHLORIDES-DST

FEET OF RECOVERY		RECOVERY DECIPTION	% GAS	% OIL	% MUD	% WATER
1)	10	VERY SLIGHTLY OIL SPECKED MUD				
2)						
3)						
4)						
5)						
6)						
7)						
8)						
9)						
10)						
11)						
12)						
13)						
14)						
15)						
		TOTAL RECOVERY				

COMMENTS

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

1753 K.B.

174466

County

Stafford

Date 6-13-01

Location

90° 15' 25" N. C 92° 42' 11" W 11214' H

Elevation

Number of Copies

5

Company

F.C. Hall Company L.L.C.

Charts Mailed to

6427 East Kelllogg P.O. Box 780167 Wichita, Kansas 67228-0167

Drilling Contractor

Sterling Drilling D1844

Length Drill Pipe

3114

I.D. Drill Pipe

3.80

Tool Joint Size

4 1/2" X H.

Length Weight Pipe

NONE

I.D. Weight Pipe

NONE

Tool Joint Size

NONE

Length Drill Collars

249

I.D. Drill Collars

2.85

Tool Joint Size

4 1/2" X H.

Top Packer Depth

3379-3384

Bottom Packer Depth

3445

Number of Packers

2

Packer Size

6 3/4"

TESTED FROM

3284

TO

3445

ANCHOR LENGTH

61

TOTAL DEPTH

3478

Hole Size

7 7/8"

LEASE & WELL NO.

Scatter "A" 48-11

FORMATION TESTED

Conglomerate - Vols. AR buckles 3

Mud Weight

9.9

Viscosity

41

Water Loss

10.9

Chlorides - Pits

13000

D.S.T.

26000

Maximum Temp.

106

°F Initial Hydrostatic Pressure (A)

1654

P.S.I.

Final Hydrostatic Pressure (H)

1636 P.S.I.

Tool Open I.F.P. from

2:30

pm to

3:00

pm

30 min

Tool Closed I.C.I.P. from

3:00

pm to

4:00

pm

60 min

Tool Open F.F.P. from

4:00

pm to

4:30

pm

30 min

Tool Closed F.C.I.P. from

4:30

pm to

5:30

pm

60 min

Initial Blow

Fair blow built to the bottom of a 5 Gallon Bucket in 5 minutes

Final Blow

Fair blow built to the bottom of a 5 Gallon Bucket in 7 minutes

Total Feet Recovered

1250

Gravity of Oil

Corrected

1250 Feet of Muddy water chlorides 26000

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Feet of

% Gas

% Oil

% Mud

% Water

Remarks

Extra Equipment - Jars

NONE

Safety Joint

YES

Extra Packer

YES (PRO)

Straddle

YES

Hook Wall

NONE

Top Recorder No.

78225

Clock No.

Electronic

Depth

3435

Cir. Sub

NONE

Sampler

NONE

Bottom Recorder No.

13185

Clock No.

Depth

3475

Insurance

NONE

Price of Job

Tool Operator

Sam Budy

Approved By

11037

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Company: F.G.HOLL COMPANY L.L.C. Lease & well No. SCAFER "A" #8-11 Test #: 3 Date: 6-13-2001 SEC. 11 TWP. 21S
RGE. 11W

SUPERIOR TESTERS ENTERPRISES INC.


Great Bend, Kansas

CHART DATA

(316) 792-6902

State KANSAS
County STAFFORD
Field

Test Date June 13, 2001
Sec Town Range 11-21S-11W
Report Number 11837



Field Reading

(1)	Initial Hydrostatic Pressure	1654
(2)	Initial Flow Pressure	141
(3)	Final Initial Flow Pressure	338
(4)	Initial Shut-In Pressure	1629
(5)	Initial Final Flow Pressure	1235
(6)	Final Flow Pressure	444
(7)	Final Shut-In Pressure	620
(8)	Final Hydrostatic Pressure	1636

ELECTRONIC RECORDER DEPTH 3435 FT, RECORDER NUMBER 78225

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

GENERAL INFORMATION

COMPANY NAME	F.G.HOLL COMPANY L.L.C.	LEASE AND WELL NUMBER	SCAFER"A" #8-11
TEST DATE	6/13/01	FORMATION TESTED	CONGLOMERATE-ARBUCKLE
SECTION-TOWN-RANGE	11-21S-11W	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	11837
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1753
ELEVATION GROUND LEVEL	1744	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	BILL REE		

TOOL SETTING INFORMATION

TEST INTERVAL (From)	3384	TOP PACKER DEPTH	3379-3384
TEST INTERVAL (to)	3445	BOTTOM PACKER DEPTH	3445
ANCHOR LENGTH	61	NUMBER OF PACKERS	2
TOTAL DEPTH (ft)	3445	PACKER SIZE	6 3/4
		HOLE SIZE	7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from)

TOOL OPEN (to)

DURATION (min.)

INITIAL SHUT-IN

TOOL CLOSED (from)

TOOL CLOSED (to)

DURATION (min.)

FINAL OPEN

TOOL OPEN (from)

TOOL OPEN (to)

DURATION (min.)

FINAL SHUT-IN

TOOL CLOSED (from)

TOOL CLOSED (to)

DURATION (min.)

PRESSURE READINGS

INITIAL HYDROSTATIC

INITIAL FLOW

FINAL INITIAL FLOW

INITIAL SHUT-IN

INITIAL FINAL FLOW

FINAL FLOW

FINAL SHUT-IN

FINAL HYDROSTATIC

MAXIMUM TEMPERATURE

TOP RECORDER DEPTH

RECORDER NUMBER

BOTTOM RECORDER DEPTH

RECORDER NUMBER

INITIAL BLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 5 MINUTES

FINAL BLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 7 MINUTES

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	YES
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	YES
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (316)792-6902

WELL INFORMATION

DRILLING CONTRACTOR **STERLING DRILLING RIG #4**

DRILL PIPE LENGTH **3114**

DRILL PIPE I.D. **3.8**

TOOL JOINT SIZE **4 1/2 X.H.**

DRILL COLLAR LENGTH **249**

DRILL COLLAR I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

WEIGHT PIPE LENGTH

WEIGHT PIPE I.D. **2.25**

TOOL JOINT SIZE **4 1/2 X.H.**

MUD WEIGHT #/GAL **9**

VISCOSITY **41**

WATER LOSS **10**

CHLORIDES-PITS **13000**

CHLORIDES-DST **26000**

FEET OF RECOVERY		RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1)	1250	MUDDY WATER CHLORIDES 26000				
2)						
3)						
4)						
5)						
6)						
7)						
8)						
9)						
10)						
11)						
12)						
13)						
14)						
15)						
		TOTAL RECOVERY				

COMMENTS

TOOL SLID DURING THE 1ST SHUT-IN INVALID 1ST SHUT-IN AND 20 MIN. OF THE 2ND FLOW