

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Well No. 3-2-06 Location 36-21-12W Elevation 1805 ^{KBH} County Stafford

Company Globe Operating Inc Number of Copies 5

Parts Mailed to PO Box 12 Great Bend KS 67530

Drilling Contractor Berentz

Length Drill Pipe _____ I.D. Drill Pipe 3.8 Tool Joint Size 4 1/2 XH

Length Weight Pipe _____ I.D. Weight Pipe _____ Tool Joint Size _____

Length Drill Collars 368 I.D. Drill Collars 2.29 Tool Joint Size 4 1/2 XH

Top Packer Depth _____ Bottom Packer Depth 3528 Number of Packers 1 Packer Size 6 3/4

TESTED FROM 3528 TO 3544 ANCHOR LENGTH 16 TOTAL DEPTH 3544 Hole Size 7 7/8

LEASE & WELL NO. Sittner #8 FORMATION TESTED Arbuckle TEST NO. 2

Fluid Weight 8.7 Viscosity 66 Water Loss 122 Chlorides - Pits 16,000 D.S.T. _____

Maximum Temp. 110 °F Initial Hydrostatic Pressure (A) 1791 P.S.I. Final Hydrostatic Pressure (H) 1654 P.S.I.

Tool Open I.F.P. from 5:05 p.m. to 5:40 p.m. 35 min

Tool Closed I.C.I.P. from 5:40 p.m. to 7:00 p.m. _____ min

Tool Open F.F.P. from 7:00 p.m. to 7:15 p.m. 15 min

Tool Closed F.C.I.P. from 7:15 p.m. to 8:15 p.m. 60 min

from [B] <u>762</u> P.S.I. to [C] <u>7065</u> P.S.I.
[D] <u>1154</u> P.S.I.
from [E] <u>1057</u> P.S.I. to [F] <u>1108</u> P.S.I.
[G] <u>1153</u> P.S.I.

Initial Blow Strong Blow Bottom Bracket in less than 1 min Gas to Surface in 7 min

Final Blow Strong Blow Bottom Bracket in 1 min

Total Feet Recovered Fluid to Surface Gravity of Oil 38 Corrected

Feet of Oil cut mud % Gas 30 % Oil 70 % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks Fluid to Surface Gas to Surface

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer _____ Straddle _____ Hook Wall _____

Top Recorder No. 4023 Clock No. Electronic Depth 3540 Cir. Sub yes Sampler _____

Bottom Recorder No. 3088 Clock No. 4744 Depth 3541 Insurance _____

Price of Job _____

Tool Operator Paul J. Ditt

Approved By N2 14550

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

36-21-12W

7 min

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT


(800)792-6902

GREAT BEND, KANSAS 67530

Company: GLOBE OPERATING INC
RGE. 12W

Lease & Well No. SITTNER #8 Test #: 2 Date: 3-2-06 SEC. 36 TWP. 21

Temperature / Pressure Data



- 1 Initial Hydrostatic Pressure 1791
- 2 Initial Flow Pressure 762
- 3 Final Initial Flow Pressure 1065
- 4 Initial Shut-In Pressure 1154
- 5 Initial Final Flow Pressure 1057
- 6 Final Flow Pressure 1108
- 7 Final Shut-In Pressure 1153
- 8 Final Hydrostatic Pressure 1654

Maximum Temperature 110

GENERAL INFORMATION

COMPANY NAME GLOBE OPERATING INC	
TEST DATE 3/2/06	LEASE AND WELL NUMBER SITTNER #8
SECTION-TOWN-RANGE 36-21-12W	FORMATION TESTED ARBUCKLE
STATE KANSAS	DRILL STEM TEST NUMBER 2
COUNTY STAFFORD	REPORT NUMBER 14550
ELEVATION GROUND LEVEL 1805	ELEVATION KELLY BUSHINGS 1816
COMPANY REPRESENTATIVE ELDON SCHIEELING	TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3528	TOP PACKER DEPTH 3528
TEST INTERVAL (to) 3544	BOTTOM PACKER DEPTH 3528
ANCHOR LENGTH 16	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3544	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 5:05P	TOOL OPEN (from) 7:00
INITIAL OPEN TOOL OPEN (to) 5:40	FINAL OPEN TOOL OPEN (to) 7:15
DURATION (min.) 35	DURATION (min.) 15
TOOL CLOSED (from) 5:40	TOOL CLOSED (from) 7:15
INITIAL SHUT-IN TOOL CLOSED (to) 7:00	FINAL SHUT-IN TOOL CLOSED (to) 8:15
DURATION (min.) 80	DURATION (min.) 60

RECEIVED
MAR 22 2006
KCC WICHITA

INITIAL FLOW

STRONG BLOW BOTTOM OF BUCKET LES THEN 1 MIN GAS IN 7 IN FLUID IN 30

FINAL FLOW

STRONG BLOW BOTTOM OF BUCKET IN 1 MIN FLUID IN 4 MIN

FEET OF Recovery	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 60	OIL CUT MUD		30	70	
2)					
3)					
4)					
5)					
6)					

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OPERATING INC	LEASE AND WELL NUMBER	SITTNER #8
TEST DATE	3/2/06	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	36-21-12W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	14550
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1816
ELEVATION GROUND LEVEL	1805	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	ELDON SCHIEELING		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	YES	HOOK WALL	NO
	49 MILES ROUND TRIP FROM	SAMPLER	NO
	GREAT BEND		
TOP RECORDER DEPTH	3540	BOTTOM RECORDER DEPTH	3541

WELL INFORMATION

DRILL PIPE LENGTH	DRILL COLLAR LENGTH	368
DRILL PIPE I.D.	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.	
WEIGHT PIPE LENGTH	MUD WEIGHT #/GAL	8.7
WEIGHT PIPE I.D.	VISCOSITY	66
TOOL JOINT SIZE	WATER LOSS	12.2
	CHLORIDES-PITS	16,000
	CHLORIDES-DST	

COMMENTS

GAS TO SURFACE IN 7 MIN FLOW TO SURFACE IN 30 MIN

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OPERATING INC	LEASE AND WELL NUMBER	SITTNER #8
TEST DATE	3/2/06	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	36-21-12W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	14550
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1816
ELEVATION GROUND LEVEL	1805	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	ELDON SCHIEELING		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	YES	HOOK WALL	NO
		SAMPLER	NO
TOP RECORDER DEPTH	3540	BOTTOM RECORDER DEPTH	3541


WELL INFORMATION

DRILL PIPE LENGTH		DRILL COLLAR LENGTH	368
DRILL PIPE I.D.		TOOL JOINT SIZE	7 1/2 X.H.
TOOL JOINT SIZE	7 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	8.7
WEIGHT PIPE I.D.	2.25	VISCOSITY	66
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	12.2
		CHLORIDES-PITS	16,000
		CHLORIDES-DST	

COMMENTS

GAS TO SURFACE IN 7 MIN FLUID TO SURFACE IN 50 MIN

Temperature / Pressure Data



3-2-06

36-21-12W

SITTNER #8

GLOBE OPERATING INC

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date: 3-1-06 Location: 36-21-12 W Elevation: 1805^{KB11} County: Stafford
 Company: Globe Operating Inc Number of Copies: 5
 Charts Mailed to: PO BOX 12 Great Bend KS. 67530
 Drilling Contractor: Berente
 Length Drill Pipe: 3121 I.D. Drill Pipe: 3.8 Tool Joint Size: 4 1/2 x 4
 Length Weight Pipe: _____ I.D. Weight Pipe: _____ Tool Joint Size: _____
 Length Drill Collars: 368.82 I.D. Drill Collars: 2.25 Tool Joint Size: 4 1/2 x 4
 Top Packer Depth: 3509 Bottom Packer Depth: 3514 Number of Packers: 2 Packer Size: 6 3/4
 TESTED FROM: 3514 TO: 3528 ANCHOR LENGTH: 14 TOTAL DEPTH: 3528 Hole Size: 7 7/8
 LEASE & WELL NO.: Sittner #8 FORMATION TESTED: Arkville TEST NO.: 1
 Mud Weight: 9.05 Viscosity: 48 Water Loss: 8.4 Chlorides - Pits: 13,500 D.S.T.: _____
 Maximum Temp.: 109 °F Initial Hydrostatic Pressure (A): 1762 P.S.I. Final Hydrostatic Pressure (H): 1684 P.S.I.

Tool Open I.F.P. from 8:51 p.m. to 9:21 p.m. 30 min
 Tool Closed I.C.I.P. from 9:21 m to 10:58 m 90 min
 Tool Open F.F.P. from 10:58 m to 11:13 m 15 min
 Tool Closed F.C.I.P. from 11:13 m to 11:40 m 120 min

from [B] <u>545</u> P.S.I. to [C] <u>1046</u> P.S.I.
[D] <u>1136</u> P.S.I.
from [E] <u>1004</u> P.S.I. to [F] <u>1115</u> P.S.I.
[G] <u>1147</u> P.S.I.

Initial Blow: Strong Blow Bottom Bucket less than 1 min into gas to surface in 10
 Final Blow: Open Tool Just Tell Got Fluid 15 min Shut in

Total Feet Recovered: Fluid to surface first 30 min / oil Gravity of Oil: 45 Corrected
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
 Feet of Oil Gravity 45 % Gas 100 % Oil _____ % Mud _____ % Water
 Feet of Oil cut mud % Gas _____ % Oil 50 % Mud 50 % Water
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water
 Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Remarks: Fluid to Surface in 30 min

Extra Equipment - Jars: _____ Safety Joint: _____ Extra Packer: _____ Straddle: _____ Hook Wall: _____
 Top Recorder No. 4023 Clock No. Electronic Depth: 3524 Cir. Sub: yes Sampler: _____
 Bottom Recorder No. 3088 Clock No. 47441 Depth: 3525 Insurance: _____

Price of Job: _____
 Tool Operator: [Signature]
 Approved By: _____
 No. 14549

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.


SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

(913)792-6902

GREAT BEND, KANSAS 67530

Company: GLOBE OPERATING INC
12W



- 1 Initial Hydrostatic Pressure 1762
- 2 Initial Flow Pressure 545
- 3 Final Initial Flow Pressure 1046
- 4 Initial Shut-In Pressure 1136
- 5 Initial Final Flow Pressure 1004
- 6 Final Flow Pressure 1115
- 7 Final Shut-In Pressure 1147
- 8 Final Hydrostatic Pressure 1684

Maximum Temperature 109

GENERAL INFORMATION

COMPANY NAME GLOBE OPERATING INC	
TEST DATE 3/1/06	LEASE AND WELL NUMBER SITTNER #8
SECTION-TOWN-RANGE 36-21-12W	FORMATION TESTED ARBUCKLE
STATE KANSAS	DRILL STEM TEST NUMBER 1
COUNTY STAFFORD	REPORT NUMBER 14549
ELEVATION GROUND LEVEL 1805	ELEVATION KELLY BUSHINGS 1816
COMPANY REPRESENTATIVE ELDON SCHIERLING	TESTING ENGINEER JARED SCHECK

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3514	TOP PACKER DEPTH 3509
TEST INTERVAL (to) 3528	BOTTOM PACKER DEPTH 3514
ANCHOR LENGTH 14	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3528	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

TOOL OPEN (from) 8:51P	TOOL OPEN (from) 10:58
INITIAL OPEN TOOL OPEN (to) 9:21	FINAL OPEN TOOL OPEN (to) 11:13
DURATION (min.) 30	DURATION (min.) 15
TOOL CLOSED (from) 9:21	TOOL CLOSED (from) 11:13
INITIAL SHUT-IN TOOL CLOSED (to) 10:58	FINAL SHUT-IN TOOL CLOSED (to) 1:10A
DURATION (min.) 90	DURATION (min.) 120

RECEIVED
MAR 22 2006
KCC WICHITA

INITIAL FLOW

STRONG BLOW BOTTOM OF BUCKET LESS THAN 1 MIN GAS TO SURFACE IN 10 FLUID TO SURFACE IN 30 MIN

FINAL FLOW

STRONG BLOW WHEN OPEN WAITED FOR FLUID THEN SHUT IN

FEET OF	RECOVERY	RECOVERY DESCRIPTION	% GAS	% OIL	% MUD	% WATER
1) 60		OIL CUT MUD		50	50	
2)						
3)						
4)						
5)						
6)						

Lease & Well No. SITTNER #8 Test #: 1 Date: 3-1-06 SEC. 36 TWP. 21 RGE.

SUPERIOR TESTERS ENTERPRISES INC.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OPERATING INC	LEASE AND WELL NUMBER	SITTNER #8
TEST DATE	3/1/06	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	36-21-12W	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	14549
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1816
ELEVATION GROUND LEVEL	1805	TESTING ENGINEER	JARED SCHECK
COMPANY REPRESENTATIVE	ELDON SCHIERLING		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	YES	HOOK WALL	NO
		SAMPLER	NO
	45 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3524	BOTTOM RECORDER DEPTH	3525
RECORDER NUMBER	91981	RECORDER NUMBER	5463

WELL INFORMATION

DRILLING CONTRACTOR	BERENTZ	DRILL COLLAR LENGTH	368
DRILL PIPE LENGTH	3121	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		
WEIGHT PIPE LENGTH		MUD WEIGHT #/GAL	9.05
WEIGHT PIPE I.D.	2.25	VISCOSITY	48
TOOL JOINT SIZE	4 1/2 X.H.	WATER LOSS	8.4
		CHLORIDES-PITS	13,500
		CHLORIDES-DST	

COMMENTS

FLUID TO SURFACE IN 30 MIN GRAVITY 45

SUPERIOR TESTERS ENTERPRISES INC.

GREAT BEND, KANSAS

GAS FLOW RATE

(800) 792-6902

#

STATE KANSAS	Test Date	1/0/1900
COUNTY STAFFORD	Sec Town Range	36-21-12W
FIELD	Report Number	14549


Initial Flow

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
OPEN TOOL AT	9:01	20		8		1/4	28.000
8:51P	9:11	30		6		1/4	22.900
GAS TO SURFACE 10 MIN							
FLUID TO SURFACE FIRST OPEN							

Final Flow

Comments	Time (hh:mm:ss)	Period dt (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
FLUID WAS AT SURFACE							

Temperature / Pressure Data



GLOBE OPERATING INC SITTNER #8 36-21-12W 3-1-06