

Superior Testers Enterprises L.L.C.

P.O. Box 138, Great Bend, Kansas 67530

(800) 792-6902

Company Slope Operating INC
 Address PO Box 12 Great Bend KS 67536
 Lease & # Oliver Batman Sec. 28 Twp 21 Rng 13
 Date 3-4-2008 County Stafford Elevation 1889 G.L. 1898 K.B.
 Drilling Contractor Petromark Rig #2
 Drill Pipe Length 3546 I.D. of Drill Pipe 3.80 Tool Joint Size 4 1/2 X H
 Drill Collar Length 120 I.D. of Drill Collars 2.25 Tool Joint Size 4 1/2 X H
 Mud Weight 9.4 Viscosity 87 Filtrate 19.0 Chlorides-Pits 17,000 DST
 Top Packer Depth 3679 Bottom Packer Depth 3684 Number of Packers 2
 Tested From 3684 to 3698 Total Depth 3698 Anchor Length 14
 Test # 1 Formation Tested AR Buckle Hole Size 7 7/8
 Initial Blow good less 2 min Bottom
 Final Blow good less 1 min Bottom Blow back on the 1st Shut-in good

Initial Hydrostatic 1911 P.S.I. Final Hydrostatic 1900 P.S.I. Maximum Temp. 117 F
 Blow back on the 2nd Shut-in good
 Initial Opening 305 P.S.I. to 525 P.S.I. from 11:25 a.m. to 11:40 m 15 minutes
 Initial Shut-in 1238 P.S.I. from 11:40 m to 12:10 m 30 minutes
 Final Opening 639 P.S.I. to 884 P.S.I. from 12:10 m to 12:30 m 20 minutes
 Final Shut-in 1215 P.S.I. from 12:30 m to 1:00 p.m. 40 minutes

Feet	Recovery Description	% Gas	% Oil	% Mud	% Water
680	gas in pipe	100			
2300	gassey oil		100		
120	oil and mud		40	60	

Total Feet Recovered 2420 Recovery Chlorides Rw. ohms @ Degrees
 Gravity of oil 36 Corrected Gas to Surface in minutes into the
 Max. Gas Gauged MCF/day See Gas Flow Report Was a gas sample taken
 Comments

Extra Equipment-Jars Safety Joint Circulating Sub VES Straddle
 Electronic Recorder No 7899 Depth 3699 Extra Packer (3rd) Hook Wall
 Bottom Recorder No 4327 Depth 3695 Extra Packer (4th) Sampler
 Tool Operator Don Muhl Approved By


Ticket No 15258

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure.....	1911
2	Initial Flow Pressure.....	305
3	Final Initial Flow Pressure.....	525
4	Initial Shut-In Pressure.....	1238
5	Initial Final Flow Pressure.....	639
6	Final Flow Pressure.....	884
7	Final Shut-In Pressure.....	1215
8	Final Hydrostatic Pressure.....	1900

Maximum Temperature..... 117

GENERAL INFORMATION

COMPANY NAME GLOBE OPERATING INC	LEASE AND WELL NUMBER OLIVIER BATMAN
TEST DATE 3-6-08	FORMATION TESTED ARBUCKLE
SECTION-TOWN-RANGE 28-21-13	DRILL STEM TEST NUMBER 1
STATE KANSAS	REPORT NUMBER ####
COUNTY STAFFORD	ELEVATION KELLY BUSHINGS 1894
ELEVATION GROUND LEVEL 1889	TESTING ENGINEER DAVID NICHOLS
COMPANY REPRESENTATIVE	

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3684	TOP PACKER DEPTH 3679
TEST INTERVAL (to) 3698	BOTTOM PACKER DEPTH 3684
ANCHOR LENGTH 14	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3698	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN	FINAL OPEN
TOOL OPEN (from) 11:25	TOOL OPEN (from) 12:10
TOOL OPEN (to) 11:40	TOOL OPEN (to) 12:30
DURATION (min.) 15	DURATION (min.) 20
INITIAL SHUT-IN	FINAL SHUT-IN
TOOL CLOSED (from) 11:40	TOOL CLOSED (from) 12:30
TOOL CLOSED (to) 12:10	TOOL CLOSED (to) 1:00
DURATION (min.) 30	DURATION (min.) 30

INITIAL FLOW GOOD BLOW BOTTOM BUCKET IN LESS 1 MIN

FINAL FLOW GOOD BLOW BOTTOM BUCKET IN LESS 1 MIN

Company: GLOBE OPERATING INC Lease & Well No. OLIVIER BATMAN Test #: 1 Date: 3-6-08 SEC. 28
 TWP. 21 RGE. 13

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OPERATING INC	LEASE AND WELL NUMBER	OLVIER BATMAN
TEST DATE	3-6-08	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	28-21-13	DRILL STEM TEST NUMBER	1
STATE	KANSAS	REPORT NUMBER	15258
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1894
ELEVATION GROUND LEVEL	1889	TESTING ENGINEER	DAVID NICHOLS
COMPANY REPRESENTATIVE			

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	NO	STRADDLE	NO
CIRCULATING SUB	Y	HOOK WALL	NO
		SAMPLER	NO
	22 MILES ROUND TRIP FROM		GREAT BEND
TOP RECORDER DEPTH	3694	BOTTOM RECORDER DEPTH	3695
RECORDER NUMBER	91986	RECORDER NUMBER	4337

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK RIG#2	DRILL COLLAR LENGTH	120
DRILL PIPE LENGTH	3546	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		

COMMENTS

RECOVERY BREAK DOWN

GREAT BEND, KANSAS

(800) 792-6902

Drill Pipe I.D.	Feet	Recovery Description For Drill Pipe	Gas	Oil	Mud	Water	Total bbls.
4 1/2	680	GAS IN PIPE	100%				9.6560
	2300	GASSEY OIL		100%			32.6600
							0.0000
							0.0000
							0.0000
							0.0000
							0.0000
							0.0000
							0.0000
							0.0000
Drill Collars I.D.							0.0000
2.25	120	OIL CUT MUD		40%	60%	0.0000	0.0000
							0.0000
							0.0000
							0.0000
							0.0000
							0.0000
							0.0000
Total Recovery	3100	Feet					
		Total bbls. Recovered From Drill Pipe	9.6560	32.6600	0.0000	0.0000	Total
		Total bbls. Recovered From Drill Collars	0.0000	0.2352	0.3528	0.0000	bbls
		Total bbls Recovered	9.6560	32.8952	0.3528	0.0000	42.3160

GRAVITY CORRECTED

MUD WEIGHT #/GAL	9.4
VISCOSITY	87
WATER LOSS	19.0

Resistivity	ohms @	Degrees
Recovery Chlorides	ppm	
Pit Chlorides	19,000 ppm	


4 1/2 inch Drill Pipe 3.83 I.D. Drill Collars 2.25 I.D.
OLVIER BATMAN 3-6-08 DST#1

28-21-13

GLOBE OPERATING INC

ARBUCKLE

Temperature / Pressure Data



Tool serial number: 91712
 TEST START: 03/06/2008 16:12:37