


K65

15-185-23651-0000



DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**
PO Box 399
Garden City, KS 67846-0399

ATTN: Cecil O'Brate

18 21 13 Stafford Ks

Abboud-Brown #1-18

Start Date: 2008.11.28 @ 17:42:54
End Date: 2008.11.29 @ 00:31:06
Job Ticket #: 34920 DST #: 1

RECEIVED
JUN 15 2009
KCC WICHITA

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

American Warrior Inc

Abboud-Brown #1-18

18 21 13 Stafford Ks

DST # 1

LKC "J"

2008.11.28



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

American Warrior Inc

PO Box 399
Garden City, KS 67846-0399

ATTN: Cecil O'Brate

Abboud-Brown #1-18

18 21 13 Stafford Ks

Job Ticket: 34920

DST#: 1

Test Start: 2008.11.28 @ 17:42:54

GENERAL INFORMATION:

Formation: **LKC "J"**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 20:01:37

Time Test Ended: 00:31:06

Test Type: **Conventional Bottom Hole**

Tester: **Ray Schwager**

Unit No: **42**

Interval: **3510.00 ft (KB) To 3525.00 ft (KB) (TVD)**

Reference Elevations: **1922.00 ft (KB)**

Total Depth: **3525.00 ft (KB) (TVD)**

1914.00 ft (CF)

Hole Diameter: **7.85 inches** Hole Condition: **Fair**

KB to GR/CF: **8.00 ft**

Serial #: 8365

Inside

Press@RunDepth: **26.71 psig @ 3511.01 ft (KB)**

Capacity: **7000.00 psig**

Start Date: **2008.11.28**

End Date:

2008.11.29

Last Calib.: **2008.11.29**

Start Time: **17:42:54**


End Time:

00:31:07

Time On Btm: **2008.11.28 @ 20:01:07**

Time Off Btm: **2008.11.28 @ 22:34:37**

TEST COMMENT: IFP-w k bl thru-out 1/2" to 1" bl
FFP-w k bl thru-out 1" bl
Times 45-45-30-30



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1711.09	100.30	Initial Hydro-static
1	12.53	99.97	Open To Flow (1)
46	20.05	102.07	Shut-In (1)
92	520.12	102.90	End Shut-In (1)
93	21.23	102.66	Open To Flow (2)
123	26.71	103.62	Shut-In (2)
153	405.10	104.19	End Shut-In (2)
154	1664.84	104.65	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	SOCM 1%O99%M	0.28
0.00	40'GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc

Abboud-Brown #1-18

PO Box 399
Garden City, KS 67846-0399

18 21 13 Stafford Ks

Job Ticket: 34920

DST#: 1

ATTN: Cecil O'Brate

Test Start: 2008.11.28 @ 17:42:54

Tool Information

Drill Pipe:	Length: 3493.00 ft	Diameter: 3.80 inches	Volume: 49.00 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 65000.00 lb
			Total Volume: 49.00 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	4.00 ft			String Weight: Initial 50000.00 lb
Depth to Top Packer:	3510.00 ft			Final 50000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	15.02 ft			
Tool Length:	36.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Change Over Sub	1.00			3490.00	
Shut In Tool	5.00			3495.00	
Hydraulic tool	5.00			3500.00	
Packer	5.00			3505.00	21.00 Bottom Of Top Packer
Packer	5.00			3510.00	
Stubb	1.00			3511.00	
Recorder	0.01	8365	Inside	3511.01	
Recorder	0.01	6625	Outside	3511.02	
Perforations	11.00			3522.02	
Bullnose	3.00			3525.02	15.02 Bottom Packers & Anchor
Total Tool Length:	36.02				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc

Abboud-Brown #1-18

PO Box 399
Garden City, KS 67846-0399

18 21 13 Stafford Ks

Job Ticket: 34920

DST#: 1

ATTN: Cecil O'Brate

Test Start: 2008.11.28 @ 17:42:54

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.14 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6000.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	SOCM 1%O99%M	0.281
0.00	40'GIP	0.000

Total Length: 20.00 ft

Total Volume: 0.281 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

PO Box 399
Garden City, KS 67846-0399

ATTN: Cecil O'Brate

18 21 13 Stafford Ks

Abboud-Brown #1-18

Start Date: 2008.11.29 @ 13:04:22

End Date: 2008.11.29 @ 19:01:16

Job Ticket #: 34921 DST #: 2

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

RECEIVED
JUN 15 2009
KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

American Warrior Inc

PO Box 399
Garden City, KS 67846-0399

ATTN: Cecil O'Brate

Abboud-Brown #1-18

18 21 13 Stafford Ks

Job Ticket: 34921

DST#: 2

Test Start: 2008.11.29 @ 13:04:22

GENERAL INFORMATION:

Formation: **Arbuckle**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 14:18:17

Time Test Ended: 19:01:16

Test Type: Conventional Bottom Hole

Tester: Ray Schwager

Unit No: 42

Interval: **3625.00 ft (KB) To 3700.00 ft (KB) (TVD)**

Reference Elevations: 1922.00 ft (KB)

Total Depth: 3700.00 ft (KB) (TVD)

1914.00 ft (CF)

Hole Diameter: 7.85 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 8365

Inside

Press@RunDepth: 95.23 psig @ 3626.01 ft (KB)

Capacity: 7000.00 psig

Start Date: 2008.11.29

End Date: 2008.11.29

Last Calib.: 2008.11.29


Start Time: 13:04:22

End Time: 19:01:16

Time On Btm: 2008.11.29 @ 14:17:47

Time Off Btm: 2008.11.29 @ 17:18:47

TEST COMMENT: IFP-wk bl thru-out 1/4" to 1 1/2" bl
FFP-wk bl thru-out 1/2" to 1 1/2" bl
Times 45-45-45



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1802.18	97.93	Initial Hydro-static
1	16.18	97.30	Open To Flow (1)
46	58.44	100.07	Shut-In (1)
92	1204.10	101.48	End Shut-In (1)
93	60.43	101.07	Open To Flow (2)
137	95.23	103.02	Shut-In (2)
180	1199.32	104.76	End Shut-In (2)
181	1768.19	104.81	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
160.00	MW 45%M55%W	2.24

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc

Abboud-Brown #1-18

PO Box 399
Garden City, KS 67846-0399

18 21 13 Stafford Ks

Job Ticket: 34921

DST#: 2

ATTN: Cecil O'Brate

Test Start: 2008.11.29 @ 13:04:22


Tool Information

Drill Pipe:	Length: 3620.00 ft	Diameter: 3.80 inches	Volume: 50.78 bbl	Tool Weight:	2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	65000.00 lb
			Total Volume: 50.78 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	16.00 ft			String Weight: Initial	51000.00 lb
Depth to Top Packer:	3625.00 ft			Final	51000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	75.02 ft				
Tool Length:	96.02 ft				
Number of Packers:	2	Diameter: 6.75 inches			
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Change Over Sub	1.00			3605.00	
Shut In Tool	5.00			3610.00	
Hydraulic tool	5.00			3615.00	
Packer	5.00			3620.00	21.00 Bottom Of Top Packer
Packer	5.00			3625.00	
Stubb	1.00			3626.00	
Recorder	0.01	8365	Inside	3626.01	
Recorder	0.01	6625	Outside	3626.02	
Perforations	7.00			3633.02	
Blank Spacing	64.00			3697.02	
Bullnose	3.00			3700.02	75.02 Bottom Packers & Anchor

Total Tool Length: 96.02



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc

Abboud-Brown #1-18

PO Box 399
Garden City, KS 67846-0399

18 21 13 Stafford Ks

Job Ticket: 34921

DST#: 2

ATTN: Cecil O'Brate

Test Start: 2008.11.29 @ 13:04:22

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

19000 ppm

Viscosity: 51.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.14 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6000.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
160.00	MW 45% M55%W	2.244

Total Length: 160.00 ft

Total Volume: 2.244 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: RW .5@50F

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

PO Box 399
Garden City, KS 67846-0399

ATTN: Cecil O'Brate

18 21 13 Stafford Ks

Abboud-Brown #1-18

Start Date: 2008.11.30 @ 08:36:12

End Date: 2008.11.30 @ 14:22:06

Job Ticket #: 34922 DST #: 3

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

RECEIVED
JUN 15 2009
KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

American Warrior Inc

PO Box 399
Garden City, KS 67846-0399

ATTN: Cecil O'Brate

Abboud-Brown #1-18

18 21 13 Stafford Ks

Job Ticket: 34922

DST#: 3

Test Start: 2008.11.30 @ 08:36:12

GENERAL INFORMATION:

Formation: **Arbuckle 2nd break**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:57:37

Time Test Ended: 14:22:06

Test Type: Conventional Straddle

Tester: Ray Schwager

Unit No: 42

Interval: **3707.00 ft (KB) To 3718.00 ft (KB) (TVD)**

Total Depth: 3786.00 ft (KB) (TVD)

Hole Diameter: 7.85 inches Hole Condition: Fair

Reference Elevations: 1922.00 ft (KB)

1914.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 8365

Inside

Press@RunDepth: 176.99 psig @ 3708.01 ft (KB)

Start Date: 2008.11.30

End Date:

2008.11.30

Start Time: 08:36:12

End Time:

14:22:06


Capacity: 7000.00 psig

Last Calib.: 2008.11.30

Time On Btm: 2008.11.30 @ 09:57:07

Time Off Btm: 2008.11.30 @ 12:31:37

TEST COMMENT: IFP-strg bl in 3min
FFP-wk to strg in 12 min
Times 30-45-30-45
slid tool approx. 6' to bottom, slid tool 2' more on shut-in



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1825.79	102.50	Initial Hydro-static
1	22.20	102.20	Open To Flow (1)
31	176.99	110.46	Shut-In (1)
78	193.88	107.88	Open To Flow (2)
105	335.38	110.88	Shut-In (2)
154	1216.17	109.87	End Shut-In (1)
155	1768.12	110.04	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
100.00	MW 40% M60% W	1.40
660.00	Water	9.26

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc

Abboud-Brown #1-18

PO Box 399
Garden City, KS 67846-0399

18 21 13 Stafford Ks

Job Ticket: 34922

DST#: 3

ATTN: Cecil O'Brate

Test Start: 2008.11.30 @ 08:36:12

Tool Information

Drill Pipe:	Length:	3699.00 ft	Diameter:	3.80 inches	Volume:	51.89 bbl	Tool Weight:	2200.00 lb	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	Weight set on Packer:	25000.00 lb	
Drill Collar:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	Weight to Pull Loose:	70000.00 lb	
					Total Volume:	51.89 bbl	Tool Chased	0.00 ft	
Drill Pipe Above KB:	13.00 ft							String Weight: Initial	51000.00 lb
Depth to Top Packer:	3707.00 ft							Final	56000.00 lb
Depth to Bottom Packer:	3718.01 ft								
Interval between Packers:	11.01 ft								
Tool Length:	104.02 ft								
Number of Packers:	3	Diameter:	6.75 inches						
Tool Comments:									

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3687.00	
Shut In Tool	5.00			3692.00	
Hydraulic tool	5.00			3697.00	
Packer	5.00			3702.00	21.00 Bottom Of Top Packer
Packer	5.00			3707.00	
Stubb	1.00			3708.00	
Recorder	0.01	8365	Inside	3708.01	
Perforations	6.00			3714.01	
Blank Off Sub	1.00			3715.01	
Blank Spacing	3.00			3718.01	11.01 Tool Interval
Packer	5.00			3723.01	
Recorder	0.01	6625	Below	3723.02	
Blank Spacing	64.00			3787.02	
Bullnose	3.00			3790.02	72.01 Bottom Packers & Anchor

Total Tool Length: 104.02



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc

Abboud-Brown #1-18

PO Box 399
Garden City, KS 67846-0399

18 21 13 Stafford Ks

Job Ticket: 34922

DST#: 3

ATTN: Cecil O'Brate

Test Start: 2008.11.30 @ 08:36:12

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity: 19000 ppm

Viscosity: 53.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.95 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 8000.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
100.00	MW 40% M60% W	1.403
660.00	Water	9.258

Total Length: 760.00 ft

Total Volume: 10.661 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW .37 @ 65F

Pressure vs. Time

