

Schultze 4
Globe Operating, Inc.

22-215-13w
15-185-23431

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 03-27-2007 Location 187th NW 160th FEEL 22-21-13w Elevation 1877 KB County Stafford

Company Globe Operating, Inc. Number of Copies 5

Charts Mailed to 1926 MAIN Street Great Bend Kansas 67530

Drilling Contractor Petromark Drilling Rig #1

Length Drill Pipe 3327 I.D. Drill Pipe 2.25 Tool Joint Size 3.80

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3342 Bottom Packer Depth 3348 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3348 TO 3390 ANCHOR LENGTH 42 TOTAL DEPTH 3390 Hole Size 7 7/8"

LEASE & WELL NO. Schultz #4 FORMATION TESTED LAUSVILLE "D-F" TEST NO. 1

Mud Weight 9.3 Viscosity 60 Water Loss 12.3 Chlorides - Pits 9200 D.S.T. _____

Maximum Temp. 103 °F Initial Hydrostatic Pressure (A) 11689 P.S.I. Final Hydrostatic Pressure (H) 1647 P.S.I.

Tool Open I.F.P. from 9:40 a.m. to 10:00 a.m. 20 min

Tool Closed I.C.I.P. from 10:00 a.m. to 10:45 a.m. 45 min

Tool Open F.F.P. from 10:45 a.m. to 11:30 a.m. 45 min

Tool Closed F.C.I.P. from 11:30 a.m. to 1:00 p.m. 90 min

from [B] <u>196</u> P.S.I. to [C] <u>214</u> P.S.I.
[D] <u>869</u> P.S.I.
from [E] <u>248</u> P.S.I. to [F] <u>305</u> P.S.I.
[G] <u>855</u> P.S.I.

Initial Blow Strong blow built to the bottom of a 5 Gallon bucket in 1 minute

Final Blow Strong blow - Gas to surface in 8 minutes - See Gas Flow Report

Total Feet Recovered 590 Gravity of Oil _____ Corrected _____

50 Feet of Gassy mud % Gas _____ % Oil _____ % Mud _____ % Water _____

120 Feet of Muddy Gassy oil % Gas 10 % Oil 50 % Mud 25 % Water 15

380 Feet of Gassy oil Gravity 34 corrected % Gas 25 % Oil 75 % Mud 0 % Water 0

40 Feet of Very slightly oil cut muddy water % Gas 0 % Oil 5 % Mud 20 % Water 75

Feet of CHLORIDES 94,000 % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91986 Clock No. Electronix Depth 3386 Cir. Sub NONE Sampler NONE

Bottom Recorder No. 4337 Clock No. 47461 Depth 3387 Insurance NONE

Price of Job _____

Tool Operator Don Budy

Approved By _____

No 14321


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	1647
2	Initial Flow Pressure	196
3	Final Initial Flow Pressure	214
4	Initial Shut-In Pressure	869
5	Initial Final Flow Pressure	248
6	Final Flow Pressure	305
7	Final Shut-In Pressure	855
8	Final Hydrostatic Pressure	1647

Maximum Temperature 103

GENERAL INFORMATION

COMPANY NAME GLOBE EXPLORATION INC.	
TEST DATE 3/27/07	LEASE AND WELL NUMBER SCHULTZ #4
SECTION-TOWN-RANGE 22-21S-13W	FORMATION TESTED LANSING "D-F"
STATE KANSAS	DRILL STEM TEST NUMBER 1
COUNTY STAFFORD	REPORT NUMBER 14321
ELEVATION GROUND LEVEL 1872	ELEVATION KELLY BUSHINGS 1877
COMPANY REPRESENTATIVE KEITH REAVIS	TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3348	TOP PACKER DEPTH 3343
TEST INTERVAL (to) 3390	BOTTOM PACKER DEPTH 3348
ANCHOR LENGTH 42	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3390	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN		FINAL OPEN	
TOOL OPEN (from) 9:40		TOOL OPEN (from) 10:45	
TOOL OPEN (to) 10:00		TOOL OPEN (to) 11:30	
DURATION (min.) 20		DURATION (min.) 45	
INITIAL SHUT-IN		FINAL SHUT-IN	
TOOL CLOSED (from) 10:00		TOOL CLOSED (from) 11:30	
TOOL CLOSED (to) 10:45		TOOL CLOSED (to) 1:00	
DURATION (min.) 45		DURATION (min.) 90	

INITIAL FLOW STRONG BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 1 MINUTE

FINAL FLOW STRONG BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 75 SECONDS WITH GAS TO SURFACE IN 8 MINUTES-SEE GAS FLOW REPORT

Company: GLOBE OPERATING INC. Lease & Well No. SCHULTZ # 4 Test #: 1 Date: 03-27-2007 SEC. 22
 TWP. 21S RGE. 13W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME **GLOBE EXPLORATION INC.**
TEST DATE **3/27/07**
SECTION-TOWN-RANGE **22-21S-13W**
STATE **KANSAS**
COUNTY **STAFFORD**
ELEVATION GROUND LEVEL **1872**
COMPANY REPRESENTATIVE **KEITH REAVIS**
LEASE AND WELL NUMBER **SCHULTZ #4**
FORMATION TESTED **LANSING "D-F"**
DRILL STEM TEST NUMBER **1**
REPORT NUMBER **14321**
ELEVATION KELLY BUSHINGS **1877**
TESTING ENGINEER **GENE BUDIG**

EXTRA EQUIPMENT

JARS **NO**
SAFETY JOINT **YES**
ELECTRONIC RECORDER **NO**
CIRCULATING SUB **NO**
32 MILES ROUND TRIP FROM GREAT BEND
TOP RECORDER DEPTH **3386**
RECORDER NUMBER **91986**
EXTRA PACKER (3RD) **NO**
EXTRA PACKER (4TH) **NO**
STRADDLE **NO**
HOOK WALL **NO**
SAMPLER **NO**
BOTTOM RECORDER DEPTH **3387**
RECORDER NUMBER **3088**

WELL INFORMATION

DRILLING CONTRACTOR **PETROMARK DRILLING RIG #1**
DRILL PIPE LENGTH **3327**
DRILL PIPE I.D. **3.8**
TOOL JOINT SIZE **4 1/2 X.H.**
DRILL COLLAR LENGTH **0**
DRILL COLLAR I.D. **2.25**
TOOL JOINT SIZE **4 1/2 X.H.**

COMMENTS

SUPERIOR TESTERS ENTERPRISES L.L.C.

GREAT BEND, KANSAS

GAS FLOW RATE

(800) 792-6902

#

STATE KANSAS	Test Date 1/0/1900
COUNTY STAFFORD	Sec Town Range 22-21S-13W
FIELD	Report Number 14321

Initial Flow

Comments	Time (hh:mm:ss)	Period dt. (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
TOOL OPENED AT 9:40 WITH NO GAS TO SURFACE ON THE 1ST OPENING							


Final Flow

Comments	Time (hh:mm:ss)	Period dt. (min)	Inches H2O Orifice Tester	PSI on Orifice Tester	PSI on Pitot Tube	Choke Size (in)	Gas Rate (MCF/Day)
TOOL OPENED	10:55	10	6			1/4	4.120
AT 10:45	11:05	20	8			1/4	4.760
WITH GAS TO	11:15	30	8			1/4	4.760
SURFACE IN	11:25	40	8			1/4	4.760
8 MINUTES							
FROM 11:25 TO 11:30 THERE WAS GAS SAMPLE TAKEN							

Was there a gas sample taken

YES

Temperature / Pressure Data



Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 03-28-2007 Location 1870/ENL 1699/ENL 22-21-13 W Elevation 18726.4 County Stafford

Company GLOBE OPERATING INC. Number of Copies 5

Charts Mailed to 1926 MAIN STREET GREAT BEND, KANSAS 67530

Drilling Contractor PETROMARK DRILLING RIG #8

Length Drill Pipe 3403 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" X H.

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3419 Bottom Packer Depth 3424 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3424 TO 3488 ANCHOR LENGTH 34 TOTAL DEPTH 3458 Hole Size 7 7/8"

LEASE & WELL NO. Schultz #4 FORMATION TESTED LANSING H-I TEST NO. 2

Mud Weight 9.2 Viscosity 60 Water Loss 12" Chlorides - Pits 9200 D.S.T. 92000

Maximum Temp. 1727 °F Initial Hydrostatic Pressure (A) 11651 P.S.I. Final Hydrostatic Pressure (H) 107 P.S.I.

Tool Open I.F.P. from 6:00 A m to 6:20 A m 20 min

Tool Closed I.C.I.P. from 6:20 A m to 7:05 A m 45 min

Tool Open F.F.P. from 7:05 A m to 7:50 A m 45 min

Tool Closed F.C.I.P. from 7:50 A m to 9:20 A m 90 min

from [B] <u>1108</u> P.S.I. to [C] <u>267</u> P.S.I.
[D] <u>792</u> P.S.I.
from [E] <u>288</u> P.S.I. to [F] <u>466</u> P.S.I.
[G] <u>793</u> P.S.I.

Initial Blow FAIR blow built to the bottom of a 5 Gallon Bucket in 2 minutes

Final Blow FAIR blow built to the bottom of a 5 Gallon Bucket in 7 minutes

Total Feet Recovered 780 ft of fluid Gravity of Oil _____ Corrected

1200 Feet of GAS IN PIPE 100% Gas _____ % Oil _____ % Mud _____ % Water

240 Feet of MUDDY WATER CUT OIL _____ % Gas 55 % Oil 10 % Mud 35 % Water

5120 Feet of GASSY OIL CUT MUDDY WATER 15 % Gas 10 % Oil 10 % Mud 65 % Water

470 Feet of WATER _____ % Gas _____ % Oil _____ % Mud 100 % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Remarks _____

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91986 Clock No. Electronic Depth 3386 Cir. Sub NONE Sampler NONE

Bottom Recorder No. 4337 Clock No. 47441 Depth 3387 Insurance NONE

Price of Job _____

Tool Operator Dave Budz

Approved By _____

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.


CHLORIDES
92,000

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



- | | | |
|----------|------------------------------|------|
| 1 | Initial Hydrostatic Pressure | 1727 |
| 2 | Initial Flow Pressure | 168 |
| 3 | Final Initial Flow Pressure | 267 |
| 4 | Initial Shut-In Pressure | 792 |
| 5 | Initial Final Flow Pressure | 288 |
| 6 | Final Flow Pressure | 466 |
| 7 | Final Shut-In Pressure | 793 |
| 8 | Final Hydrostatic Pressure | 1651 |

Maximum Temperature 107

GENERAL INFORMATION

COMPANY NAME GLOBE OPERATING INC.

TEST DATE 3/28/06

SECTION-TOWN-RANGE 22-21S-13W

STATE KANSAS

COUNTY STAFFORD

ELEVATION GROUND LEVEL 1872

COMPANY REPRESENTATIVE KEITH REAVIS

LEASE AND WELL NUMBER SCHULTZ #4

FORMATION TESTED LANSING "H-I"

DRILL STEM TEST NUMBER 2

REPORT NUMBER #####

ELEVATION KELLY BUSHINGS 1877

TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3424

TEST INTERVAL (to) 3458

ANCHOR LENGTH 34

TOTAL DEPTH (ft) 3458

TOP PACKER DEPTH 3419

BOTTOM PACKER DEPTH 3424

NUMBER OF PACKERS 2

PACKER SIZE 6 3/4

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

TOOL OPEN (from) 6:00

TOOL OPEN (to) 6:20

DURATION (min.) 20

INITIAL SHUT-IN

TOOL CLOSED (from) 6:20

TOOL CLOSED (to) 7:05

DURATION (min.) 45

FINAL OPEN

TOOL OPEN (from) 7:05

TOOL OPEN (to) 7:50

DURATION (min.) 45

FINAL SHUT-IN

TOOL CLOSED (from) 7:50

TOOL CLOSED (to) 9:20

DURATION (min.) 90

INITIAL FLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 2 MINUTES

FINAL FLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 7 MINUTES

Company: GLOBE OPERATING INC. Lease & Well No. SCHULTZ # 4 Test #: 2 Date: 03-28-2007 SEC. 22 TWP.
 21S RGE. 13W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OPERATING INC.	LEASE AND WELL NUMBER	SCHULTZ # 4
TEST DATE	3/28/07	FORMATION TESTED	LANSING "H-I"
SECTION-TOWN-RANGE	22-21S-13W	DRILL STEM TEST NUMBER	2
STATE	KANSAS	REPORT NUMBER	14322
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1877
ELEVATION GROUND LEVEL	1872	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	KEITH REAVIS		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	NO	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	32 MILES ROUND TRIP FROM		
		GREAT BEND	
TOP RECORDER DEPTH	3386	BOTTOM RECORDER DEPTH	3387
RECORDER NUMBER	91986	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK DRILLING RIG # 1		
DRILL PIPE LENGTH	3403	DRILL COLLAR LENGTH	0
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.

COMMENTS

Temperature / Pressure Data



Elapsed Time - Hrs

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 03-29-2007 Location 18th / AUL / RR 22-21-13^u Elevation 1872 GL County Labette

Company Globe Operating Inc. Number of Copies 5

Charts Mailed to 1926 Main Street Great Bend, Kansas 67530

Drilling Contractor Petromark Drilling Co #1

Length Drill Pipe 3610 I.D. Drill Pipe 3.80 Tool Joint Size 4 1/2" X H

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3627 Bottom Packer Depth 3632 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3632 TO 3645 ANCHOR LENGTH 13 TOTAL DEPTH 3645 Hole Size 7 7/8"

LEASE & WELL NO. Schultz #4 FORMATION TESTED Aebuckle TEST NO. 3

Mud Weight 9.0 Viscosity 48 Water Loss 16 1/2 Chlorides - Pits 13800 D.S.T. _____

Maximum Temp. 111 °F Initial Hydrostatic Pressure (A) 1840 P.S.I. Final Hydrostatic Pressure (H) 1759 P.S.I.

Tool Open I.F.P. from 6:00 p m to 6:20 p m 20 min

Tool Closed I.C.I.P. from 6:20 p m to 7:05 p m 45 min

Tool Open F.F.P. from 7:05 p m to 7:50 p m 45 min

Tool Closed F.C.I.P. from 7:50 p m to 9:20 p m 90 min

from [B] <u>192</u> P.S.I. to [C] <u>310</u> P.S.I.
[D] <u>1279</u> P.S.I.
from [E] <u>354</u> P.S.I. to [F] <u>724</u> P.S.I.
[G] <u>1276</u> P.S.I.

Initial Blow Fair blow built to the bottom of a 5 Gallon bucket in 2 minutes

Final Blow Fair blow built to the bottom of a 5 Gallon bucket in 2 minutes

Total Feet Recovered 2200 Gravity of Oil 41 Corrected

2200 Feet of CLEAN Gassy Oil - Gravity 41 cor. 25% Gas 25% Oil 0% Mud 0% Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water

Remarks Gas to surface in 39 minutes into the second opening

MAX Amount Gauged 1.98 mcf

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91986 Clock No. Electronic Depth 3641 Cir. Sub NONE Sampler NONE

Bottom Recorder No. 4337 Clock No. 47441 Depth 3642 Insurance NONE

Price of Job _____

Tool Operator Steve Busby

Approved By _____


Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	1840
2	Initial Flow Pressure	192
3	Final Initial Flow Pressure	310
4	Initial Shut-In Pressure	1279
5	Initial Final Flow Pressure	354
6	Final Flow Pressure	724
7	Final Shut-In Pressure	1276
8	Final Hydrostatic Pressure	1759

Maximum Temperature 111

GENERAL INFORMATION

COMPANY NAME GLOBE OPERATING INC.

TEST DATE 3/29/07

LEASE AND WELL NUMBER SCHULTZ # 4

SECTION-TOWN-RANGE 22-21S-13W

FORMATION TESTED ARBUCKLE

STATE KANSAS

DRILL STEM TEST NUMBER

COUNTY STAFFORD

REPORT NUMBER #####

ELEVATION GROUND LEVEL 1872

ELEVATION KELLY BUSHINGS 1872

COMPANY REPRESENTATIVE KEITH REAVIS

TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3632

TOP PACKER DEPTH 3627

BOTTOM PACKER DEPTH 3632

TEST INTERVAL (to) 3645

NUMBER OF PACKERS 2

ANCHOR LENGTH 13

PACKER SIZE 6 3/4

TOTAL DEPTH (ft) 3645

HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN

FINAL OPEN

TOOL OPEN (from) 6:00

TOOL OPEN (from) 7:05

TOOL OPEN (to) 6:20

TOOL OPEN (to) 7:50

DURATION (min.) 20

DURATION (min.) 45

INITIAL SHUT-IN

FINAL SHUT-IN

TOOL CLOSED (from) 6:20

TOOL CLOSED (from) 7:50

TOOL CLOSED (to) 7:05

TOOL CLOSED (to) 9:20

DURATION (min.) 45

DURATION (min.) 90

INITIAL FLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 2 MINUTES

FINAL FLOW

FAIR BLOW BUILT TO THE BOTTOM OF A 5 GALLON BUCKET IN 2 MINUTES
WITH GAS TO SURFACE IN 39 MINUTES-MAX AMOUNT GAUGED WAS
1.98 mcf

Company: GLOBE OPERATING INC. Lease & Well No. SCHULTZ # 4 Test #: 3 Date: 03-29-2007 SEC. 22 TWP.
 21S RGE. 13W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OERATING INC.	LEASE AND WELL NUMBER	SCHULTZ # 4
TEST DATE	3/29/07	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	22-21S-13W	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	14323
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1872
ELEVATION GROUND LEVEL	1872	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	KEITH REAVIS		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	32 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3641	BOTTOM RECORDER DEPTH	3642
RECORDER NUMBER	91986	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK DRILLING RIG # 1		
DRILL PIPE LENGTH	3610	DRILL COLLAR LENGTH	0
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.

COMMENTS

Temperature / Pressure Data



GLOBE OPERATING INC. SCHULIZ # 4 22-21S-13W 03-29-2007 USI # 3 ARBUCKLE
 2087.43 1675.04 1262.66 860.27 437.89 25.50

Superior Testers Enterprises, Inc.

R.R. 3, Box 295B, Great Bend, Kansas 67530

(316) 792-6902

Date 03-30-2007 Location 870/144/1609/FBL 22-25-13^W Elevation 188264 County Stafford

Company GLOBE OPERATING INC. Number of Copies 5

Charts Mailed to 1926 MAIN STREET GREAT BEND KANSAS 67530

Drilling Contractor Petromark Drilling Rig #1

Length Drill Pipe 3629 I.D. Drill Pipe 3.50 Tool Joint Size 4 1/2" X H

Length Weight Pipe NONE I.D. Weight Pipe NONE Tool Joint Size NONE

Length Drill Collars NONE I.D. Drill Collars NONE Tool Joint Size NONE

Top Packer Depth 3645 Bottom Packer Depth 3650 Number of Packers 2 Packer Size 6 3/4"

TESTED FROM 3650 TO 3665 ANCHOR LENGTH 15 TOTAL DEPTH 3665 Hole Size 7 7/8"

LEASE & WELL NO. Schultz #4 FORMATION TESTED Arkville TEST NO. 4

Mud Weight 8.7 Viscosity 50 Water Loss 14.4 Chlorides - Pits 14,200 D.S.T.

Maximum Temp. 108 °F Initial Hydrostatic Pressure (A) 1849 P.S.I. Final Hydrostatic Pressure (H) 1782 P.S.I.

Tool Open I.F.P. from 12:10 p.m. to 12:30 p.m. 20 min

Tool Closed I.C.I.P. from 12:30 p.m. to 1:15 p.m. 45 min

Tool Open F.F.P. from 1:15 p.m. to 2:00 p.m. 45 min

Tool Closed F.C.I.P. from 2:00 p.m. to 3:30 p.m. 90 min

from [B] <u>203</u> P.S.I. to [C] <u>169</u> P.S.I.
[D] <u>1279</u> P.S.I.
from [E] <u>187</u> P.S.I. to [F] <u>246</u> P.S.I.
[G] <u>1288</u> P.S.I.

Initial Blow fair blow built to the bottom of a 5 Gallon Bucket in 3 minutes

Final Blow fair blow built to the bottom of a 5 Gallon Bucket in

Total Feet Recovered 430 Gravity of Oil 41 Corrected

200 Feet of Gas in the P.P.E. % Gas _____ % Oil _____ % Mud _____ % Water _____

360 Feet of CLEAN Gassy Oil - 41 corr seton 25 % Gas 75 % Oil _____ % Mud _____ % Water _____

70 Feet of Oil cut Gassy Mud 35 % Gas 25 % Oil 40 % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

_____ Feet of _____ % Gas _____ % Oil _____ % Mud _____ % Water _____

Remarks _____

Extra Equipment - Jars _____ Safety Joint _____ Extra Packer NONE Straddle NONE Hook Wall NONE

Top Recorder No. 91986 Clock No. Electronic Depth 3661 Cir. Sub _____ Sampler NONE

Bottom Recorder No. 4377 Clock No. 47441 Depth 3662 Insurance NONE

Price of Job _____

Tool Operator Don Sudy

Approved By _____

Superior Testers Enterprises, Inc. shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530

Company: GLOBE OPERATING INC. Lease & Well No. SCHULTZ # 4 Test #: 4 Date: 03-30-2006 SEC. 22 TWP.
 21S RGE. 13W



1	Initial Hydrostatic Pressure	1849
2	Initial Flow Pressure	203
3	Final Initial Flow Pressure	169
4	Initial Shut-In Pressure	1279
5	Initial Final Flow Pressure	187
6	Final Flow Pressure	246
7	Final Shut-In Pressure	1288
8	Final Hydrostatic Pressure	1782

Maximum Temperature 108

GENERAL INFORMATION

COMPANY NAME GLOBE OPERATING INC.

TEST DATE 3/30/07	LEASE AND WELL NUMBER SCHULTZ #4
SECTION-TOWN-RANGE 22-21S-13W	FORMATION TESTED ARBUCKLE
STATE KANSAS	DRILL STEM TEST NUMBER 4
COUNTY STAFFORD	REPORT NUMBER 14324
ELEVATION GROUND LEVEL 1877	ELEVATION KELLY BUSHINGS 1882
COMPANY REPRESENTATIVE KEVIN REAVIS	TESTING ENGINEER GENE BUDIG

TOOL SETTING INFORMATION

TEST INTERVAL (From) 3650	TOP PACKER DEPTH 3645
TEST INTERVAL (to) 3665	BOTTOM PACKER DEPTH 3650
ANCHOR LENGTH 15	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 3665	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN TOOL OPEN (from) 12:10 TOOL OPEN (to) 12:30 DURATION (min.) 20	FINAL OPEN TOOL OPEN (from) 1:15 TOOL OPEN (to) 2:00 DURATION (min.) 45
INITIAL SHUT-IN TOOL CLOSED (from) 12:30 TOOL CLOSED (to) 1:15 DURATION (min.) 45	FINAL SHUT-IN TOOL CLOSED (from) 2:00 TOOL CLOSED (to) 3:30 DURATION (min.) 90

INITIAL FLOW FAIR BLOW BUILT TO THE BOTTOM OF A 4 GALLON BUCKET IN 3 MINUTES

FINAL FLOW FAIR BLOW BUILT TO THE BOTTOM OF A 4 GALLON BUCKET IN 3 MINUTES

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND ,KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	GLOBE OPERATING INC.	LEASE AND WELL NUMBER	SCHULTZ #4
TEST DATE	3/30/07	FORMATION TESTED	ARBUCKLE
SECTION-TOWN-RANGE	22-21S-13W	DRILL STEM TEST NUMBER	4
STATE	KANSAS	REPORT NUMBER	14324
COUNTY	STAFFORD	ELEVATION KELLY BUSHINGS	1882
ELEVATION GROUND LEVEL	1877	TESTING ENGINEER	GENE BUDIG
COMPANY REPRESENTATIVE	KEVIN REAVIS		

EXTRA EQUIPMENT


JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	YES	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	NO	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	32 MILES ROUND TRIP FROM	GREAT BEND	
TOP RECORDER DEPTH	3661	BOTTOM RECORDER DEPTH	3662
RECORDER NUMBER	91986	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	PETROMARK DRILLING RIG # 1		
DRILL PIPE LENGTH	3629	DRILL COLLAR LENGTH	0
DRILL PIPE I.D.	3.8	DRILL COLLAR I.D.	2.25
TOOL JOINT SIZE	4 1/2 X.H.	TOOL JOINT SIZE	4 1/2 X.H.

COMMENTS

Temperature / Pressure Data



GLOBE OPERATING INC. 03-30-2007 22-21S-13W SCHULTZ #4 DST #4 ARBUCKLE