

**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St Ste 1500
Denver CO 80202

ATTN: Tim Lauer

36-21s-14w Stafford

McGinty #5

Start Date: 2006.03.26 @ 17:06:31


End Date: 2006.03.27 @ 00:18:46

Job Ticket #: 24367 DST #: 1

15-185-23348-00-00

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

**RECEIVED
MAY 18 2006
KCC WICHITA**



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

ATTN: Tim Lauer

Job Ticket: 24367

DST#: 1

Test Start: 2006.03.26 @ 17:06:31

GENERAL INFORMATION:

Formation: **Lans A - B**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 18:47:46

Time Test Ended: 00:18:46

Test Type: Conventional Bottom Hole

Tester: Gary Pevoteaux

Unit No: 23

Interval: **3393.00 ft (KB) To 3435.00 ft (KB) (TVD)**

Total Depth: 3435.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 1930.00 ft (KB)

1922.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 6771

Inside

Press@RunDepth: 106.46 psig @ 3394.00 ft (KB)

Start Date: 2006.03.26

End Date: 2006.03.27

Capacity: 7000.00 psig

Last Calib.: 2006.03.27


Start Time: 17:06:36

End Time: 00:18:45

Time On Btm: 2006.03.26 @ 18:47:31

Time Off Btm: 2006.03.26 @ 22:31:30

TEST COMMENT: IF: Fair to strong blow . B.O.B. in 29 mins.
IS: No blow .
FF: Fair blow . Slow increase to 11".
FS: No blow .



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1638.19	93.71	Initial Hydro-static
1	22.13	92.95	Open To Flow (1)
30	61.40	95.17	Shut-In(1)
73	807.15	97.47	End Shut-In(1)
74	66.65	97.28	Open To Flow (2)
134	106.46	100.22	Shut-In(2)
224	754.49	101.40	End Shut-In(2)
224	1611.11	101.52	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
125.00	MW/w o specs 20% m 80% w R _w .11 oh r1.48 i2 deg	
70.00	SOCM .<1% o 99% m	0.98
0.00	170 ft. of GIP	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

ATTN: Tim Lauer

Job Ticket: 24367

DST#: 1

Test Start: 2006.03.26 @ 17:06:31

Tool Information

Drill Pipe:	Length: 3358.00 ft	Diameter: 3.80 inches	Volume: 47.10 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 30.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 61000.00 lb
			<u>Total Volume: 47.25 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 48000.00 lb
Depth to Top Packer:	3393.00 ft			Final 49500.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	42.00 ft			
Tool Length:	62.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
-------------------------	--------------------	-------------------	-----------------	-------------------	-----------------------

Change Over Sub	1.00			3374.00	
Shut In Tool	5.00			3379.00	
Hydraulic tool	5.00			3384.00	
Packer	4.00			3388.00	20.00 Bottom Of Top Packer
Packer	5.00			3393.00	
Stubb	1.00			3394.00	
Recorder	0.00	6771	Inside	3394.00	
Perforations	36.00			3430.00	
Recorder	0.00	13222	Outside	3430.00	
Bullnose	5.00			3435.00	42.00 Bottom Packers & Anchor
Total Tool Length:	62.00				



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

Job Ticket: 24367

DST#: 1

ATTN: Tim Lauer

Test Start: 2006.03.26 @ 17:06:31

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	109000 ppm
Viscosity: 46.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.17 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 3000.00 ppm			
Filter Cake: 0.20 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
125.00	MW/w o specs 20% m 80% w Rw .11 ohms @!	1.480
70.00	SOCM .<1% o 99% m	0.982
0.00	170 ft. of GIP	0.000

Total Length: 195.00 ft Total Volume: 2.462 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St Ste 1500
Denver CO 80202

ATTN: Tim Lauer

36-21s-14w Stafford

McGinty #5

Start Date: 2006.03.27 @ 07:04:22

End Date: 2006.03.27 @ 14:45:22

Job Ticket #: 24368

DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp.


McGinty #5

36-21s-14w Stafford

DST # 2

Lans. C - F

2006.03.27



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Coral Production Corp.
 1600 Stout St Ste 1500
 Denver CO 80202
 ATTN: Tim Lauer


McGinty #5
36-21s-14w Stafford
 Job Ticket: 24368 **DST#: 2**
 Test Start: 2006.03.27 @ 07:04:22

GENERAL INFORMATION:

Formation: **Lans. C - F**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 08:39:07
 Time Test Ended: 14:45:22
 Interval: **3435.00 ft (KB) To 3475.00 ft (KB) (TVD)**
 Total Depth: 3475.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Poor
 Test Type: Conventional Bottom Hole
 Tester: Gary Pevoteaux
 Unit No: 23
 Reference Elevations: 1930.00 ft (KB)
 1922.00 ft (CF)
 KB to GR/CF: 8.00 ft

Serial #: 6771 Inside
 Press@RunDepth: 176.58 psig @ 3436.00 ft (KB) Capacity: 7000.00 psig
 Start Date: 2006.03.27 End Date: 2006.03.27 Last Calib.: 2006.03.27
 Start Time: 07:04:27 End Time: 14:45:21 Time On Btm: 2006.03.27 @ 08:38:52
 Time Off Btm: 2006.03.27 @ 12:32:51

TEST COMMENT: IF: Strong blow . B.O.B. in 30 secs.
 IS: Weak blow . 1/2 - 1". GTS 40 secs. in to ISIP.
 FF: Strong blow . (see gas flow report)
 FSI: Strong blow . B.O.B.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1664.37	88.81	Initial Hydro-static
1	102.44	88.32	Open To Flow (1)
28	105.17	98.53	Shut-In(1)
77	832.69	101.39	End Shut-In(1)
79	110.07	99.97	Open To Flow (2)
136	176.58	103.75	Shut-In(2)
234	817.98	104.50	End Shut-In(2)
234	1603.79	104.83	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
82.00	CGO 36%g 64%o	0.88
360.00	GMCO 32%g 25%m 64%o	5.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
First Gas Rate	0.25	4.00	29.19
Last Gas Rate	0.13	9.00	8.76
Max. Gas Rate	0.13	9.00	8.76



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

Job Ticket: 24368

DST#: 2

ATTN: Tim Lauer


Test Start: 2006.03.27 @ 07:04:22

Tool Information

Drill Pipe:	Length: 3389.00 ft	Diameter: 3.80 inches	Volume: 47.54 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 30.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 62000.00 lb
			<u>Total Volume: 47.69 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	4.00 ft			String Weight: Initial 48000.00 lb
Depth to Top Packer:	3435.00 ft			Final 50000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	40.00 ft			
Tool Length:	60.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3416.00	
Shut In Tool	5.00			3421.00	
Hydraulic tool	5.00			3426.00	
Packer	4.00			3430.00	20.00 Bottom Of Top Packer
Packer	5.00			3435.00	
Stubb	1.00			3436.00	
Recorder	0.00	6771	Inside	3436.00	
Perforations	34.00			3470.00	
Recorder	0.00	13222	Outside	3470.00	
Bullnose	5.00			3475.00	40.00 Bottom Packers & Anchor
Total Tool Length:	60.00				



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

Job Ticket: 24368

DST#: 2

ATTN: Tim Lauer

Test Start: 2006.03.27 @ 07:04:22

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

36 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

3000 ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbl

Water Loss: 9.17 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
82.00	CGO 36%g 64%o	0.877
360.00	GMCO 32%g 25%m 64%o	5.050

Total Length: 442.00 ft

Total Volume: 5.927 bbl

Num Fluid Samples: 0


Num Gas Bombs: 1

Serial #: gp-2


Laboratory Name: Caraway

Laboratory Location: Liberal, KS

Recovery Comments:



27 Mon Mar 2006



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St Ste 1500
Denver CO 80202

ATTN: Tim Lauer

36-21s-14w Stafford

McGinty #5

Start Date: 2006.03.28 @ 02:56:59

End Date: 2006.03.28 @ 10:53:44

Job Ticket #: 24369 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp.

McGinty #5

36-21s-14w Stafford

DST # 3

Lans.H - L

2006.03.28



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

Job Ticket: 24369

DST#: 3

ATTN: Tim Lauer

Test Start: 2006.03.28 @ 02:56:59

GENERAL INFORMATION:

Formation: **Lans.H - L**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 04:36:59

Time Test Ended: 10:53:44

Test Type: Conventional Bottom Hole

Tester: Gary Pevoteaux

Unit No: 23

Interval: **3512.00 ft (KB) To 3615.00 ft (KB) (TVD)**

Total Depth: 3615.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 1930.00 ft (KB)

1922.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 6771

Inside

Press@RunDepth: 444.84 psig @ 3513.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2006.03.28

End Date: 2006.03.28

Last Calib.: 2006.03.28

Start Time: 02:57:04

End Time: 10:53:43

Time On Btm: 2006.03.28 @ 04:35:44

Time Off Btm: 2006.03.28 @ 08:10:13


TEST COMMENT: IF: Strong blow . B.O.B. in 10 secs. GTS in 4.5 mins. (see gas flow report)

IS: Weak to fair blow . 1 - 5".

FF: Strong blow . (see gas flow report)

FSI: Strong blow . B.O.B.

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1701.10	93.16	Initial Hydro-static
2	177.60	93.07	Open To Flow (1)
29	281.71	100.25	Shut-In(1)
75	892.63	101.31	End Shut-In(1)
75	275.47	99.71	Open To Flow (2)
119	444.84	104.51	Shut-In(2)
214	889.91	104.09	End Shut-In(2)
215	1659.57	104.64	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
1015.00	CGO 40%g 60%o	13.96
630.00	GMCO 32%g 25%m 43%o	8.84

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
First Gas Rate	0.38	26.00	147.99
Last Gas Rate	0.38	27.00	151.66
Max. Gas Rate	0.38	28.00	155.32



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

Job Ticket: 24369

DST#: 3

ATTN: Tim Lauer

Test Start: 2006.03.28 @ 02:56:59


Tool Information

Drill Pipe:	Length: 3480.00 ft	Diameter: 3.80 inches	Volume: 48.82 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 30.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 66000.00 lb
			<u>Total Volume: 48.97 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	18.00 ft			String Weight: Initial 50000.00 lb
Depth to Top Packer:	3512.00 ft			Final 55000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	103.00 ft			
Tool Length:	123.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3493.00	
Shut In Tool	5.00			3498.00	
Hydraulic tool	5.00			3503.00	
Packer	4.00			3507.00	20.00 Bottom Of Top Packer
Packer	5.00			3512.00	
Stubb	1.00			3513.00	
Recorder	0.00	6771	Inside	3513.00	
Perforations	6.00			3519.00	
Change Over Sub	1.00			3520.00	
Blank Spacing	64.00			3584.00	
Change Over Sub	1.00			3585.00	
Perforations	25.00			3610.00	
Recorder	0.00	13222	Outside	3610.00	
Bullnose	5.00			3615.00	103.00 Bottom Packers & Anchor

Total Tool Length: 123.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

Job Ticket: 24369

DST#: 3

ATTN: Tim Lauer

Test Start: 2006.03.28 @ 02:56:59

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

36.6 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

4000 ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.78 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 4000.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
1015.00	CGO 40%g 60%o	13.964
630.00	GMCO 32%g 25%m 43%o	8.837

Total Length: 1645.00 ft

Total Volume: 22.801 bbl

Num Fluid Samples: 0

Num Gas Bombs: 1


Serial #: gp-3


Laboratory Name: Caraway

Laboratory Location: Liberal, KS

Recovery Comments:

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St Ste 1500
Denver CO 80202

ATTN: Tim Lauer

36-21s-14w Stafford

McGinty #5

Start Date: 2006.03.29 @ 01:04:13

End Date: 2006.03.29 @ 09:57:28

Job Ticket #: 24370 DST #: 4

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Coral Production Corp.

McGinty #5

36-21s-14w Stafford

DST # 4

Arbuckle

2006.03.29



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp.

McGinty #5

1600 Stout St Ste 1500
Denver CO 80202

36-21s-14w Stafford

ATTN: Tim Lauer

Job Ticket: 24370

DST#: 4

Test Start: 2006.03.29 @ 01:04:13

GENERAL INFORMATION:

Formation: **Arbuckle**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:10:28

Time Test Ended: 09:57:28

Test Type: Conventional Bottom Hole

Tester: Gary Pevoteaux

Unit No: 23

Interval: **3665.00 ft (KB) To 3756.00 ft (KB) (TVD)**

Total Depth: 37567.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 1930.00 ft (KB)

1922.00 ft (CF)

KB to GR/CF: 8.00 ft

Serial #: 6771 Inside

Press@RunDepth: 360.54 psig @ 3666.00 ft (KB)

Start Date: 2006.03.29

End Date:

2006.03.29

Start Time: 01:04:18

End Time:

09:57:28

Capacity: 7000.00 psig


Last Calib.: 2006.03.29

Time On Btm: 2006.03.29 @ 03:10:13

Time Off Btm: 2006.03.29 @ 07:04:12

TEST COMMENT: IF: Strong blow . B.O.B. in 10 - 11 mins.
IS: Weak blow . 1/2 - 1"
FF: Strong blow . B.O.B. in 10 - 11 mins.
FS: Weak blow . 1 - 2".

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1790.41	93.32	Initial Hydro-static
1	37.68	92.80	Open To Flow (1)
30	164.25	102.64	Shut-In (1)
77	1182.28	103.15	End Shut-In (1)
77	172.53	102.82	Open To Flow (2)
137	360.54	108.46	Shut-In (2)
234	1178.68	106.68	End Shut-In (2)
234	1714.84	106.88	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
80.00	GOCM 23%g 7%o 70%m	0.85
120.00	GOCM 25%g 16%o 59%m	1.68
654.00	CGO 19%g 81%o	9.17
0.00	130 ft. of GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.
1600 Stout St Ste 1500
Denver CO 80202
ATTN: Tim Lauer

McGinty #5
36-21s-14w Stafford
Job Ticket: 24370 **DST#: 4**
Test Start: 2006.03.29 @ 01:04:13


Tool Information

Drill Pipe:	Length: 3642.00 ft	Diameter: 3.80 inches	Volume: 51.09 bbl	Tool Weight: 2100.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 30.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 63000.00 lb
			<u>Total Volume: 51.24 bbl</u>	Tool Chased 1.00 ft
Drill Pipe Above KB:	27.00 ft			String Weight: Initial 51000.00 lb
Depth to Top Packer:	3665.00 ft			Final 56000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	91.00 ft			
Tool Length:	111.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3646.00	
Shut In Tool	5.00			3651.00	
Hydraulic tool	5.00			3656.00	
Packer	4.00			3660.00	20.00 Bottom Of Top Packer
Packer	5.00			3665.00	
Stubb	1.00			3666.00	
Recorder	0.00	6771	Inside	3666.00	
Perforations	3.00			3669.00	
Change Over Sub	1.00			3670.00	
Blank Spacing	63.00			3733.00	
Change Over Sub	1.00			3734.00	
Perforations	17.00			3751.00	
Recorder	0.00	13222	Outside	3751.00	
Bullnose	5.00			3756.00	91.00 Bottom Packers & Anchor

Total Tool Length: 111.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.
1600 Stout St Ste 1500
Denver CO 80202
ATTN: Tim Lauer

McGinty #5
36-21s-14w Stafford
Job Ticket: 24370 **DST#: 4**
Test Start: 2006.03.29 @ 01:04:13

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 25 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 5000 ppm
Viscosity: 47.00 sec/qt	Cushion Volume: bbl	
Water Loss: 9.18 in ³	Gas Cushion Type:	
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig	
Salinity: 5000.00 ppm		
Filter Cake: 0.20 inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
80.00	GOCM 23%g 7%o 70%m	0.849
120.00	GOCM 25%g 16%o 59%m	1.683
654.00	CGO 19%g 81%o	9.174
0.00	130 ft. of GIP	0.000

Total Length: 854.00 ft Total Volume: 11.706 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #: none
 Laboratory Name: Laboratory Location:
 Recovery Comments:

