


FORM 51 Stafford

Section 15 Township 21 Range 12W

Well No. 2 Christiansen

Company Anschutz Drlg.



Sec. 15 Twp. 21 R. 12W

Well No. #2 Christiansen Farm

Anschutz Drlg. Company

Contractor


990 Ft. from N. Line

Ft. from S. Line

990 Ft. from E. Line

Ft. from W. Line

SW NE SE



1952 Elev. 1844' REPORT

11/26 Spud 11-20-52

12/4 Location

12/11 Location

12/18 ø2080

12/25 " "

1/1 Heeb 3098 Br1 3237 Lans 3248 Cong 3476
V 3492 Simp Shale 3508 Arb 3561 RTD
3650 5" @ 3649 CO TESTING

1/8 NR

~~1/22~~ NR

1/29 NR

2/4 Spud 12-12-52

Oil Well

TD 3650

8" @ 315

Heeb 3098, Br lime 3237, Lans 3248

DST 3268-91, opn 3/4 hrs., rec.

15' mud, 235#

Cong. 3476, Viola 3492, Simp

3508, Arb. 3561

DST 3563-76, opn 1 1/2 hrs., rec.

20' so & g cm, 0#

DST 3576-3605, opn 1 1/4 hrs., rec.

115' so & GCM

OVER

#2 Christiansen
(Information Brought Forward)

1953

2/4 DST 3606-50, opn 40 mins., rec.
420' gas, 140' o & gcm, 360#
TD 3650,
5" @ 3649
CO to 3628
27/3612-17, 10 goph 3 hrs., 1000A
2500A S/12 boph 4 hrs.,
SP 3610
25/3604-09, S/11 3/4 bo 1 hr.
SP 3600 36/3583-93, S/11 boph
2 hrs., DP 3627 P/67 bo 10 hrs.
Comp. 175 bopd 2% wtr.

COMPLETED

County Stafford State Kansas
 Sec. 15 (Blk. 21) (Sur. 12W) (Twp.) (Rge.) Map No.
 Operator Anschutz Drlg.
 Well No. 2 Farm Christiansen
 Elev. 1844 Location SW NE SE

990 Ft. From N Line SE
990 Ft. From E Line Quarter
 Ist. Report
 Completion FEB 4 1953
 Remarks
 Spudding Date 12-12-52

Drlg. Data Oil well TD 3650
8" @ 315 Heeb 3098 Br. lime 3237
Lans. 3248 DST 3268-91 open 3/4 hr.
Rec. 15' mud 235# Cong. 3476
Viola 3492 Simp. 3508 Arb. 3561
DST 3563-76 open 1 1/2 hr. Rec. 20' so & gcm
O# DST 3576-3605 open 1 1/4 hr. Rec. 115'
so & gcm DST 3606-50 open 40 min. Rec.
420' gas 140' o & gcm 360# TD 3650
5" @ 3649 CO to 3628 27/ 3612-17
10 goph 3 hr. 1000 A 2500 A
S/ 12 boph 4 hr. SP 3610 25/ 3604-09
S/ 11 3/4 bo 1 hr SP 3600 36/ 3583-93
S/ 11 boph 2 hr. DP 3627 P/ 67 bo 10 hr
Comp. 175 bopd 2% wtr.

J. G. McGEHEE