


SUPERIOR TESTERS ENTERPRISES L.L.C.

1(800)792-6902

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530



1	Initial Hydrostatic Pressure	2120
2	Initial Flow Pressure	68
3	Final Initial Flow Pressure	74
4	Initial Shut-In Pressure	117
5	Initial Final Flow Pressure	79
6	Final Flow Pressure	78
7	Final Shut-In Pressure	1384
8	Final Hydrostatic Pressure	2039

Maximum Temperature 120

GENERAL INFORMATION

COMPANY NAME HARTMAN OIL CO. INC.	
TEST DATE 10/20/07	LEASE AND WELL NUMBER ANTRIM #6
SECTION-TOWN-RANGE 18-21S-22W	FORMATION TESTED MISSISSIPPI
STATE KANSAS	DRILL STEM TEST NUMBER 3
COUNTY HODGEMAN	REPORT NUMBER 15212
ELEVATION GROUND LEVEL 2280	ELEVATION KELLY BUSHINGS 2290
COMPANY REPRESENTATIVE JIM MUSGROVE	TESTING ENGINEER KEVIN WEBSTER

TOOL SETTING INFORMATION

TEST INTERVAL (From) 4390	TOP PACKER DEPTH 4385
TEST INTERVAL (to) 4398	BOTTOM PACKER DEPTH 4390
ANCHOR LENGTH 8	NUMBER OF PACKERS 2
TOTAL DEPTH (ft) 4398	PACKER SIZE 6 3/4
	HOLE SIZE 7 7/8

FLOW TIMES

INITIAL OPEN		FINAL OPEN	
TOOL OPEN (from) 11:10		TOOL OPEN (from) 12:40	
TOOL OPEN (to) 11:55		TOOL OPEN (to) 1:10	
DURATION (min.) 45		DURATION (min.) 30	
INITIAL SHUT-IN		FINAL SHUT-IN	
TOOL CLOSED (from) 11:55		TOOL CLOSED (from) 1:10	
TOOL CLOSED (to) 12:40		TOOL CLOSED (to) 1:55	
DURATION (min.) 45		DURATION (min.) 45	

INITIAL FLOW

WEAK SURFACE BLOW BUILT TO 1 1/2" FLUSHED TOOL

FINAL FLOW

NO BLOW FLUSHED TOOL STILL NO BLOW

Company: HARTMAN OIL CO. INC. Lease & Well No. ANTRIM #6 Test #: 3 Date: 10/20/07 SEC. 18 TWP.
 21S RGE. 22W

SUPERIOR TESTERS ENTERPRISES L.L.C.

DRILL STEM TEST REPORT

GREAT BEND, KANSAS 67530 (800)792-6902

GENERAL INFORMATION

COMPANY NAME	HARTMAN OIL CO. INC.	LEASE AND WELL NUMBER	ANTRIM #6
TEST DATE	10/20/07	FORMATION TESTED	MISSISSIPPI
SECTION-TOWN-RANGE	18-21S-22W	DRILL STEM TEST NUMBER	3
STATE	KANSAS	REPORT NUMBER	15212
COUNTY	HODGEMAN	ELEVATION KELLY BUSHINGS	2290
ELEVATION GROUND LEVEL	2280	TESTING ENGINEER	KEVIN WEBSTER
COMPANY REPRESENTATIVE	JIM MUSGROVE		

EXTRA EQUIPMENT

JARS	NO	EXTRA PACKER (3RD)	NO
SAFETY JOINT	NO	EXTRA PACKER (4TH)	NO
ELECTRONIC RECORDER	YES	STRADDLE	NO
CIRCULATING SUB	NO	HOOK WALL	NO
		SAMPLER	NO
	152 MILES ROUND TRIP FROM		GREAT BEND
TOP RECORDER DEPTH	4394	BOTTOM RECORDER DEPTH	4395
RECORDER NUMBER	4023	RECORDER NUMBER	3088

WELL INFORMATION

DRILLING CONTRACTOR	H 2 #2	DRILL COLLAR LENGTH	123
DRILL PIPE LENGTH	4243	DRILL COLLAR I.D.	2.25
DRILL PIPE I.D.	3.8	TOOL JOINT SIZE	4 1/2 X.H.
TOOL JOINT SIZE	4 1/2 X.H.		


COMMENTS

Recovery Sample Description

Great Bend, Kansas 67530

Drill Pipe	I.D.	Feet		Recovery Description For Drill Pipe	Gas	Oil	Mud	Water	Total bbls.
4 1/2	3.82	0							0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
Drill Collars	I.D.			Recovery Description For Drill Collars	0.0000	0.0000	0.0000	0.0000	
	2.25	120	VERY SLIGHTLY / OIL CUT MUD			TR	100%		0.5880
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
									0.0000
Total Recovery		120 Feet		Total bbls. Recovered From Drill Pipe	0.0000	0.0000	0.0000	0.0000	Total
				Total bbls. Recovered From Drill Collars	0.0000	#####	0.5880	0.0000	bbls
				Total bbls Recovered	0.0000	#####	0.5880	0.0000	0.5880
Gravity of Oil Corrected									
MUD WEIGHT #/GAL	9.1			Resistivity		ohms @		Degrees	
VISCOSITY	43			Recovery Chlorides		ppm			
WATER LOSS	11.4			Pit Chlorides	11000	ppm			
				4 1/2 inch Drill Pipe 3.83 I.D. Drill Collars 2.25 I.D					
HARTMAN OIL CO., INC.				ANTRIM #6	10/20/07	18-21S-22W	DST#3 MISSISSIPPI		

Temperature / Pressure Data



Tool serial number: 4143

Test start: 10/20/2007 18:02:20