

KANSAS

Well No. #2 Scharz "B"

Company Petroleum Inc.

WEST

EAST

SOUTH

Stafford

KANSAS

SEC.

34

TWP.

21

R.

T4W

WELL NO.

2 Schartz "B"

FARM

COMPANY

Petroleum Inc.

CONTRACTOR

Co. Tools

S. Hickman


Ft. from N. Line

Ft. from S. Line

Ft. from E. Line

Ft. from W. Line

SW SW SW



1955

ELEVATION

1943

REPORT

5/26

Comm 5-12-55

8" @ 230

Drlg 2850

6/22

Comm 5-12-55

H 3297, BL 3416, L 3426, BKC 3654,

C 3705 V 3712, S 3752 A 3804

TD 3830

8" @ 230 DST 3527-42 open 1 hr

Rec 65' so & gcm 590/20" DST 3565-80

open 1 hr Rec 690' socsw 820/20"

DST 3582-95 open 1 hr Rec 730' gas

80' vhoem 1100# DST 3603-18, open

1 hr Rec 150' gas 90' O & GCM

80' cho & gcm 100' gassy oil & sw

25% oil 480' sw 1220/30" 4" @ 3720

CO to 3625 16/3584-88 1500 A S/2.82

bo 12.69 bw SP 3578 20/3547-50

1500 A S/2 bo 16.41 bwph CO to 3625

S/4 bo 27 bwph D & A

ABANDONED

Twp. _____ Sect. _____

Co. _____ Facet _____

FIRST REPORT

FORM 513 REV. SUNRAY

County Stafford Elev. _____
 Sec. 34 Twp. 21 Rge. 14W
 Company Petroleum Inc.
 Farm Name Schartz "B" No. 2

TOPS	DEPTH	DATUM
Cim. Anhydrite		
Ft. Riley		
Howard		
Topeka		
Heebner Sh.		
Toronto Ls.		
Brown Lime		
Lansing		
Kans. City		
B. K. C.		
Congl.		
Miss.		
Kinderhook		
Misener		
Hunton		
Sylv. Maquo		
Viola		
Simpson		
Smp.		
Gorham		
Arbuckle		
Basal Sand		
Pre. Cam.		
T. D.		

Loc. in Section _____
SW SW SW

Drlg. Contr. Co. toolsPool S. Hickman

Date Comm. 5-12-55

Date Comp. _____

8" @ 230 : drlg. 2850

County Stafford Elev. 1943
Sec. 34 Twp. (21) Rge. 14W
Company Petroleum Inc.
Farm Name Schartz "B" No. 2

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				SW SW SW
T.P.				
H.	3297		1354	200' WL.
Tr.				
Dg.				
BL.	3416		1473	
L.	3420		1483	Geol.
K.C.				Contr.
B.K.C.	3654		1711	Co. tools
Ce.				
C.	3705		1762	Pool
M.				S. Hickman
M.				
K.				
Mz.				
Me.				
V.	3712		1769	
S.	3752		1809	
S.				
A	3804		1861	
R.				
Pe.				
G.				
TR.	3830			

ABANDONED

Date Comm. 5-12-55 JUN 22 1955
8" @ 230 DST 3527-42 open 1 hr.
Rec. 65' so & gcm 590/20" DST 3565-80
open 1 hr. Rec. 690' socsw 820/20"
DST 3582-95 open 1 hr. Rec. 730' gas
80' vho cm 1100# DST 3603-18
open 1 hr. Rec. 150' gas 90' o & gcm
80' vho & gcm 100' gassy oil & sw
25% oil 480' sw 1220/30" 4" @ 3720