

Stafford

KANSAS

SECTION 35 TOWNSHIP 21 RANGE 13 W

WELL NO. #6 Applegate

COMPANY Keiser & Francis

NORTH

						0	

WEST

EAST

SOUTH

1956

4-4 continued

CO to 3712

24/ 3704-10, 50 A, 500 A

S/ 38 bfph, 25% oil,

SP 3698, 24 / 3682-88,

S/ 33 bfph, 35% oil,

CO to 3712

S/ 60 bo 106 bw 5 hrs., 32/ 3650-58,

P/ 100 bopd, 200 bw

Comp. 25 bopd, 50 BW

Anh. 703

L. 3314

BKC 3530

V. 3546

S. 3603

A. 3647

TD 3745

COMPLETED

County Stafford Elev. _____
 Sec. 35 Twp. (24) Rge. 13W
 Company Kaiser & Francis
 FarmName Applegate No. 6

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NW SE NE
Tr.				
H.				
Tr.				
Dg.				
Bl.				
L.				Geol. _____
K.C.				Contr. _____
B.K.C.				
Ce.				<u>Armer</u>
C.				
M.				Pool _____
M.				
K.				<u>Gates</u>
Mz.				
Mo.				
V.				
S.				
S.				
A.				
R.				
Pe.				
G.				
T.P.				

FEB 1 1958
 FIRST REPORT

Date Comm. _____
 Location _____

~~18~~

Co. Lse. No. Sec. T. R.

FEB 7 1956

R. G.

County Stafford Elev. 1876 Co.
 Sec. 35 Twp. 21 Rge. 13W
 Company Kaiser & Francis
 Farm Name Applegate No. 6

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.	<u>4703</u>			NW SE NE
Tp.	<u>!</u>			
H.	<u>✓</u>			
Tr.				1650' NL
Dg.				1050' EL
Bl.				
L.	<u>3314</u>		<u>1438</u>	Geol.
K.C.				Contr.
B.K.C.	<u>9530</u>		<u>1654</u>	Armer
Ce.				Pool
C.				Gates
M.				
M.				
K.				
Mz.				
Ma.				
V.	<u>-3546</u>		<u>1670</u>	<div style="border: 1px dashed black; padding: 10px; text-align: center;"> <p>COMPLETE</p> <p>APR 4 '56</p> </div>
S.	<u>3603</u>		<u>1727</u>	
S.				
A.	<u>3647</u>		<u>1771</u>	
R.				
PE.				
G.				
T.D.	<u>2745</u>			

Date Comm. 2-25-56 No. Sec. T. R.
8 5/8" @ 291/200 DST 3302-78 open 1 hr.
gas in 55 min. rec. 500' wtry oil
850/15" DST 3380-3424 open 1 hr.
gas in 30 min. rec. 90' o & gcm 420' sm
60' wcm 60' oily wtr. 60' wtr. 1080/15"
DST 3427-47 open 1 hr. gas in 4 min.
2,864 mcfg rec. 60' wgcmm 1260/15"
DST 3449-65 open 1 hr. gas in 7 min.

APR 16 1956

R. G.

50 mcf reg. 80' hcom 1120' gasst oil
15' wtr. 1110/15" DST 3467-3530
open 1 hr. rec. 25' mud 125#
DST 3550-3615 open 1 hr. gas in 38 min.
rec. 58' gcm 390# DST 3651-56 open 1 hr
rec. 690' oil 550/15" DST 3660-76
open 1 hr. rec. 725' oil 540' muddy oil
120' oil wtr. 120' wtr. 660#
DST 3681-3710 open 1 hr. rec. 40' ocm
1020' oil 240' ocm 240' clear wtr.
615# 5¹/₂" @ 3744/150 GO to 3731
GO to 3712 24/3704-10 50 A 500 A
S/38 bfpH 25% oil SF 3698
24/3682-88 S/33 bfpH 35% oil
GO to 3712 S/60 bo 106 bw 5 hr.
32/3650-58 F/100 bopd 200 bw
Comp. 25 bopd 50 bw