

Company Maguire Oil Lease & Well No. Sponer #1
 Elevation 2146 Formation Cherokee Effective Pay ----- Ft. Ticket No. 5410
 Date 8/20/80 Sec. 27 Twp. 22S Range 19W County Pawnee State Kansas
 Test Approved by Bob Carpenter Western Representative Jim Wondra

Formation Test No. 2 Interval Tested from 4325 ft. to 4363 ft. Total Depth 4850 ft.
 Packer Depth 4325 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 4363 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Depth of Selective Zone Set 4369

Top Recorder Depth (Inside) 4343 ft. Recorder Number 2607 Cap. 4150
 Bottom Recorder Depth (Outside) 4346 ft. Recorder Number 3351 Cap. 4000
 Below Straddle Recorder Depth 4362 ft. Recorder Number - Cap. -

Drilling Contractor Sterling Drilling Rig #5 Drill Collar Length 331 I. D. 2 1/4 in.
 Mud Type premix-drispac Viscosity 39 Weight Pipe Length 427 I. D. 2.7 in.
 Weight 9.1 Water Loss 16.8 cc. Drill Pipe Length 3535 I. D. 3.8 in.
 Chlorides 19,000 P.P.M. Test Tool Length 70 ft. Tool Size 5 1/2 OD in.
 Jars: Make WTC Serial Number 410 Anchor Length - ft. Size 5 1/2 OD in.
 Did Well Flow? No Reversed Out No Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.


Blow: _____

 Recovered _____ ft. of _____
 Recovered _____ ft. of _____ MISRUN
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____ HOOK DID NOT SET
 Recovered _____ ft. of _____
 Remarks: _____

Time Set Packer(s)	A.M. P.M.	Time Started Off Bottom	A.M. P.M.	Maximum Temperature
Initial Hydrostatic Pressure		(A) <u>2204</u>	P.S.I.	
Initial Flow Period		Minutes (B) <u>--</u>	P.S.I. to (C) <u>--</u>	P.S.I.
Initial Closed In Period		Minutes (D) <u>--</u>	P.S.I.	
Final Flow Period		Minutes (E) <u>--</u>	P.S.I. to (F) <u>--</u>	P.S.I.
Final Closed In Period		Minutes (G) <u>--</u>	P.S.I.	
Final Hydrostatic Pressure		(H) <u>2160</u>	P.S.I.	

JKA # 5411

0



51


Test #3

JKA # 5411

I

(H)

(A)



10

#3

Company Maguire Oil Lease & Well No. Spomer #1
 Elevation 2146 Formation Kansas City Effective Pay - Ft. Ticket No. 5411
 Date 8/20/80 Sec. 27 Twp. 22S Range 19W County Pawnee State Kansas

Test Approved by Bob Carpenter Western Representative Jim Wondra

Formation Test No. 3 Interval Tested from 3960 ft. to 4050 ft. Total Depth 4855 ft.
 Packer Depth 3955 ft. Size 6 3/4 in. Packer Depth 4050 ft. Size 6 3/4 in.
 Packer Depth 3960 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Depth of Selective Zone Set 4057

Top Recorder Depth (Inside) 4038 ft. Recorder Number 2607 Cap. 4150
 Bottom Recorder Depth (Outside) 4041 ft. Recorder Number 3351 Cap. 4000
 Below Straddle Recorder Depth 4055 ft. Recorder Number - Cap. -

Drilling Contractor Sterling Drilling Rig #5 Drill Collar Length 331 I. D. 2 1/2 in.
 Mud Type premix-driscap Viscosity 39 Weight Pipe Length 427 I. D. 2.7 in.
 Weight 9.1 Water Loss 16.8 cc. Drill Pipe Length 3167 I. D. 3.8 in.
 Chlorides 19,000 P.P.M. Test Tool Length 125 ft. Tool Size 5 1/2 OD in.
 Jars: Make WTC Serial Number 410 Anchor Length - ft. Size - in.
 Did Well Flow? No Reversed Out No Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.


Blow: _____

 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Remarks: _____

HOOK DID NOT SET

Time Set Packer(s)	A.M. P.M.	Time Started Off Bottom	A.M. P.M.	Maximum Temperature
Initial Hydrostatic Pressure		(A) <u>2023</u>	P.S.I.	
Initial Flow Period		Minutes (B) <u>--</u>	P.S.I. to (C) <u>--</u>	P.S.I.
Initial Closed In Period		Minutes (D) <u>--</u>	P.S.I.	
Final Flow Period		Minutes (E) <u>--</u>	P.S.I. to (F) <u>--</u>	P.S.I.
Final* Closed In Period		Minutes (G) <u>--</u>	P.S.I.	
Final Hydrostatic Pressure		(H) <u>1996</u>	P.S.I.	

JKT #5410
0



JKT #5410
I

