


SECTION 21 TOWNSHIP 22S RANGE 15W

WELL NO. #1 A.G. Wick

COMPANY D.F. O'Rourke



HOT FILE Patnee KANSAS

SEC. TWP. R.
 21 22 S 15 W

WELL NO. # 1 A. C. Wick FARM

COMPANY D. F. O'Rourke - (LD-76266)

CONTRACTOR D. R. Lauck

Wildcat NORTH *W Lm*

_____ FT. FROM N. LINE	WEST									EAST
_____ FT. FROM S. LINE		
_____ FT. FROM E. LINE		
_____ FT. FROM W. LINE		

~~SE-SW-SW~~
 SW SE SW (SDM-FO (S-10192) (SDM-ORRI- 1/16 of 7/8)

1957 ELEVATION 2005' KB 2003' DF REPORT (TWH7-F014) ✓

Arbuckle formation test appx 4050'
 To be commenced by Jan. 15, 1958
 To be completed by Feb. 15, 1958
 (See copy FO Agt 12-12-57)

12/26 Location (FR Tkt)

12/31 Spudded 12-27-57
 Set 250' of 8-5/8" csg. w/200 sx.
 (Card- Lauck Drlg.)

1958
 1/1 Drlg. 1870' "
 1/2 Drlg. 2400' "
 1/3 Drlg. 2900' "
 1/4 Drlg. 3250' "
 1/5 Drlg. 3390' "
 1/6 Drlg. ~~3600~~ 3685'
 Br. Lm 3539', KC 3542' (Tel-DF O'Rourke)
 1/8 Drlg. 3978' (Card-DR. Lauck)

1/9 TD 3980' T/Arb. 3975'
 DST 3975-80', open 1 1/2 hr. rec 2200'
 fluid. ~~REG. XOPRA~~ (Tel-DF O'Rourke)
 IFP 270#. FFP 960#. BHP 1320# 30"
 5 1/2" @ 3973. TD 3980' (WH-Wkly Drlg. Rpt)

1/23 CO 3980'. S/10 BFPH 30% wtr. 8 hrs.
 POP. "

1/30 Log tops: Anhy 955', Heeb 3415',
 Tor 3434', Doug 3452', B Lm 3530',
 Lans 3540', BKC 3770', C 3848',
 Cherty Vi 3851', Simp. 3927'
 Arb. 3971' TD 3980' OVER "

1958			
2/6	TD 3980'	POP	(WH-Wkly Drlg. Rpt)
2/13	"	"	"
2/20	"	"	"
2/27	TD 3980'	Pumping.	"
3/6	TD 3980'	P/35 BOPD + 105 BWPD	"
		Testing.	"
3/13	TD 3980'	PB 3974'	16/3971 $\frac{1}{2}$ -73 $\frac{1}{2}$
		No tests.	Nat. 165 acid rec load.
		T & R POP.	P/22 BOPD + 110 BW
		Grav. 37.	Made 400 BO to 3-11-58
3/20	TD 3980'	NR	"
3/27	"	"	"
4/3	"	"	"
4/10	"	"	"
4/17	"	"	"
4/24	"	"	"
4/30			

Spud 12-28-57
5 $\frac{1}{2}$ " @ 3973
Log tops: An 955', Hb 3415', Tr 3434'
Dg 3452', BL 3530', Lsg 3540',
BKc 3770', C 3848', C Vio 3854',
S. 3927', Arb. 3971'
TD 3980' P/22 BOPD + 110 BW. Grav 37
Made 400-BO to March 11, 1958.
P/17 BO, 93% wtr. Grav 30.8 Ap.30,58
(See Completion Ticket)

COMPLETED

5/23 (Advised Contract Section- Comp. Oil)

13

WILDCAT

S-513-A

CO. ~~Pawnee~~ ELEV. _____
 SEC. ~~21~~ TWP. ~~22~~ RGE. ~~15W~~
 COMPANY ~~D. F. O'Rourke~~ NO. ~~1~~

FIRST REPORT	
DEC 26 '57	
8	

CO.

FARM A. C. Wick
 LOC. SW SE SW

SDX-FO

(TWH7-FO14)

GEOLOGICAL _____
 CONTR. D. P. Leuck
 POOL Wildcat
 SPUD _____
 Location _____

USE

NO.

SEC.

TWP.

RGE.

REC 20 1957



MAY 5 1958

Twp. Pool. Co. Facet.

Paavree

ELEV. 20030F 20051FB

SEC. 21 TWP. 22 RGE. 15

COMPLETE APR 30 '58

COMPANY D. J. C. Tourk NO. 1

FARM A. J. Dick

SDX-FO

LOC. S. DE S.

(TWH-FO14)

H 3412
Lotan 3529
L 3542
Bkc 3770
shlyC 3842
Vio 3856
Arb 3971
TD 3980

GEOL. _____
 CONTR. _____
 POOL Dunes disc
 SPUD 12-28-57
 Location NW 25 85
 250/200 woc
 JAN 2 '58 Tops
 Ø 3880
 DST
 3974-80 1 1/2 hrs.

R.c. 2100' clean oil 100' wtry mud.
 97270 77960 BHP 1320/30"
 5 1/2" c 3973 disc CD 3980
 510 B.F. DL 3092W 8 hrs
 POP X Logtops An 955
 Hb 3415 TR3434 Dg 3452
 BK 3530 Lsg 3540 BKL
 3770 C 3848 C V.C 3854
 C 3927 arb 3971 LID
 3980 ~~C 3980~~ TD

MAY 5 '58 on pump FEB 12 '58 FEB 19 '58
 FEB 26 '58 P 35 Bopd. 4105
 BW pd tstg X PB
 3974 16/3971 1/2 - 73 1/2
 N tstg Nst 165A reel
 T6R pop P22 Bopd +
 110 BW gv 37° made 400 BOP
 to march 11, 1958 MAR 19 '58
 APR 5 '58 APR 16 '58 APR 23 '58
 P/17 ho 93% wtr gv. 30.8