

KANSAS

WELL COMPLETION REPORT AND
DRILLER'S LOGAPI No. 15 — Hodgeman — 15-083-20,820
County Number

Operator

Honey Bear Petroleum, Inc.

Address

890 Selkirk House, 555 4th Ave, S.W., Calgary, AL T2P 3E7

Well No.

1

Lease Name

Dixon

Footage Location

1980 feet from (N) (S) line 660 feet from (E) (W) line

Principal Contractor

DNB Drilling, Inc.

Geologist

M. Louise MacBeath

Spud Date

Jan. 27, 1981

Date Completed

Feb. 3, 1981

Total Depth

4530

P.B.T.D.

Directional Deviation

Oil and/or Gas Purchaser


State Geological Survey
S. 35 WICHITA BRANCH

Loc. C NE SE

County Hodgeman

640 Acres

N



Locate well correctly

2233

Elev.: Gr.

DF KB 2238

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"	20	287	Common	185	2% gel, 3% CaCl ₂

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production	Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold)	Producing interval (s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

State Geological Survey
WICHITA BRANCH

21
DRILLER'S LOG

* 35- 22- 22W

HONEY BEAR PETROLEUM, INC.
No. 1 Dixon
C W/2 NE SE
Sec. 35-22S-22W
Hodgeman Co., Ks.

Commenced: 1-27-81
Completed: 2-4-81

Surface Casing: 279' of 8-5/8"
cmtd w/185 sx common, 2% gel, 3% cc

FORMATION

DEPTH

Surface Hole	0 - 287
Shale, Sand & Red Bed	287 - 742
Blaine	742 - 754
Shale, Sand & Red Bed	754 - 1210
Shale	1210 - 1690
Shale, Shells & Sand	1690 - 2290
Lime & Shale	2290 - 4234
Lime	4234 - 4530 RTD

I do hereby certify that the foregoing statements are true and correct to the best of my knowledge and belief.

D N B DRILLING, INC.

James L. Donelson Jr.
James L. Donelson Jr.

STATE OF KANSAS: ss:

Subscribed and sworn to before me this 5th day of February, 1981.

Dorothy L. Schmidt
Dorothy L. Schmidt, Notary Public

