

**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior
PO Box 399
Garden City Ks, 67846

ATTN: Jason Alm

Good Earth O'Brate 1-26
26/22s/23w
Job Ticket: 42217 DST#: 1
Test Start: 2011.06.26 @ 20:40:09

Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 43.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.98 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4400.00 ppm			
Filter Cake: inches			


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	OCM 10%oil 90%mud	0.305
478.00	OCVM10%gas30%oil40%water20%mud	3.963

Total Length: 540.00 ft Total Volume: 4.268 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:





TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

JUL 08 2011

Test Ticket

NO. 042217 15964

Well Name & No. Good Earth O'Brien #1-26 Test No. 1 Date 6-27-11
 Company American Warrior Elevation 2273 KB 2262 GL
 Address Po Box 399 Garden City KS 67846
 Co. Rep / Geo. Tyson Alm Rig Duke 5
 Location: Sec. 26 Twp. 22s Rge. 23w Co. Hodgeman State Ks

Interval Tested 4450-4513 Zone Tested Mississippian
 Anchor Length 63' Drill Pipe Run 4071.0 Mud Wt. 9.3
 Top Packer Depth 4445 Drill Collars Run 363.0 Vis 43
 Bottom Packer Depth 4450 Wt. Pipe Run 0 WL 9.0
 Total Depth 4513 Chlorides 4400 ppm System LCM 1#

Blow Description IF-BOB in 10min
ISE-NO Blowback
AF-BOB in 13min
PSE-NO Blowback

Rec	Feet of	%gas	%oil	%water	%mud
<u>62</u>	<u>OCM</u>	<u>10</u>		<u>90</u>	
<u>478</u>	<u>OCWm</u>	<u>10</u>	<u>30</u>	<u>40</u>	<u>20</u>
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 540 BHT 130.40 Gravity _____ API RW _____ @ _____ °F Chlorides _____ ppm

(A) Initial Hydrostatic 2258.22 Test 1225.00 T-On Location 8:00pm
 (B) First Initial Flow 52.67 Jars 250.00 T-Started 9:30pm
 (C) First Final Flow 223.61 Safety Joint 75.00 T-Open 12:05AM
 (D) Initial Shut-In 1404.84 Circ Sub _____ T-Pulled 1:35AM
 (E) Second Initial Flow 233.19 Hourly Standby _____ T-Out 4:00AM
 (F) Second Final Flow 275.43 Mileage 156rt 218.40 Comments _____
 (G) Final Shut-In 1401.56 Sampler _____
 (H) Final Hydrostatic 2240.01 Straddle _____
 Shale Packer _____
 Extra Packer _____
 Extra Recorder _____
 Day Standby _____
 Accessibility _____

Initial Open 15
 Initial Shut-In 30
 Final Flow 15
 Final Shut-In 30
 Sub Total 17108.40
 Total 17108.40
 MP/DST Disc't _____

Approved By _____ Our Representative MSB

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.