

15-083-20422

26-22S-24N

KANSAS DRILLERS LOG

State Geological Survey

API No. 15 — 083 WICHITA, BRANCH

County

Number

Operator

Cities Service Oil Company

Address

209 E. William, 700 Sutton Place, Wichita, Kansas 67202

Well No.

2

Lease Name

Davis "D"

Footage Location

2080 FSL

1980 FWL

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

Abercrombie Drlg. Co.

Geologist

Well Site
R. S. Jordan

Spud Date

4/13/75

Total Depth

4706

P.B.T.D.

Date Completed

4/24/75


Oil Purchaser

D & A

S. 26 T. 22S R. 24 ~~EX~~ W

Loc. 2080' FSL, 1980' FWL

County Hodgeman

640 Acres
N

Locate well correctly

Elev.: Gr. 2389

DF 2392 KB 2394

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|---------------------------|----------------|---------------|--------------|-------|----------------------------|
| Surface | 12-1/4" | 8-5/8" | 28# | 342' | 50-50 Pozmix | 250 | 2% Gel. 2% CACL2 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LINER RECORD

PERFORATION RECORD

| Top, ft. | Bottom, ft. | Sacks cement | Shots per ft. | Size & type | Depth interval |
|----------|-------------|--------------|---------------|-------------|----------------|
| | | | | | |
| | | | | | |
| | | | | | |

| Size | Setting depth | Packer set at | | | |
|------|---------------|---------------|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |


ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|----------------------------------|------------------------|
| | |
| | |
| | |
| | |

INITIAL PRODUCTION

| | | | | | |
|--|---|-----|------------------------|---------------|------|
| Date of first production | Producing method (flowing, pumping, gas lift, etc.) | | | | |
| RATE OF PRODUCTION PER 24 HOURS | Oil | Gas | Water | Gas-oil ratio | |
| | bbls. | MCF | bbls. | | CFPB |
| Disposition of gas (vented, used on lease or sold) | | | Producing interval (s) | | |
| | | | | | |

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

| | | | |
|---|--|---|----------|
| Operator Cities Service Oil Company | | DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: | |
| Well No. 2 | Lease Name Davis "D" | | Dry Hole |
| S <u>26</u> T <u>22</u> R <u>24</u> ^{2E} _W | | | |
| WELL LOG <small>Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.</small> | | SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. | |
| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME |
| <p style="margin-top: 0;">Log Attached</p> <div style="position: absolute; bottom: 100px; left: 100px; border: 1px solid black; border-radius: 50%; padding: 10px; text-align: center;">  </div> | | | |
| USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD. | | | |
| Date Received | <div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div style="width: 40%;"> <p style="margin: 0;">_____ Signature</p> <p style="margin: 0;">_____ Title</p> <p style="margin: 0;">_____ Date</p> </div> <div style="width: 55%; text-align: right;"> <p style="margin: 0;">W. J. Devaney</p> <p style="margin: 0;">Mid-Continent North Region Operations Manager</p> <p style="margin: 0;">4/30/75</p> </div> </div> | | |

26-22-24W

CONTRACTOR'S WELL LOG

OPERATOR: Cities Service Oil Company
 CONTRACTOR: Abercrombie Drilling, Inc.
 WELL NAME: DAVIS "D" #2
 LOCATION: C SW NE Section 26-22S-24W
 Hodgeman County, Kansas
 SPUD DATE: April 13, 1975
 COMPLETION DATE: April 24, 1975

| | | |
|------|------|--------------------|
| 0 | 308 | Sand |
| 308 | 343 | Shale |
| 343 | 700 | Sand |
| 700 | 1617 | Sand & Shale |
| 1617 | 1632 | Anhydrite |
| 1632 | 3483 | Shale & Lime |
| 3483 | 4465 | Lime & Shale |
| 4465 | 4585 | Lime |
| 4585 | 4618 | Lime & Shale |
| 4618 | 4707 | Lime |
| | 4707 | Rotary Total Depth |

Set 8-5/8" surface casing @342'. Cemented w/250 Sx. 50/50 Posmix, 2% Calcium Chloride. Cement circulated. Plug down @ 11:10 a.m., April 13, 1975.

Plugged and Abandoned: 1st Plug Set @ 900' w/50 sx., 2nd Plug Set @360' w/35 sx., 3rd Plug Set @40' w/10 sx., Plugged rat hole with 2 sx.

STATE OF KANSAS)
) SS
 COUNTY OF SEDGWICK)

Jerry A. Langrehr, Executive Vice President of Abercrombie Drilling, Inc., does hereby state that the above and foregoing is a true and correct copy of the log of the DAVIS "D" #2, C SW NE Section 26-22S-24W, Hodgeman County, Kansas.

ABERCROMBIE DRILLING, INC.

By: *Jerry A. Langrehr*
 Jerry A. Langrehr
 Executive Vice President

Subscribed and sworn to before me, a Notary Public, in and for the aforesaid county and state as of this 29th day of April, 1975.