


15-083-21563

2-22s-24w

IND



**TRILOBITE
TESTING, INC.**

**KCC
SEP 12 2008
CONFIDENTIAL**

American Warrior Inc

Goebel #1-2

2 22 24 Hodgeman KS

DST # 1

Miss

2008.07.29

DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

P O Box 399
Garden City Ks 67846-0399

ATTN: Cecil O'Brate

2 22 24 Hodgeman KS

Goebel #1-2

Start Date: 2008.07.29 @ 18:00:21

End Date: 2008.07.30 @ 02:05:45


Job Ticket #: 31910 DST #: 1

**RECEIVED
KANSAS CORPORATION COMMISSION**

SEP 18 2008

**CONSERVATION DIVISION
WICHITA, KS**

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

American Warrior Inc
P O Box 399
Garden City Ks 67846-0399
ATTN: Cecil O'Brate

Goebel #1-2
2 22 24 Hodgeman KS
Job Ticket: 31910 **DST#: 1**
Test Start: 2008.07.29 @ 18:00:21

GENERAL INFORMATION:


Formation: **Miss**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 20:45:46
Time Test Ended: 02:05:45
Interval: **4645.00 ft (KB) To 4655.00 ft (KB) (TVD)**
Total Depth: 4655.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole
Tester: Ray Schwager
Unit No: 42
Reference Elevations: 2428.00 ft (KB)
2417.00 ft (CF)
KB to GR/CF: 11.00 ft

Serial #: 8365

Inside

Press@RunDepth: 184.80 psig @ 4646.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2008.07.29 End Date: 2008.07.30 Last Calib.: 2008.07.30
Start Time: 18:00:21 End Time: 02:05:45 Time On Btm: 2008.07.29 @ 20:45:16
Time Off Btm: 2008.07.29 @ 23:18:15

TEST COMMENT: IFP w k to strg in 8 min
FFP w k to strg in 10 min
Times 30-45-30-45
ISIP- 1"bl bk FSIP- 1/4"bl bk



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2393.28	127.51	Initial Hydro-static
1	28.99	126.89	Open To Flow (1)
30	103.47	131.24	Shut-In(1)
75	1344.96	133.94	End Shut-In(1)
75	110.92	133.36	Open To Flow (2)
105	184.80	136.73	Shut-In(2)
152	1318.62	138.82	End Shut-In(2)
153	2246.81	138.94	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
505.00	CO	7.08
20.00	GMO 15%G45%O40%M	0.28
0.00	340'GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
P O Box 399
Garden City Ks 67846-0399

ATTN: Cecil O'Brate

Goebel #1-2
2 22 24 Hodgeman KS
Job Ticket: 31910 **DST#: 1**
Test Start: 2008.07.29 @ 18:00:21

Tool Information

Drill Pipe:	Length: 4621.00 ft	Diameter: 3.80 inches	Volume: 64.82 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
			Total Volume: 64.82 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	4.00 ft			String Weight: Initial 55000.00 lb
Depth to Top Packer:	4645.00 ft			Final 61000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	10.02 ft			
Tool Length:	38.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4618.00	
Shut In Tool	5.00			4623.00	
Hydraulic tool	5.00			4628.00	
Jars	5.00			4633.00	
Safety Joint	2.00			4635.00	
Packer	5.00			4640.00	28.00 Bottom Of Top Packer
Packer	5.00			4645.00	
Stubb	1.00			4646.00	
Recorder	0.01	8365	Inside	4646.01	
Recorder	0.01	6625	Outside	4646.02	
Perforations	6.00			4652.02	
Bullhose	3.00			4655.02	10.02 Bottom Packers & Anchor

Total Tool Length: 38.02

KCC
SEP 12 2008
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 18 2008

CONSERVATION DIVISION
WICHITA, KS



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc
P O Box 399
Garden City Ks 67846-0399
ATTN: Cecil O'Brate

Goebel #1-2
2 22 24 Hodgeman KS
Job Ticket: 31910 **DST#: 1**
Test Start: 2008.07.29 @ 18:00:21

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	38 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 56.00 sec/qt	Cushion Volume: bbl		
Water Loss: 10.40 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3500.00 ppm			
Filter Cake: 2.00 inches			


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
505.00	CO	7.084
20.00	GMO 15%G45%O40%M	0.281
0.00	340'GIP	0.000

Total Length: 525.00 ft Total Volume: 7.365 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

Pressure vs. Time



RECEIVED
KANSAS CORPORATION COMMER...
CONSERVATION DIVISION
WICHITA, KS

SEP 18 2008

Ref. No: 31910

KCC
SEP 12 2008
CONFIDENTIAL

Triobite Testing, Inc