

KANSAS DRILLERS LOG  
State Geological Survey

**IMPORTANT**  
Kans. Geo. Survey request  
samples on this well.

WICHITA, BRANCH  
API No. 15 — 083 — 20,425  
County Number

S. 14 T. 22 R. 25W  
Loc. C SE NE  
County Hodgeman

Operator  
DNB Drilling, Inc.

Address  
701 First National Building, Wichita, Kansas 67202


Well No. #1 Lease Name Beltz

Footage Location  
feet from (N) (S) line feet from (E) (W) line

Principal Contractor Geologist  
Alfred W. Stude

Spud Date 5-8-75 Total Depth 4670 P.B.T.D.

Date Completed 5-15-75 Oil Purchaser



Elev.: Gr. 2497  
DF 2499 KB 2502

**CASING RECORD**

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8-5/8"		447	common	300	2% Gel 3%cc

**LINER RECORD**

**PERFORATION RECORD**

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

**TUBING RECORD**

Size	Setting depth	Packer set at

**ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD**

Amount and kind of material used	Depth interval treated

**INITIAL PRODUCTION**

Date of first production	Producing method (flowing, pumping, gas lift, etc.)				
RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio	CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator **D N B DRILLING, INC.** DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Well No. **1** Lease Name **Beltz** Dry Hole


**S14 T 22SR 25W<sup>E</sup>**

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.  
**No Log**

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Surface Hole	90	447	Anhydrite	1687
Shale	447	1073	B/Anhy	1719
Blaine Anhydrite	1073	1093	Heebner	3912
Shale & Sand	1093	1705	Toronto	3930
Shale	1705	2490	Lansing	3965
Lime & Shale	2490	4145	B/KC	4362
Lime	4145	4620	Marmaton	4378
Lime & Chert	4620	4643	Cherokee	4508
Lime	4643	4650	Mississippi	4632
Dolomite	4650	4670	TD	4670
		RTD		



USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received \_\_\_\_\_

*Lella Press*  
Signature

*Bookkeeper*  
Title

*7-10-75*  
Date

DRILLERS' LOG

D N B DRILLING, INC.  
No. 1 Beltz  
C SE NE, Sec. 14-22S-25W  
Hodgeman County, Kansas

Elevation: 2502 K.B.

Commenced: 5-8-75  
Completed: 5-15-75

Surface Casing: 439' of  
8-5/8" cemented w/300 sx  
common cement, 2% Gal, 3% cc.  
5-8-75

FORMATION

DEPTH

Surface Hole	0 - 447
Shale	447 - 1073
Blaine Anhydrite	1073 - 1093
Shale & Sand	1093 - 1705
Shale	1705 - 2490
Lime & Shale	2490 - 4145
Lime	4145 - 4620
Lime & Chert	4620 - 4643
Lime	4643 - 4650
Dolomite	4650 - 4670 RTD

I do hereby certify that the foregoing statements are true and correct to the best of my knowledge and belief.

D N B DRILLING, INC.

*James L. Donelson*  
JAMES L. DONELSON



STATE OF KANSAS: ss:

Subscribed and sworn to before me this 19th day of May, 1975.

My Commission Expires:  
August 25, 1976

*Ella Priess*

Ella Priess, Notary Public

*Ella Priess*  
STATE NOTARY PUBLIC  
Sedgwick County, Kansas  
My Com. Expires Aug. 25, 1976