

WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY

508 East Murdock,

Wichita, Kansas


22-22-25W

Company. KEWANEE OIL CO.
Farm- Red No. 2

SEC. 22 T. 22 R. 25W
NE SW NE
990' fr SL, 990' fr WL
of NE/4

Total Depth. 4700' PB 4670'
Comm. 3-14-59 Comp. 4-2-59
Shot or Treated.
Contractor. Graham-Michaelis Drlg. Co.
Issued. 7-4-59

County Hodgeman
KANSAS



CASING:

8 5/8" 558.96' cme w/350 sx.
5 1/2" 4690.62' cem w/125 sx.
2 3/8" O.D. Tubing 4673.37'

Elevation. 2521' CM

Production. 101 BOPD

Figures indicate Bottom of Formations.

surface	0
shale & sand	562
shale	1190
shale and sand	1810
shale	2060
shale & shells	2250
shale	2550
lime & shale	2864
lime	4589
chert	4594
lime	4663
dolomite-lime	4700
Total Depth	
Plugged back	4670'

TOPS: SAMPLE C.M. MEAS.

Heebner	3904
Toronto	3921
Douglas	3942
Lansing-Kansas City	3951
Base Kansas City	4360
Marnaton	4384
Cherokee	4492
Conglomerate	4587
Mississippi	4600

TOPS: SCHLUMBERGER C.M. MEAS.

Heebner	3904
Toronto	3920
Douglas	3942
Lansing-Kansas City	3950
Base Kansas City	4360
Marnaton	4384
Cherokee	4492
Conglomerate	4582
Mississippi	4596

Treating Record: Acidized perfs. 4655-4659
w/250 gal mud acid.
Acidized perfs. 4600-4608 & 4612-4617'
w/750 gal. mud acid.

Perforating Record: Perforated 4600-4608,
4612-4617 & 4655-4655-4659 w/4 shots
per foot by PGAC.