

KANSAS


Stafford

FORM 51 SM 4-41 PETROL

Section 26 Township 22 Range 13-W

Well No. #1 Ahnert

Company Stanolind




Sec. 26 Twp. 22 R. 13-WWell No. #1 Ahnert FarmStanolind Company

(Wildcat)

660 Ft. from N. Line Ft. from S. Line330 Ft. from E. Line Ft. from W. Line

Elev. 1886



1941	REPORT
5/27	Rotary.
6/5	8" - 254' Anhy 721'
	Drlg. 2510'
6/12	Lans. 3395' Drlg. 3585'
6/19	Viola 3665' Arb. 3745-52' T.D.
	5" - 3746' 700' oil 5 hours.
6/26	500 Butane. 2000 acid.
	Swab 15 bbls. per hour.
	Coring 37 65'
7/3	T.D. 3769' 50 gals. water per
	hour. P. B.
7/9	Arb. 3745'
	5" - 3746'
	T.D. 3765'
	P.B. to 3761'
	Depthograph potential 1440 oil
	and 60 water. 28. Gravity
	COMPLETED


Map No. 82 Sec. 26 Twp. 22 R. 13WWell No. 1 AhnertStanolind CompanyFIRST REPORT Contractor

C E L NE SE

660 Ft. from N. Line Ft. from S. Line330 Ft. from E. Line Ft. from W. Line

WILDCAT

SECTION PLAT

Location Rig up

Drilling and Remarks:

Rotary

RECORD

Cased in., ft.Sand Gas Oil Total Depth

PRODUCTION

1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned

Date

MAY 27 1941 19S. J. LEWIS

Scout

Map No. 82 Sec. 26 Twp. 22 R. 13WWell No. 1 AhnertStanolind

Company

Contractor

COMPLETED

C E L N E S E

660 Ft. from N. Line

Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

SECTION PLAT

AHNERT POOL

Location

Rig up

Drilling and Remarks:

*CE 83745**5' @ 3746**PB 8761**Dep to 1440**60 Water**280 gr.*

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth *3765*

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

JUL 9 194119S. J. LEWISScout