

KANSAS

Reno


FORM 51 5M 10-41 PETROL

Section 30 Township 22 Range 9-W

Well No. #1 Smisor

Company Mid-Continent Petroleum

NORTH Semi-Wildcat



SOUTH

Sec. 30 Twp. 22-S R. 9-W

Well No. #1 J. C. Smisor Farm

Mid-Continent Petroleum Corp. Company

(Semi-Wildcat)


_____ Ft. from N. Line

330 Ft. from S. Line

990 Ft. from E. Line

990 Ft. from W. Line

Elev. 1729



1942	REPORT
4/21	Location
4/22	"
4/28	"
5/6	"
5/11	"
5/13	"
5/20	"
5/23	Building derrick (Tel)
5/27	10" - 275' WOC.
6/1	Dlg. 2465
6/3	Drlg. 2825'
6/5	Dlg. 3325 (Tel)
6/8	Top Viola 3676 Cored to 3692
	Had smell oil 3692 Reaming hole and
	will core-tonight (Tel--Denton)
Running	23' higher on Viola than Hinkle #2
Schweizer	1 1/2 mile south completed for a
bomb	(Peabody) potential of 1527 bbls from Viola
	OVER

29' H Hinkle #1
30' H CS #1 Bar

Top Viola 3676

6/9--Cored 3692-3702 Recovered 7 feet

Last foot very small show oil

Cored 3702-06 (Cored this 4 feet in
21 minutes)

Recovered 6 inches Very soft Showed oil
and gas T.D. 3706 To run 7" to 3691 (Tel)

6/10--7" 3691 WOC

Running 23' higher on Viola than Hinkle #2
Schweizer SE SW NW 31-22-9W completed for a
depthograph potential of 1527 bbls.

Running 29' higher on Viola than Hinkle #1
Schweizer SE NW 31-22-9W completed for a
pumping potential of 774 oil & 31 $\frac{1}{2}$ water

Running 30' higher on Viola than Cities Service
#1 Ball SW NE 31-22-9W completed for a
pumping potential of 144 oil & 316 water
(Peabody)

6/18--Drilled plugs T.D. 3706

Filled up 1800 feet oil in 2 hours

Will test (Tel)

6/18--T.D. 3706 Filled up 3200' oil in 8 hours

Will not deepen Was drilled in with 5"
tools May go in with 6" tools and clean
out May start flowing but if does not
will acidize and run tubing. No pipe line
connection yet (Tel)

6/19--Ran Swab Hole filled up 300 feet of top
Pulled swab and started flowing Shut in
No gauge Will have a test about 1 o'clock
this afternoon (Tel)

6/19--Swabbed & flowed 8 bbls. oil per hour for
18 hours Swabbed to bottom No water
Cleaning out and will ream hole May run
tubing and acidize (Tel)

6/20 Ran tools and cleaned out to bottom
Swab 28 bbls. oil per hour for 4 hours
No water Swabbed to bottom Running
tubing and will acidize (Tel)

1942

6/23--Top Viola 3676 T.D. 3706

Acidized 2000 gallons

Flowed 240 bbls. oil last night as required before they are allowed to start potential Now taking potential Will be a bomb potential and will be over sometime this evening (Tel)

6/24--Bomb potential completed for maximum well
(Telegram)

Bomb potential 7040 bbls. (Penn)

6/24

Viola 3676'

7" - 3691'

T.D. 3706'

2000 acid.

Bomb potential 7040 bbls.

Maximum 3000 bbls.

42. Gravity

COMPLETED


Estimated daily allowable 29 Barrels

Reno

Map No. 49 Sec. 30 Twp. 22 R. 9WWell No. 1 SmisorMid-Continent Petroleum CompanyFIRST REPORT Contractor

SE SW SW

SECTION PLAT

 Ft. from N. Line330 Ft. from S. Line Ft. from E. Line990 Ft. from W. Line

SEMI-WILDCAT

Location XXRig up

Drilling and Remarks:

RECORD

Cased in., ft.Sand Gas Oil Total Depth

PRODUCTION

1st 24 hrs. Nat. 1st 24 hrs. after shot Gas Cu. Ft.Dry Hole Abandoned

Date

APR 22 1942 19

S. J. LEWIS Scout

MPC

#1 Smisor

IF NO Water -

AND ON 20 acres

sewer allowable

would be

75 bbls per day

Mr Roberts

Corp Comm office

7/1/42

Sam

Misc. Small Maps

Cards

Tracing

France Map

Scarborough Map

Moody Map

Geological Dept.

Moody Plot Book

Reno

Map No. 49 Sec. 30 Twp. 22 R. 9WWell No. 1 Smisor

Mid-Continent Petroleum Company
CORRECTION Corp.
 Contractor

SV SE SW

SECTION PLAT

_____ Ft. from N. Line

330 Ft. from S. Line990 Ft. from E. Line

_____ Ft. from W. Line

SEMI-WILDCAT

Location _____

Rig up _____

Drilling and Remarks:

Changed from SE

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

SW SW

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

MAY 20 1942 19S. J. LEWIS Scout

Reno

Map No. 49 Sec. 30 Twp. 22 R. 9WWell No. 1 SmisorMid-Continent Petr. Corp. Company**COMPLETED**

Contractor

SW SE SW

SECTION PLAT

6

_____ Ft. from N. Line

330 Ft. from S. Line990 Ft. from E. Line

_____ Ft. from W. Line

SEMI-WILDCAT

Location _____

Rig up _____

Drilling and Remarks:

*Viola 3676**7" @ 3691**2000 acid**Bom & P & 7040**Max 3000**42 @ 98*

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth 3706

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

JUN 24 1942 19 S. J. LEWIS Scout