
Form 51-5M-12-36 Com'l Stafford KANSAS

Section 30 Township 22 Range 11-W

Well Number 10 - Komarek

Company Stanolind




Form 252-A—5M—2-37—Palace Stafford KANSAS

Sec. 30 Twp. 22 R. 11-W

Well No. #10 Komarek Farm

Stanolind Company



____ Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

____ Ft. from W. Line

Elev. -1825

Date	REPORT
1937	
9/15	R.R.
9/24	10" @ 223'. WOC.
10/2	Drlg. 2435'.
10/8	Sil. 3554-57' T.D. S.O.
	Rng. 7".
10/15	7" @ 3553'. RUST.
10/22	T.D. 3570'. 2000' oil 4 hrs.
	Swab 22 B.O.P.H. 2000 acid.
10/29	T.D. 3580'. Swab 35 bbls. oil
	per hr. 3000 acid.
	Swab 50 bbls. oil P.H.
11/3	7" @ 3553'.
	Sil. 3554'.
	T.D. 3580'.
	5000 acid.
	Potential 1474 bbls.
	Plus 8% water.
	COMPLETED

Form 26—1M Bks.—2-29 Stafford KANSAS

Map No. Sec. 30 Twp. 22 R. 11 W


Well No. 10 - Komarek

Standolind Company

Contractor

FIRST REPORT

SECTION PLAT



Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

Location

Rig up

Drilling and Remarks:

RR.

RECORD

Cased in., ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

SEP 15 1937 19

H. D. Hatfield Scout

Form 26—1M Bks.—2-29

Stafford KANSAS

Map No. _____ Sec. 30 Twp. 22 R 11W

Well No. 10 Komarek

Stanolind Company

_____ Contractor

COMPLETED

NE SE NE


_____ Ft. from N. Line

990 Ft. from S. Line

330 Ft. from E. Line

_____ Ft. from W. Line

SECTION PLAT



Location _____

Rig up _____

Drilling and Remarks:

5000 Acid

Pot - 1474

Plus 8% water

RECORD

Cased 7 in., 3553 ft.

~~Sand~~ Sil 3554

Gas _____

Oil _____

Total Depth 3580

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

NOV 3 1937 19

H. D. Hatfield Scout