

# DRILLING TIME REPORT

COMPANY: Warren Petro. Corp.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Burris Drly Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
1850	51	2:16	2:19	3		3
	52		2:21	2		
	53		2:24	3		
	54		2:26	2		
	55		2:28	2		
	56		2:30	2		
	57		2:33	3		
	58		2:35	2		
	59		2:37	2		
1860			2:40	3		
	61		2:42	2		
	62		2:45	3		
	63		2:48	3		
	64		2:50	2		
	65		2:51	1		
	66		2:53	2		
	67		2:55	2		
	68		2:56	1		
	69		2:58	2		
1870			3:00	2	vis 50 wt. 10.4	
	71		3:01	1		
	72		3:03	2		
	73		3:06	2		
	74		3:07	2	Conn. 5 min.	
	75	3:12	3:14	2		
	76		3:17	3		
	77		3:20	3		
	78		3:23	3		
	79		3:24	3		
1980			3:29	3		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petco Corp.  
 FARM: Foster  
 NO. 1  
 TYPE OF INDICATOR \_\_\_\_\_  
 WEIGHT ON DRILL PIPE \_\_\_\_\_  
 R.P.M. ROTARY TABLE \_\_\_\_\_

COUNTY: Finney  
 SEC. 31 TWP. 22 RANGE 34  
 TYPE OF RIG \_\_\_\_\_  
 MUD WEIGHT \_\_\_\_\_  
 MUD VISCOSITY \_\_\_\_\_  
 CONTRACTOR: Burnis Drilling Co.

DEPTH		ACTUAL DRILLING TIME			REMARKS	BIT NO.
FROM	TO	BEGAN		MINUTES PER		
1850	81	3:29	3:31	2		3
	82		3:33	2		
	83		3:36	3		
	84		3:39	3		
	85		3:41	2		
	86		3:43	2		
	87		3:47	4		
	88		3:50	3		
	89		3:54	4		
18	90		3:56	2		
	91		3:59	3		
	92		4:01	2		
	93		4:03	2		
	94		4:05	2		
	95		4:06	1		
	96		4:07 1/2	1 1/2		
	97		4:09 1/2	2		
	98		4:11 1/2	2		
	99		4:13 1/2	2		
19	00		4:14 1/2	1		
	01		4:16	1 1/2		
	02		4:17 1/2	1 1/2		
	03		4:20	2 1/2	Conn & min.	
	04	4:26	4:28	2		
	05		4:30	2		
	06		4:31 1/2	1 1/2		
	07		4:33	1 1/2		
	08		4:35	2		
	09		4:37 1/2	2 1/2		
19	10		4:40	2 1/2		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petro. Corp.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Burris Drilling Co.

DEPTH		ACTUAL DRILLING TIME			MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN					
19 10	11	4:40	4:44	4		9" Hughesose	3
	12		4:47	3			
	13		4:49	2			
	14		4:51	2			
	15		4:53	2			
	16		4:54 1/2	1 1/2			
	17		4:57	2 1/2			
	18		4:58 1/2	1 1/2			
	19		5:01 1/2	2			
	19 20		5:02 1/2	2			
	21		5:04 1/2	2			
	22		5:06 1/2	2			
	23		5:08	1 1/2			
	24		5:10	2			
	25		5:12	2			
	26		5:13 1/2	1 1/2			
	27		5:16	1 1/2			
	28		5:16	1			
	29		5:17	1			
	19 30		5:18 1/2	1 1/2			
	31		5:20	1 1/2			
	32		5:21 1/2	1 1/2			
	33		5:24	2 1/2			
	34		5:26	2	Cont. 6 min.		
	35	5:32	5:34	2			
	36		5:37	3			
	37		5:39 1/2	1 1/2			
	38		5:42	1 1/4			
	39		5:44 1/2	2 1/2			
	19 40		5:47	2 1/2			

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petrol. Corp.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Barris Drilling Co

DEPTH		ACTUAL DRILLING TIME			REMARKS	BIT NO.
FROM	TO	BEGAN		MINUTES PER		
19 40	41	5:47	5:49 1/2	2 1/2		
	42		5:51 1/2	2		
	43		5:54	2 1/2		
	44		5:56	2		
	45		5:58	2		
	46		6:01	3	Vis 43 wt 10.5.	
	47		6:05	4		
	48		6:09	4		
	49		6:15	6		
	19 50		6:22	7	Circ. @ 6:25 @ 1950 @ 6:45	
	51	6:43	6:49	6		
	52		6:54	5		
	53		6:59 1/2	5 1/2		
	54		7:03	4		
	55		7:06	3		
	56		7:09	3		
	57		7:11 1/2	2 1/2		
	58		7:14	2 1/2		
	59		7:15	1		"
	19 60		7:17	2		
	61		7:19	2		
	62		7:20	1		
	63		7:22	2		
	64		7:24	2		
	65	7:42	7:43	3	CON	
	66		7:45	2		
	67		7:47	2		
	68		7:49	2	215 wt	
	69		7:51	2	43 105	
	19 70		7:53	2		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

## DRILLING TIME REPORT

COMPANY: Warren Petco. Co.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY: \_\_\_\_\_

R.P.M. ROTARY TABLE: \_\_\_\_\_

CONTRACTOR Burris Drlg. Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
1970	71	7:53	7:55	2		
	72		7:57	2		
	73		7:59	2		
	74		8:01	2		
	75		8:03	2		
	76		8:05	2		
	77		8:07	2		
	78		8:09	2		
	79		8:11	2		
	80		8:13	2		
1980	81		8:15	2		
	82		8:17	2		
	83		8:19	2		
	84		8:21	2		
	85		8:23	2		
	86		8:25	2		
	87		8:27	2		
	88		8:29	2		
	89		8:31	2		
	90		8:33	2		
1990	91		8:35	2		
	92		8:37	2		
	93		8:39	2		
	94		8:41	2		
	95	8:46	8:44	3	CON 5	
	96		8:51	2		
	97		8:53	2		
	98		8:56	3		
	99		8:59	3		
	2000		8:53	4	CIRC	

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petro. Co.  
 FARM: Foster  
 NO. 1  
 TYPE OF INDICATOR Martin Decker  
 WEIGHT ON DRILL PIPE 60 lbs.  
 R.P.M. ROTARY TABLE: 40

COUNTY: Finney  
 SEC. 31 TWP. 22 RANGE 34  
 TYPE OF RIG \_\_\_\_\_  
 MUD WEIGHT \_\_\_\_\_  
 MUD VISCOSITY \_\_\_\_\_  
 CONTRACTOR Burriss Drilling Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
2000	01	12:30 PM	12:36	6	Core #1	
	02		12:42	6		
	03		1:01	19		
	04		1:21	20	Vis 39 wt. 10.6	
	05		1:36	15		
	06		1:51	15		
	07		2:10	19		
	08		2:31	21		
	09		2:50	19		
	2010		3:09	19	CORE #1	
	11	6:30 PM	6:58	28	CORE #2	
	12		7:34	36		
	13		8:14	40	vis 38 wt 10.5	
	14		8:53	39		
	15		9:30	37	CORE #2	
	16	6:42 AM	6:47	5	10-9-49.	
	17		6:50	3		
	18		6:53	3		
	19		6:56	3		
	2020		6:59	3		
	21		7:00	1		
	22		7:00	1	vis 39 wt 10.5	
	23		7:03	3		
	24		7:05	2	CONN. 5 min	
	25	7:10	7:12	2		
	26		7:14	2		
	27		7:15	1		
	28		7:16	1		
	29		7:17	1		
	2030		7:19	2		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petro Corp

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG: \_\_\_\_\_

TYPE OF INDICATOR: \_\_\_\_\_

MUD WEIGHT: \_\_\_\_\_

WEIGHT ON DRILL PIPE: \_\_\_\_\_

MUD VISCOSITY: \_\_\_\_\_

R.P.M. ROTARY TABLE: \_\_\_\_\_

CONTRACTOR Burns Drilling Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
20	30	7:19	7:21	2		4
	32		7:22	1		
	33		7:24	2		
	34		7:26	2		
	35		7:28	2		
	36		7:30	2	215 38	WT 104
	37		7:31	1		
	38		7:33	2		
	39		7:34	1		
20	40		7:36	2		
	41		7:38	2		
	42		7:40	2		
	43		7:42	2		
	44		7:44	2		
	45		7:46	2		
	46		7:49	3		
	47		7:51	2		
	48		7:55	4		
	49		8:00	5		
20	50		8:02	2		
	51		8:04	2		
	52		8:06	2		
	53		8:08	2		
	54		8:10	2		
	55	8:20	8:22	2	CON 10 M	
	56		8:24	2		
	57		8:26	2		
	58		8:28	2		
	59		8:30	2		
20	61		8:34	4		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petro. Co.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG: \_\_\_\_\_

TYPE OF INDICATOR: \_\_\_\_\_

MUD WEIGHT: \_\_\_\_\_

WEIGHT ON DRILL PIPE: \_\_\_\_\_

MUD VISCOSITY: \_\_\_\_\_

R.P.M. ROTARY TABLE: \_\_\_\_\_

CONTRACTOR Burris Drilg. Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
2060	61	8:34	8:37	3		
	62		8:40	3		
	63		8:43	3		
	64		8:45	2		
	65		8:47	2		
	66		8:50	3		
	67		8:52	2		
	68		8:54	2		
	69		8:56	2		
2069	70		9:58	2		
	71		9:00	2		
	72		9:03	3		
	73		9:05	2		
	74		9:07	2		
	75		9:09	2		
	76		9:11	2		
	77		9:13	2		
	78		9:15	2		
	79		9:20	5		
2079	80		9:24	4		
	81		9:27	3		
	82		9:30	3		
	83		9:34	4		
	84		9:39	5		
	85	9:45	10:15	30	CON	
	86		10:45	30	stop log	
	87		11:05	20		
	88		11:25	20		
	89		11:40	15		
2089	90		11:47			

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

## DRILLING TIME REPORT

COMPANY: Warren Petro. Co.

COUNTY: FINNV. Kans

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Burnis Drilling Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
<u>2090</u>	<u>91</u>	<u>11:47</u>	<u>11:50</u>	<u>3</u>		
	<u>92</u>		<u>11:52</u>	<u>2</u>		
	<u>93</u>		<u>11:55</u>	<u>3</u>		
	<u>94</u>		<u>11:57</u>	<u>2</u>		
	<u>95</u>		<u>11:59</u>	<u>2</u>		
	<u>96</u>		<u>12:01</u>	<u>2</u>		
	<u>97</u>		<u>12:03</u>	<u>2</u>		
	<u>98</u>		<u>12:05</u>	<u>2</u>		
	<u>99</u>		<u>12:08</u>	<u>3</u>		
<u>2099</u>	<u>2100</u>		<u>12:11</u>	<u>3</u>		
	<u>01</u>					
	<u>02</u>					
	<u>03</u>					
	<u>04</u>					
	<u>05</u>					
	<u>06</u>					
	<u>07</u>					
	<u>08</u>					
	<u>09</u>					
<u>2109</u>	<u>10</u>					
	<u>11</u>					
	<u>12</u>					
	<u>13</u>					
	<u>14</u>					
	<u>15</u>					
	<u>16</u>					
	<u>17</u>					
	<u>18</u>					
	<u>19</u>					
<u>2119</u>	<u>20</u>					

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: WARRN PETRO CO

COUNTY: Finney

FARM: After

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Harris Drilling Co

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
2400	01	11:07	11:14	7		
	02	11:14	11:17	3		
	03		11:21	4		
	04		11:30	9		
	05		11:35	5		
	06		11:40	5		
	07		11:45	5		
	08		11:47	2		
	09		11:53	6		
24	10		11:59	6		
	11		12:06	7		
	12		12:11	5		
	13		12:16	5		
	14		12:20	4		
	15		12:24	4		
	16		12:29	5		
	17	12:34	12:37	3	CONMS	
	18		12:42	5		
	19		12:48	6		
24	20		12:53	5		
	21		12:57	4		
	22		1:01	4		
	23		1:05	4		
	24		1:11	6		
	25		1:19	8		
	26		1:26	7		
	27		1:32	6		
	28		1:39	7		
	29		1:49	10		
24	30		1:56	7		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Wagona Petro. Co.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Burris Drilling Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
2420	31	1:56	2:05	9		
	32		2:15	8		
	33		2:23	10		
	34		2:29	6		
	35		2:37	8		
	36		2:45	8		
	37		2:52	7		
	38		3:01	9		
	39		3:13	12		
2439	40		3:20	7	Check Motors	
	41	3:25	3:33	8	vis 38 wt 10.7	
	42		3:39	6		
	43		3:50	11		
	44		3:58	8		
	45		4:05	7		
	46		4:11	6	CONN	
	47	4:15	4:19	4		
	48		4:23	4		
	49		4:29	6		
2449	50		4:34	5		
	51		4:39	5		
	52		4:43	4		
	53		4:40	7		
	54		4:56	6		
	55		5:04	8		
	56		5:15	11		
	57		5:28	13		
	58		5:38	10		
	59		5:50	12		
2459	60		6:02	12		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: WAGGON PET CO.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG: Rotary

TYPE OF INDICATOR: \_\_\_\_\_

MUD WEIGHT: \_\_\_\_\_

WEIGHT ON DRILL PIPE: \_\_\_\_\_

MUD VISCOSITY: 5

R.P.M. ROTARY TABLE: \_\_\_\_\_

CONTRACTOR: Burr's Drilling Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
2460	2461	6:02	6:16	14		
	62		6:22	6		
	63		6:33	10		
	64		6:41	8		
	65		6:51	10		
	66		7:02	11		
	67		7:17	15		
	68		7:29	12		
	69		7:40	11		
	2470		7:50	10		
	71		7:55	5		
	72		8:05	10		
	73		8:13	8		
	74		8:20	7		
	75		8:27	7	CONN	
	76	8:34	8:43	9		
	77		8:54	11		
	78		9:01	7		
	79		9:09	8		
	2480		9:14	5		
	81		9:23	9		
	82		9:39	16		
	83		9:55	16		
	84	12:00	12:05	5		
	85		12:12	7		
	86		12:17	5		
	87		12:25	8		
	88		12:31	6		
	89		12:36	5		
	2490		12:41	5		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.

# DRILLING TIME REPORT

COMPANY: Warren Petro. Corp.

COUNTY: Finney

FARM: Foster

SEC. 31 TWP. 22 RANGE 34

NO. 1

TYPE OF RIG \_\_\_\_\_

TYPE OF INDICATOR \_\_\_\_\_

MUD WEIGHT \_\_\_\_\_

WEIGHT ON DRILL PIPE \_\_\_\_\_

MUD VISCOSITY \_\_\_\_\_

R.P.M. ROTARY TABLE \_\_\_\_\_

CONTRACTOR Bunnis Drilling Co.

DEPTH		ACTUAL DRILLING TIME		MINUTES PER	REMARKS	BIT NO.
FROM	TO	BEGAN				
2490	91	12:41	12:47	6	Reed H.M.	6.
	92		12:52	5		
	93		12:58	6		
	94		1:02	4		
	95		1:10	8		
	96		1:17	7		
	97		1:23	6		
	98		1:30	7		
	99		1:37	7		
2500			1:45	8		
	01		1:53	8		
	02		1:58	5		
	03		2:02	4		
	04		2:06	4		
	05		2:10	4		
	06		2:12	2		

DESIGNED A.M. AND P.M. TIME.

RECORD TIME TOUR IS CHANGED UNDER REMARKS.

ACTUAL DRILLING TIME IS TIME SPENT IN DRILLING THE DEPTH. SHUT DOWN TIME IS SPENT SHUT DOWN FOR REPAIRS, ROUND TRIPS, WATER, ETC. SHOW WHEN BIT IS CHANGED AND KIND OF NEW BIT. MENTION ROUND TRIPS IN REMARKS COLUMN. FILL OUT THIS FORM FROM TOP TO BOTTOM OF HOLE.