


15-055-21992

18-22s-34w

MP



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Devon Energy Production

Johnson 1-18

20 N Broadway Ave. Oklahoma City Ok. 73102-8260

18 22 34

ATTN: Kevin Bailey

Job Ticket: 30991

DST#: 1

Test Start: 2008.08.18 @ 05:00:00

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: No Whipstock:

ft (KB) **CONFIDENTIAL**

Test Type: Conventional Bottom Hole

Time Tool Opened: 07:44:15

Tester: Harley Davidson

Time Test Ended: 12:07:30

DEC 04 2008

Unit No: 33

Interval: **4982.00 ft (KB) To 4994.00 ft (KB) (TVD)**

Reference Elevations: 2999.00 ft (KB)

Total Depth: 4994.00 ft (KB) (TVD)

KCC

2988.00 ft (CF)

Hole Diameter: 7.78 inches Hole Condition: Fair

KB to GR/CF: 11.00 ft

Serial #: 8355

Press@RunDepth: 302.69 psig @ ft (KB)

Capacity: 7000.00 psig

Start Date: 2008.08.18

End Date: 2008.08.18

Last Calib.: 2008.08.18


Start Time: 05:00:01

End Time: 12:07:30

Time On Btm: 2008.08.18 @ 07:43:45

Time Off Btm: 2008.08.18 @ 09:48:45

TEST COMMENT: Tool opened before we got on bottom and took on some mud
 IF Weak surface blow that died
 ISI No blow back
 FF No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2500.79	116.55	Initial Hydro-static
1	310.26	115.88	Open To Flow (1)
32	301.61	115.71	Shut-In(1)
61	281.23	115.97	End Shut-In(1)
61	295.04	115.99	Open To Flow (2)
90	302.69	116.19	Shut-In(2)
125	278.92	116.42	End Shut-In(2)
125	2432.39	117.06	Final Hydro-static

Recovery


Length (ft)	Description	Volume (bbl)
400.00	100% mud	3.36

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

RECEIVED
 KANSAS CORPORATION COMMISSION

DEC 05 2008



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Devon Energy Production

Johnson 1-18

20 N Broadway Ave. Oklahoma City Ok. 73102-8260

18 22 34

ATTN: Kevin Bailey

Job Ticket: 30991

DST#: 1

Test Start: 2008.08.18 @ 05:00:00

Mud and Cushion Information

Mud Type: Gel Chem
 Mud Weight: 9.00 lb/gal
 Viscosity: 48.00 sec/qt
 Water Loss: 7.97 in³
 Resistivity: ohm.m
 Salinity: 2100.00 ppm
 Filter Cake: inches

Cushion Type:
 Cushion Length: ft
 Cushion Volume: bbl
 Gas Cushion Type:
 Gas Cushion Pressure: psig

Oil API: deg API
 Water Salinity: ppm

CONFIDENTIAL

DEC 04 2008

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
400.00	100% mud	3.361

KCC

Total Length: 400.00 ft Total Volume: 3.361 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

