

Company Sterling Drlg.

EAST

SOUTH

HOT FILE

Stafford

KANSAS

SEC. 4	TWP. 22 S	R. 11 W
WELL NO.		

#1 Gartung

FARM

COMPANY

Sterling Drilling Co.

CONTRACTOR

Sterling

Wildcat

_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line










_____ Ft. from W. Line

NW NW NW

SDX DHC \$2,500.00

Lse. (MCPC #12872A)

Sinclair - FO



NORTH

WEST

EAST

SOUTH

1955

ELEVATION

1944'

REPORT

(WH5-DC78)

9/14

Test Arbuckle

(See DHC Ltr. 9-12-55)

8/31

Setting surface

(F.R. Tkt)

9/8

Spud 8-29-55

8-5/8" @ 283 w/175

Drlg. 2880'

9/14

Comm. 8-29-55

8-5/8" @ 283 w/175

DST 3857-65, failed.

DST 3859-65, failed.

DST 3799-3865 open 1 hr rec 20' mud.

BHP 0# 20"

DST 3865-77 open 1 hr rec 90' thin wtry

mud. BHP 420# No log. D & A

TD 3877'

Tops: H. 3333', BL 3451', L. 3461'

BKG 3700', V 3762' Sh 3806', A 3857'

ABANDONED

County Stafford Elev. _____
 Sec. 11 Twp. (212) Rge. 11W
 Company Sterling Drle.
 FarmName Gartung No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anb.				NW NW NW
Tr.				
H.				
Tr.				
Dg.				
Bl.				
L.				Geol. _____
K.C.				Contr. _____
B.K.C.				<u>Sterling</u>
Ce.				Pool _____
C.				<u>Wildcat</u>
M.				
M.				
K.				
Mz.				
Mq.				
V.				
S.				
S.				
A.				
R.				
Pe.				
G.				
T.D.				

FIRST REPORT
 AUG 31 '55

Date Comm. Sunray MC - DHM Sinc. FO
setting surface.

County Stafford Elev. 1944Sec. 4 Twp. 22 Rge. 11WCompany Sterling Drilg.Farm Name Gartung No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.
Anh.				NW NW NW
TP.				Sunray MC -
H.	3333		1389	DHM
Tr.				Geol.
Dg.				Contr.
BL.	3451		1507	Sterling
L.	3461		1517	Pool
K.C.				Wildcat
B.K.C.	3700		1756	10 1818 1862 1913 ABANDONED SEP 14 1955
Ce.				
C.				
M.				
M.				
K.				
Mz.				
Mo.				
V.	3762		1818	
S. <u>54</u>	3806		1862	
S.				
A.	3857		1913	
R.				
Pe.				
G.				
TD.	3827			

Date Comm. 8/29/55 8 5/8" 283 w/175

DST 3857-65 failed DST- 3859-65 failed

DST 3799-3865 open 1 hr Rec. 20' mud

BHP 0# 20" DST 3865-77 open 1 hr Rec. 90'

thin wty mud BHP 420 no log

D & A