


Section 7 Township 22 Range 10WWell No. #1 StarrCompany Mid-Continent & Barnett Drlg.

1951	Elev. 1765'	REPORT
		Arbuckle 3700' test
6/13	Location	
6/18	Spudded 6-17-51	
	8-5/8" at 248' with 200 sacks.	
	TD. 248'.	(D R)
6/19	WOC.	"
6/20	Drilling 1490'.	"
6/21	No report.	"
6/21	8" at 241'	
	Drilling 1785'.	(Wire)
6/22	Drilling 2500'.	(D R)
6/25	Drilling 2970' lime & shale.	"
6/26	No report.	"
6/27	DST. 3180'-92' - open 1 hr.	
	Rec. 40' oil & gas cut mud.	
	Drilling 3260'.	"
6/28	Drilling 3370' Lansing lime.	"
6/29	Drilling 3515'.	"
6/29	Heebner 2979'	
	Brown Lime 3115'	
	Lansing 3138' slight-show-oil	
	Slight show oil 3221'-27' & 3237'-45'	
	DST. 3180'-92' - open 1 hr.	
	Rec. 40' oil & gas cut mud	
	BHP. 65#	
	Drilling 3515' in Conglo.	(Wire)
6/30	Conglo. 3471'	
	Viola 3180'	
	Simpson 3506'	
	DST. 3533'-41' - open 30", Rec. 15' mud	
	Arbuckle 3568' TD. 3618'	
	No shows. D & A.	(Wire)

OVER

1951


7/2 Comp. 6-30-51
P & A
DST. 3533'-41' - open 30 minutes
Rec. 15' mud.
BHP. 0#
Top Arbuckle 3568' no shows
No porosity Dry. (D R)

7/3 Spud 6-17-51,
D&A TD 3618
8-5/8" @ 241 Heeb. 2979
Br Lime 3115 Lans. 3138
SSO 3221-27 3237-45
DST 3180-92 opn 1 hr Rec. 40' oil
&gcm Cong. 3471 Viola 3480
Simp 3506 SSO 3533-41
DST 3533-41 opn $\frac{1}{2}$ hr Rec. 15' mud
Arb. 3568 TD 3618
D&A

ABANDONED

J. E. TYRA

County Reno State Kansas
 Sec. 7 (Blk. 22) (Sur. 10W) Map No. 10W
 Operator Mid-Continent & Barnett Drilling
 Well No. 1 Farm Starr
 Elev. 1765 Location SE SE NW



330 Ft. From S Line NW
330 Ft. From E Line Quarter
 Ist. Report
 Completion JUL 3 1951
 Remarks Wildcat

Spudding Date 6-17-51

Drig. Data D & A TD 3618

8 5/8" @ 241 Heeb. 2979 Br. lime 3115

Lans. 3138 SSO 3221-27 3237-45

DST 3180-92 open 1 hr. Rec. 40' oil

& gcm Cong. 3471 Viola 3480

Simp. 3506 SSO 3533-41 DST 3533-41

open 1/2 hr. Rec. 15' mud Arb. 3568

TD 3618 D & A

U. E. TYRA