
API # 15-145-21491-00-00 4-23s-17w

KANSAS CORPORATION COMMISSION
NOV 05 2004
RECEIVED



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **VJI Natural Res Inc**

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

4-23s-17w Pawnee Ks

Alexander #3

Start Date: 2004.04.30 @ 04:32:14
End Date: 2004.04.30 @ 10:31:43
Job Ticket #: 19420 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19420 **DST#: 1**

Test Start: 2004.04.30 @ 04:32:14

GENERAL INFORMATION:

Formation: **Cher Sd**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 07:22:13
Time Test Ended: 10:31:43

Test Type: Conventional Bottom Hole
Tester: Ray Schw ager
Unit No: 28

Interval: 4084.00 ft (KB) To 4120.00 ft (KB) (TVD)
Total Depth: 4120.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair


Reference Elevations: 2054.00 ft (KB)
2049.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 6668 **Inside**

Press@RunDepth: 31.21 psig @ 4085.01 ft (KB)
Start Date: 2004.04.30 End Date: 2004.04.30
Start Time: 04:32:14 End Time: 10:31:43

Capacity: 7000.00 psig
Last Calib.: 2004.04.30
Time On Btm: 2004.04.30 @ 07:21:13
Time Off Btm: 2004.04.30 @ 08:14:13

TEST COMMENT: IFP-w k surface bl died in 10 min
Times 15-30-out



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2013.87	108.21	Initial Hydro-static
1	24.34	107.84	Open To Flow (1)
17	31.21	107.61	Shut-In(1)
49	43.55	108.20	End Shut-In(1)
53	1922.59	110.46	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2.00	mud	0.03

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19420 **DST#: 1**

Test Start: 2004.04.30 @ 04:32:14

Tool Information

Drill Pipe:	Length:	4068.00 ft	Diameter:	3.80 inches	Volume:	57.06 bbl
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl
Drill Collar:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl
					Total Volume:	57.06 bbl

Drill Pipe Above KB:	12.00 ft
Depth to Top Packer:	4084.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	36.02 ft
Tool Length:	64.02 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2800.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	50000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	38000.00 lb
Final	38000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			4057.00		
Shut In Tool	5.00			4062.00		
Hydraulic tool	5.00			4067.00		
Jars	5.00			4072.00		
Safety Joint	2.00			4074.00		
Packer	5.00			4079.00	28.00	Bottom Of Top Packer
Packer	5.00			4084.00		
Stubb	1.00			4085.00		
Recorder	0.01	6668	Inside	4085.01		
Perforations	32.00			4117.01		
Recorder	0.01	11085	Outside	4117.02		
Bullnose	3.00			4120.02	36.02	Bottom Packers & Anchor
Total Tool Length:	**64.02**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19420 **DST#: 1**

Test Start: 2004.04.30 @ 04:32:14

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	50.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	7.93 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	13500.00 ppm				
Filter Cake:	2.00 inches				


Recovery Information


Recovery Table

Length ft	Description	Volume bbl
2.00	mud	0.028

Total Length: 2.00 ft Total Volume: 0.028 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
6668 Pressure
6668 Temperature
Initial Hydro-static
Final Hydro-static
Open To Flow(1)
Shut-In(1)
End Shut-In(1)
2000
1750
1500
1250
1000
750
500
250
0
Pressure
110
100
90
80
70
60
50
40
Temperature
6AM
9AM
Time (Hours)
30 Fri Apr 2004



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **VJI Natural Res Inc**

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

4-23s-17w Pawnee Ks

Alexander #3

Start Date: 2004.04.30 @ 21:05:50
End Date: 2004.05.01 @ 01:50:19
Job Ticket #: 19421 DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19421 **DST#: 2**

Test Start: 2004.04.30 @ 21:05:50

GENERAL INFORMATION:

Formation: **Cher , Conglo**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 23:45:00
Time Test Ended: 01:50:19

Test Type: Conventional Bottom Hole
Tester: Ray Schwager
Unit No: 28


Interval: 4112.00 ft (KB) To 4155.00 ft (KB) (TVD)
Total Depth: 4155.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair

Reference Elevations: 2054.00 ft (KB)
2049.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 6668 **Inside**
Press@RunDepth: psig @ 4113.01 ft (KB)
Start Date: 2004.04.30 End Date: 2004.05.01
Start Time: 21:05:50 End Time: 02:09:19

Capacity: 7000.00 psig
Last Calib.: 2004.05.01
Time On Btm: 2004.04.30 @ 23:38:19
Time Off Btm: 2004.04.30 @ 23:41:49

TEST COMMENT: IFP-opened tool, lost packer seat , set twice



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2030.00	103.10	Initial Hydro-static
4	2000.13	106.52	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
140.00	mud	1.96

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19421 DST#: 2

Test Start: 2004.04.30 @ 21:05:50

Tool Information

Drill Pipe:	Length:	4100.00 ft	Diameter:	3.80 inches	Volume:	57.51 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	
					Total Volume:	57.51 bbl	

Drill Pipe Above KB:	16.00 ft
Depth to Top Packer:	4112.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	43.02 ft
Tool Length:	71.02 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2800.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	60000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	40000.00 lb
Final	40000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			4085.00		
Shut In Tool	5.00			4090.00		
Hydraulic tool	5.00			4095.00		
Jars	5.00			4100.00		
Safety Joint	2.00			4102.00		
Packer	5.00			4107.00	28.00	Bottom Of Top Packer
Packer	5.00			4112.00		
Stubb	1.00			4113.00		
Recorder	0.01	6668	Inside	4113.01		
Perforations	39.00			4152.01		
Recorder	0.01	11085	Outside	4152.02		
Bullnose	3.00			4155.02	43.02	Bottom Packers & Anchor
Total Tool Length:	**71.02**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19421 **DST#: 2**

Test Start: 2004.04.30 @ 21:05:50

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	65.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	11.14 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	16500.00 ppm				
Filter Cake:	2.00 inches				

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
140.00	mud	1.964


Total Length: 140.00 ft Total Volume: 1.964 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: misrun lost packer seat


Pressure vs. Time
6668 Pressure
6668 Temperature
Final Hydro-static
Initial Hydro-static
Pressure
Temperature
2000
1750
1500
1250
1000
750
500
250
0
110
100
90
80
70
60
50
40
9PM
10PM
11PM
1 May
1AM
2AM
30 Fri Apr 2004
Time (Hours)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **VJI Natural Res Inc**

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

4-23s-17w Pawnee Ks

Alexander #3

Start Date: 2004.05.01 @ 01:58:56
End Date: 2004.05.01 @ 08:47:55
Job Ticket #: 19422 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

VJI Natural Res Inc
Alexander #3
4-23s-17w Pawnee Ks
DST # 3
cher sd , congl
2004.05.01

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19422 **DST#: 3**

Test Start: 2004.05.01 @ 01:58:56

GENERAL INFORMATION:

Formation: **cher sd , congl**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 04:01:55
Time Test Ended: 08:47:55

Test Type: Conventional Bottom Hole
Tester: Ray Schwager
Unit No: 28

Interval: 4084.00 ft (KB) To 4155.00 ft (KB) (TVD)
Total Depth: 4155.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair


Reference Elevations: 2054.00 ft (KB)
2049.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 6668 **Inside**

Press@RunDepth: 31.30 psig @ 4093.01 ft (KB)
Start Date: 2004.05.01 End Date: 2004.05.01
Start Time: 01:58:56 End Time: 08:47:55

Capacity: 7000.00 psig
Last Calib.: 2004.05.01
Time On Btm: 2004.05.01 @ 04:00:25
Time Off Btm: 2004.05.01 @ 06:55:25

TEST COMMENT: IFP-w k bl thru-out 1/2"to 1/4"bl
FFP-gd bl thru-out 5"to 7"bl
Times 15-30-60-60



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2020.28	106.20	Initial Hydro-static
2	24.15	105.92	Open To Flow (1)
14	39.26	105.95	Shut-In(1)
47	185.08	106.98	End Shut-In(1)
52	31.35	107.01	Open To Flow (2)
113	31.30	108.63	Shut-In(2)
169	82.80	109.63	End Shut-In(2)
175	1932.08	112.20	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
25.00	mud	0.35
0.00	95 ' GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19422 DST#: 3

Test Start: 2004.05.01 @ 01:58:56

Tool Information

Drill Pipe:	Length:	4076.00 ft	Diameter:	3.80 inches	Volume:	57.18 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	
					Total Volume:	57.18 bbl	

Drill Pipe Above KB:	20.00 ft
Depth to Top Packer:	4084.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	71.02 ft
Tool Length:	99.02 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2800.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	110000.0 lb
Tool Chased	0.00 ft
String Weight: Initial	40000.00 lb
Final	40000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			4057.00		
Shut In Tool	5.00			4062.00		
Hydraulic tool	5.00			4067.00		
Jars	5.00			4072.00		
Safety Joint	2.00			4074.00		
Packer	5.00			4079.00	28.00	Bottom Of Top Packer
Packer	5.00			4084.00		
Stubb	1.00			4085.00		
Perforations	7.00			4092.00		
Change Over Sub	1.00			4093.00		
Recorder	0.01	6668	Inside	4093.01		
Blank Spacing	32.00			4125.01		
Change Over Sub	1.00			4126.01		
Perforations	26.00			4152.01		
Recorder	0.01	11085	Outside	4152.02		
Bullnose	3.00			4155.02	71.02	Bottom Packers & Anchor
Total Tool Length:	**99.02**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19422 **DST#: 3**

Test Start: 2004.05.01 @ 01:58:56

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	65.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	11.14 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	16500.00 ppm				
Filter Cake:	2.00 inches				


Recovery Information


Recovery Table

Length ft	Description	Volume bbl
25.00	mud	0.351
0.00	95 ' GIP	0.000

Total Length: 25.00 ft Total Volume: 0.351 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
6668 Pressure
6668 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
End Shut-In(2)
Pressure
Temperature
Time (Hours)
3AM
6AM
9AM
1 Sat May 2004
2000
1750
1500
1250
1000
750
500
250
0
110
100
90
80
70
60
50
40



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **VJI Natural Res Inc**

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

4-23s-17w Pawnee Ks

Alexander #3

Start Date: 2004.05.01 @ 18:47:18

End Date: 2004.05.02 @ 01:47:47

Job Ticket #: 19423 DST #: 4

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19423 **DST#: 4**

Test Start: 2004.05.01 @ 18:47:18

GENERAL INFORMATION:

Formation: **miss chert**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 20:37:17
Time Test Ended: 01:47:47

Test Type: Conventional Bottom Hole
Tester: Ray Schwager
Unit No: 28

Interval: 4148.00 ft (KB) To 4200.00 ft (KB) (TVD)
Total Depth: 4200.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair


Reference Elevations: 2054.00 ft (KB)
2049.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 6668 **Inside**

Press@RunDepth: 80.82 psig @ 4151.01 ft (KB)
Start Date: 2004.05.01 End Date: 2004.05.02
Start Time: 18:47:18 End Time: 01:47:47

Capacity: 7000.00 psig
Last Calib.: 2004.05.02
Time On Btm: 2004.05.01 @ 20:33:47
Time Off Btm: 2004.05.01 @ 23:15:47

TEST COMMENT: IFP-wk to a fr bl 3" to 5" bl
FFP-strg bl thru-out
Times 30-45-30-45
no bl on shut-in



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2067.93	101.17	Initial Hydro-static
4	63.76	105.26	Open To Flow (1)
34	73.72	105.50	Shut-In(1)
77	184.21	107.34	End Shut-In(1)
78	71.18	107.99	Open To Flow (2)
108	80.82	109.40	Shut-In(2)
156	183.65	111.16	End Shut-In(2)
162	1959.30	110.11	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
50.00	GCM 5%gas 95%mud	0.70
60.00	SO&GCM 5%gas 2%oil 93%mud	0.84
0.00	670 GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19423 **DST#: 4**

Test Start: 2004.05.01 @ 18:47:18

Tool Information

Drill Pipe:	Length:	4131.00 ft	Diameter:	3.80 inches	Volume:	57.95 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	
					Total Volume:	57.95 bbl	

Drill Pipe Above KB:	11.00 ft
Depth to Top Packer:	4148.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	52.02 ft
Tool Length:	80.02 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2800.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	65000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	40000.00 lb
Final	42000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			4121.00		
Shut In Tool	5.00			4126.00		
Hydraulic tool	5.00			4131.00		
Jars	5.00			4136.00		
Safety Joint	2.00			4138.00		
Packer	5.00			4143.00	28.00	Bottom Of Top Packer
Packer	5.00			4148.00		
Stubb	1.00			4149.00		
Perforations	1.00			4150.00		
Change Over Sub	1.00			4151.00		
Recorder	0.01	6668	Inside	4151.01		
Blank Spacing	31.00			4182.01		
Change Over Sub	1.00			4183.01		
Perforations	14.00			4197.01		
Recorder	0.01	11085	Outside	4197.02		
Bullnose	3.00			4200.02	52.02	Bottom Packers & Anchor
Total Tool Length:	**80.02**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

VJI Natural Res Inc

30-38 48th st
Astoria New York 11103

ATTN: Jason Dinges

Alexander #3

4-23s-17w Pawnee Ks

Job Ticket: 19423 **DST#: 4**

Test Start: 2004.05.01 @ 18:47:18

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	55.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	11.17 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	16500.00 ppm				
Filter Cake:	2.00 inches				


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
50.00	GCM 5%gas 95%mud	0.701
60.00	SO&GCM 5%gas 2%oil 93%mud	0.842
0.00	670 GIP	0.000

Total Length: 110.00 ft Total Volume: 1.543 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
6668 Pressure
6668 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
Pressure
Temperature
2000
1750
1500
1250
1000
750
500
250
0
110
100
90
80
70
60
50
9PM
2 Sun
Time (Hours)
1 Sat May 2004