	C C		TMPO	RTANT			5-	U8	3 - 2063		
State Geologia WICHITA BE		<u> </u>	. Geo. S	urvey req	ues	t o					
KANSAS DRILLI		U samp	les on t	his well.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\perp \cup	۱.	2 -	. 23 . 21 %		
									s. 2 T. 23 R. 21 W Loc. C SW SW		
API No. 15 — 083 — 20,638 County Number											
Operator									County <u>Hodgeman</u> 640 Acres		
Kimbark Operating Co.											
1860 Lincoln Street, #808 Denver, Colo 80295											
#1 Kingry											
Footage Location	(N) (S) line		feet	from (E) (W)	line			 - -	┝├╳┤┥┽┫		
Principal Contractor	ogist					160					
Rains & Williamson Spud Date			Paul M. Gerlach Total Depth P.B.T.D.						cate well correctly		
6/21/79 Date Completed			4680				Elev.: Gr. 2337				
7/4/79							DF_		КВ		
			CASING	RECORD							
Report of all strir	igs set — surface,	intermediate, j	production, et	tc.							
Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth		Type cement		Sacks	Type and percent additives		
Surface	12 1/4"	8 5/8'	24#	380'	Cor	mmon, 2%	gel	235	2% gel		
			1								
		-					_				
		ļ									
				l							
	LINER RECORD					PERFORATION RECORD					
Top, ft.	Bottom, ft.	Sacks ce	ment	Shots	Shots per ft.		Sixe & type		Depth interval		
	TUBING RECO	ORD									
Size	Setting depth	et at					 				
		ACID, FRACTI		CEMENT SQ	UEEZ	E RECORD	—т		Depth interval treated		
Amount and kind of material used									Depin interval treated		
				3.7447 18 / L							
			INITIAL PE	RODUCTION							
Date of first production		Producing	method (flow	ving, pumping, q	as lif	t, etc.)					
RATE OF PRODUCTION		Gas		Water				Gas-oil ratio			
PER 24 HOURS Disposition of gas (venter)		sold)	8.		MCF	Producing in	terval (s)	bbls.	CFPE		
				W-11.							

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Kimbark Ope	Dry Hole				
Well No.					
S 2 T 23S R 21WW					
Show all important zones of por- cluding depth interval tested, cus	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.				
	TION, CONTENTS, ETC.	ТОР	воттом	NAME	DEPTH
Rec. 10' mud IFP 70-70; ; FSIP 70#, FI	I 60", Open 60, SI 60 d ISIP - 164#, FFP 70-70 HP 2334#, IHP 2450	,		Log Tops Topeka Heebner Lansing Marmaton Cherokee Res. Miss.	3552 3943 4025 4364 4534 4622
Rec. 600' SI	I 60", Open 90, SI 126 NCM FHP 2427#, IHP 2493#				
Date Received	USE ADDITIONAL SHEETS, IF NE	CESSARY, TO	ence,	ELL RECORD. Signature Agent	em
		July 13,	1979	Title	