

**WICHITA BRANCH  
KANSAS DRILLERS LOG**


API No. 15 — 083 — 20,549  
County Number

S. 9 T. 23 R. 22 <sup>E</sup>/<sub>W</sub>

Loc. 150' E/C NW NE

County Hodgeman

640 Acres  
N



Locate well correctly

Elev.: Gr. 2213

DF \_\_\_\_\_ KB 2218

Operator  
Tomlinson Oil Co., Inc.

Address  
1030 - 200 West Douglas Wichita, Kansas 67202

Well No. #2 Lease Name Housman

Footage Location  
feet from (N) (S) line \_\_\_\_\_ feet from (E) (W) line \_\_\_\_\_

Principal Contractor H-30 Geologist J. Corry Tinsmon

Spud Date 8-26-77 Total Depth 4467 P.B.T.D. \_\_\_\_\_

Date Completed 9-4-77 Oil Purchaser \_\_\_\_\_

**CASING RECORD**

Report of all strings set— surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
		8 5/8"		424	Common	260	
		5 1/2"		1359		275	

**LINER RECORD**

**PERFORATION RECORD**

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at

**ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD**

Amount and kind of material used	Depth interval treated

**INITIAL PRODUCTION**

Date of first production SWDW Producing method (flowing, pumping, gas lift, etc.) \_\_\_\_\_

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) \_\_\_\_\_ Producing interval (s) \_\_\_\_\_

**INSTRUCTIONS:** As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator  
Tomlinson Oil Co., Inc.

DESIGNATE TYPE OF COMP.: OIL, GAS,  
DRY HOLE, SWDW, ETC.:  
SWDW

Well No. #2  
Lease Name Housman

S 9 T 23SR22 ~~XX~~  
W

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,  
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
No DST's  Set 5 1/2" casing at 1359' for SWDW in Cedar Hills			Anh B/Anh Heebner Lansing Stark Sh Marm Ft Scott Miss-Wa Miss-Os	1326 1360 3778 3844 4145 4224 4373 4447 4466

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

*J. Cory Jensen*  
Signature

*Exploration Manager*  
Title

10-15-77

Date

COMPANY Tomlinson Oil Co., Inc

SEC. 9 T. 23S R. 22W

FARM Housman

NO. 2

LOC. Approx. 150' E NE NW

TOTAL DEPTH 4,467'

COMM. August 26, 1977

COMP. September 4, 1977


COUNTY Hodgeman

KANSAS

SHOT OR TREATED

CONTRACTOR H-30 Inc.

ISSUED September 12, 1977



CASING

20	10		
15	8 5/8"	424' cemented w/260 sxs cement	ELEVATION 2218 K.B.
12	6		
13	5 1/2"	1,359' cemented w/275 sxs cement	PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

Shale and Sand	430'
Shale and Red Bed	1,327'
Anhydrite	1,360'
Shale	2,285'
Shale and Lime	2,790'
Lime and Shale	3,835'
Lime	4,467'
Rotary total depth	4,467'

I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.

H-30, Inc.

*Dean Britting*  
Dean Britting

State of Kansas }  
County of Sedgwick } ss:

Subscribed and Sworn to before me a Notary Public in and for said county and state this 12th day of September, 1977