

**State Geological Survey**  
**WICHITA BRANCH**

**27-23-23W<sup>RA</sup>**

**TYPE**

**AFFIDAVIT OF COMPLETION FORM**

**ACO-1 WELL HISTORY**

Compt. \_\_\_\_\_

**SIDE ONE**

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

F Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238. No Log

LICENSE # 5040 EXPIRATION DATE 6-30-83

OPERATOR Alpine Drilling Co., Inc. API NO. 15-083-21,046

ADDRESS 200 East First, Suite 500 COUNTY Hodgeman

Wichita, Kansas 67202 FIELD Lappin NE

\*\* CONTACT PERSON Jon T. Williams, Jr. PROD. FORMATION \_\_\_\_\_  
PHONE (316) 263-5705

PURCHASER \_\_\_\_\_ LEASE BRADFORD

ADDRESS \_\_\_\_\_ WELL NO. 2

WELL LOCATION C NW SW

DRILLING CONTRACTOR J. W. Drilling Co., Inc. 1980Ft. from South Line and

ADDRESS 200 East First, Suite 500 660Ft. from West Line of

Wichita, Kansas 67202 the SW/4'Qtr.) SEC 27 TWP 23S RGE 23(W) (E)

PLUGGING CONTRACTOR J. W. Drilling Co., Inc.

ADDRESS 200 East First, Suite 500

Wichita, Kansas 67202

TOTAL DEPTH 4700 PBTD \_\_\_\_\_

SPUD DATE 4-12-83 DATE COMPLETED 4-20-83

ELEV: GR 2386 DF \_\_\_\_\_ KB 2391

DRILLED WITH (~~CASEX~~ (ROTARY) (~~STR~~) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE \_\_\_\_\_

Amount of surface pipe set and cemented 8-5/8" @ 414 DV Tool Used? Yes

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, (Dry), Disposal, Injection, Temporarily Abandoned, OWWO. Other \_\_\_\_\_

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

**WELL PLAT**

(Office Use Only)

	27		

KCC \_\_\_\_\_  
KGS   
SWD/REP \_\_\_\_\_  
PLG. \_\_\_\_\_

**A F F I D A V I T**

Jon T. Williams, Jr., being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

*[Handwritten Signature]*

SIDE TWO  
 WEL-35-11

Line Drilling LEASE Bradford

ACO-1 WELL HISTORY (E)  
 SEC. 27 TWP. 23S RGE. 23W (W)

FILL IN WELL INFORMATION AS REQUIRED: WELL NO. 2

FORMATION DESCRIPTION, CONTENTS, ETC.		TOP	BOTTOM	NAME	DEPTH
Check if no Drill Stem Tests Run.					
Rock and sand.....	0	90		LOG TOPS	
Shale.....	90	417		Anhydrite...	1567 (+824)
Shale & sand.....	417	680		Heebner.....	3960 -1591
Red Bed & shale.....	680	1022		Toronto.....	3981 -1591
Sand.....	1022	1210		Douglas.....	3994 -1603
Red Bed.....	1210	1546		Lansing.....	4034 -1643
Anhydrite.....	1546	1571		B/KC.....	4428 -2037
Shale.....	1571	2084		Fort Scott..	4537 -2146
Shale & shells.....	2084	2350		Cherokee....	4565 174
Shale & lime.....	2350	4476		Cong.....	4651 -2260
Lime.....	4476	4560		Miss.....	4671 -2280
Lime & shale.....	4560	4671		RTD.....	4700 -2309
Chert.....	4671	4681		LTD.....	4700 -2309
Lime & shale.....	4681	4700			
D.S.T. #1, 4592' to 4681', 30-45-60-45 1st opening weak blow built to 4" in 10 minutes 2nd opening weak blow built to 8" in 10 minutes rec. 730' thin watery mud, 120' muddy water. IBHP: 1382#, FBHP: 1286#, IFP: 115#-243#, FFP: 289#-451#.					
If additional space is needed use Page 2, Side 2					

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12-1/4"	8-5/8"	28#	414	common	275	2% Gel, 3% C.C.

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD					
Size	Setting depth	Pecker set at			