

KANSAS DRILLERS LOG

State Geological Survey
WICHITA, BRANCHAPI No. 15 — 083 — 20,352
County Number

Operator

Texaco, Inc.

Address Box 2420

Tulsa, Oklahoma

Well No.

#5

Lease Name

E. F. Lippoldt "B"

Footage Location

660

feet from (X) (S) line

660

feet from (X) (W) line

Principal Contractor

Damac Drlg

Geologist

Larry Rogers

Spud Date

2-16-74

Total Depth

4633'

P.B.T.D.

4630'

Date Completed

3-12-74


Oil Purchaser

Skelly

S. 13 T. 23 R. 23 W

Loc. C SW SW

County Hodgeman

640 Acres
N

Locate well correctly

Elev.: Gr. 2357'

DF 2363 KB 2365'

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
surf pipe	12 $\frac{1}{4}$ "	8-5/8"	24#	510	poz	385	2% CaCl
prod.		5 $\frac{1}{2}$ "	14#	4633'	Lite wate poz	240 200	10# gilsonite/sx 18% salt, 3/4% CFR2
(640 sx thru DV tool @ 2257')							

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2	jets	4591-4628'
TUBING RECORD					
Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
A/500 gal 15% NEA	4624-28'
A/500 gal 15% NEA	4591-96

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
3/3/74. (Swab test)		Pmpg			
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio	
	66 bbls.	-0 MCF	70 BSW bbls.	CFPB	
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		
			4591-4628'		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator TEXACO INC.		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: oil		
Well No. 5	Lease Name E. F. Lippoldt "B"			
s <u>13</u> T <u>23</u> SR <u>23</u> ^R _W				
WELL LOG		SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.		
Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.				
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Clay & Post Rock	0	55	Laterolog	surf-4631'
Sh	55	75	FDC	3100-4633'
Sh & Sd	75	510		
Sh	510	525		
Sh & Red Bed	525	855		
Stone Corral	855	882		
Shale & Red Bed	882	1235		
Anhydrite	1235	1511		
Sh & Shells	1511	1665		
Sh & Li	1665	2395		
Li & Sh	2395	2747		
Li	2747	4150		
Li	4150	4633		
TD	4633			
ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.				
Date Received 		Signature <u>F. E. ANDERSON</u> Title <u>Operations Superintendent</u> Date <u>May 29, 1974</u>		

85186

WELL LOG

13-23-23W

API# 15-083-20, 352

COMPANY **Texaco, Inc.**

SEC. 13 T. 23S R. 23W

FARM **E. F. Lippoldt 'B' NO. 5**

LOC. **C SW SW**


TOTAL DEPTH **4633'**

COUNTY **Hodgeman, Kansas**

COMM. **2-16-74**

COMP. **2-26-74**

CONTRACTOR **DeMac Drilling Company, Inc.**



CASING

8 5/8" @ 510' w/385sx
5 1/2" @ 4633' w/1080 sx

ELEVATION

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

55' Clay & Post Rock
75' Shale
510' Shale & Sand
525' Shale
855' Shale & Red Bed
882' Stone Corral
1235' Shale & Red Bed
1511' Anhydrite
1665' Shale & Shells
2395' Shale & Lime
2747' Lime & Shale
4150' Lime
4633' Lime
4633' RTD

