

KANSAS DRILLERS LOG

State Geological Survey
WICHITA, BRANCHAPI No. 15 — 083 — 20 294
County Number

Operator

Rains & Williamson Oil Co., Inc.

Address

435 Page Court, 220 W. Douglas Wichita, Ks. 67202

Well No.

#1

Lease Name

Schauvliege

Footage Location

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

Rains & Williamson

Geologist

Harvey Gough

Spud Date

3-20-73

Total Depth


4850'

P.B.T.D.

Date Completed

3-30-73

Oil Purchaser

S. 25 T. 23 R. 24 WLoc. C SW NWCounty Hodgeman640 Acres
N

Locate well correctly

Elev.: Gr. 2402DF _____ KB 2407

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
	12 $\frac{1}{4}$ "	8-5/8"		280'		175	2% gel 3% c.c.

LINER RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS		Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB
Disposition of gas (vented, used on lease or sold)				Producing interval (s)	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator
Rains & Williamson Oil Co., Inc.

DESIGNATE TYPE OF COMP.: OIL, GAS,
DRY HOLE, SWDW, ETC.:
Dry Hole

Well No.
#1

Lease Name
Schauvliege

S 25 T 23 R 24 W C SW NW


WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
DST #1, 4610-4640 Open 15, Shutin 30, Open 30, Shut- in 30. Rec. 5' mud. FP 18-23, BHP 71-35, Temp. 117°.			<u>LOG TOPS</u>	
			Anhydrite	1553 (+854)
			Heebner	3935 (-1528)
			Lansing	3991 (-1584)
			B/KC	4402 (-1995)
			Pawnee	4506 (-2099)
			Ft. Scott	4569 (-2162)
			Cherokee Sh.	4596 (-2189)
			Miss. Chert	4712 (-2305)
			Miss. Dolomite	4738 (-2331)
			Miss. Osage	4823 (-2416)
			LTD	4849 (-2442)

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.



Wilson Rains

Signature
Wilson Rains
President

Title
July 11, 1973

Date

COMPANY Rains & Williamson Oil Co., Inc.

SEC. 25 T. 23S R. 24W

LOC. C SW NW

FARM Schauvliege NO. 1


RIG. NO. 3

TOTAL DEPTH 4850'

COMM. 3-20-73

COMP. 3-30-73

COUNTY Hodgeman
KANSAS



CONTRACTOR Rains & Williamson Oil Co., Inc.

CASING

20	10	
15	8-5/8 @ 280' w/175	sxs. 2% gel 3% cc ELEVATION 2407 KE
12	6	
13	5	

PRODUCTION D & A

FIGURES INDICATE BOTTOM OF FORMATIONS

Rock & Clay	70
Clay Shale & Top Soil	282
Shale	505
Shale-Sand	1050
Sand	1234
Shale	1563
Anhydrite	1590
Shale	1785
Shale & Lime	2595
Lime & Shale	4120
Lime	4731
Mississippi	4850
<u>RTD</u>	<u>4850</u>

Log Tops	Depth
Anhy	1553
Heeb	3935
Lans	3991
Bkc	4411
Pawn	4506
Ft Sc	4569
Cher Sh	4596
Miss Ch	4712
Miss Dol	4738
Miss Os	4823
Ltd	4849
Rtd	4850

of Kansas

County of Sedgwick

ss: