


15-083-21566

24-23s-24w

IND



KCC
 DEC 11 2008
 CONFIDENTIAL

DRILL STEM TEST REPORT

Prepared For: **White Exploration Inc**

2400 N. Woodlawn, Suite 115
 Wichita, Ks 67220

ATTN: Terry McCeod

24 23 24 Hodgeman KS

Schraeder #1

Start Date: 2008.08.27 @ 12:09:11

End Date: 2008.08.27 @ 23:29:51

Job Ticket #: 32627 DST #: 1

Trilobite Testing, Inc
 PO Box 1733 Hays, KS 67601
 ph: 785-625-4778 fax: 785-625-5620

White Exploration Inc


Schraeder #1

24 23 24 Hodgeman KS

DST # 1

Cherokee

2008.08.27



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

White Exploration Inc
2400 N. Woodlawn, Suite 115
Wichita, Ks 67220
ATTN: Terry McCeod


Schraeder #1
24 23 24 Hodgeman KS
Job Ticket: 32627 **DST#: 1**
Test Start: 2008.08.27 @ 12:09:11

GENERAL INFORMATION:

Formation: **Cherokee**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 14:12:06
Time Test Ended: 23:29:51
Interval: **4602.00 ft (KB) To 4630.00 ft (KB) (TVD)**
Total Depth: 4630.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Good
Test Type: Conventional Bottom Hole
Tester: Brandon Turley
Unit No: 24
Reference Elevations: 2381.00 ft (KB)
2376.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 6772 Outside
Press@RunDepth: 1194.64 psig @ 4603.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2008.08.27 End Date: 2008.08.27 Last Calib.: 2008.08.27
Start Time: 12:09:11 End Time: 23:29:51 Time On Btm: 2008.08.27 @ 14:11:21
Time Off Btm: 2008.08.27 @ 17:59:20


TEST COMMENT: IF Strong blow BOB in 1 min
IS 1/4 blow BOB in 40 min
FF Strong blow BOB in 2 min
FS Surface blow built to 2 in 90 min



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2262.34	118.11	Initial Hydro-static
1	197.20	120.19	Open To Flow (1)
31	776.57	129.84	Shut-In(1)
90	1423.39	126.73	End Shut-In(1)
90	790.64	126.44	Open To Flow (2)
135	1194.64	129.02	Shut-In(2)
228	1425.22	126.66	End Shut-In(2)
228	2150.45	126.72	Final Hydro-static

Recovery		
Length (ft)	Description	Volume (bbl)
62.00	w mcgo 10%G 40%O 10%W 40%M	0.30
124.00	gocm 20%G 30%O 50%M	1.17
1798.00	mcgo 35%G 60%O 5%M	25.22
1240.00	mcgo 10%G 85%O 5%M	17.39
0.00	GIP 248	0.00

Gas Rates			
	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

White Exploration Inc

Schraeder #1

2400 N. Woodlaw n, Suite 115
Wichita, Ks 67220

24 23 24 Hodgeman KS

Job Ticket: 32627

DST#: 1

ATTN: Terry McCeod

Test Start: 2008.08.27 @ 12:09:11


Tool Information

Drill Pipe:	Length: 4465.00 ft	Diameter: 3.80 inches	Volume: 62.63 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 125.00 ft	Diameter: 2.25 inches	Volume: 0.61 bbl	Weight to Pull Loose: 90000.00 lb
			<u>Total Volume: 63.24 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	10.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4602.00 ft			Final 70000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	28.00 ft			
Tool Length:	50.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Stubb	1.00			4581.00	
Shut In Tool	5.00			4586.00	
Hydraulic tool	5.00			4591.00	
Safety Joint	2.00			4593.00	
Packer	5.00			4598.00	22.00 Bottom Of Top Packer
Packer	4.00			4602.00	
Stubb	1.00			4603.00	
Recorder	0.00	6769	Inside	4603.00	
Recorder	0.00	6772	Outside	4603.00	
Perforations	24.00			4627.00	
Bullnose	3.00			4630.00	28.00 Bottom Packers & Anchor

Total Tool Length: 50.00



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

White Exploration Inc
2400 N. Woodlaw n, Suite 115
Wichita, Ks 67220
ATTN: Terry McCeod

Schraeder #1
24 23 24 Hodgeman KS
Job Ticket: 32627 **DST#: 1**
Test Start: 2008.08.27 @ 12:09:11

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	33 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 48.00 sec/qt	Cushion Volume: bbl		
Water Loss: 10.38 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 3400.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
62.00	w mcgo 10%G 40%O 10%W 40%M	0.305
124.00	gocm 20%G 30%O 50%M	1.165
1798.00	mcgo 35%G 60%O 5%M	25.221
1240.00	mcgo 10%G 85%O 5%M	17.394
0.00	GIP 248	0.000

Total Length: 3224.00 ft Total Volume: 44.085 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments: 36@90=33

Serial #: 6772


Outside

White Exploration Inc

24 23 24 Hodgeman KS

DST Test Number: 1

Pressure vs. Time



Trilobite Testing, Inc

Ref. No: 32627

Printed: 2008.09.05 @ 11:39:34 Page 5