

TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

JUN 21 2010

Test Ticket

NO. 38713 14407

Well Name & No. King #1-4 Test No. 1 Date 6-17-10
 Company AMERICAN WARRIOR INC Elevation 2371 KB 2363 GL
 Address P.O. Box 399 GARDEN CITY, Ks 67846-0399
 Co. Rep / Geo. JASON ALM Rig Duke rig 8
 Location: Sec. 4 Twp. 23^s Rge. 24^w Co. Hodgeman State Ko

Interval Tested 4565-4650 Zone Tested MISS
 Anchor Length 85 Drill Pipe Run 4559 Mud Wt. 9.1
 Top Packer Depth 4560 Drill Collars Run - Vis 54
 Bottom Packer Depth 4565 Wt. Pipe Run - WL 10.4
 Total Depth 4650 Chlorides 4300 ppm System LCM -

Blow Description IFP - WEAK BLOW 1/4" TO 3" BLOW
ISIP - NO BLOW
FFP - WEAK BLOW SURFACE TO 1" BLOW
FSIP - NO BLOW

Rec	Feet of	%gas	%oil	%water	%mud
30	H0CM	20		80	
60	0CM	10		90	


Rec Total 90 BHT 125 Gravity - API RW - @ - ° F Chlorides - ppm

(A) Initial Hydrostatic 2249 Test 1225' T-On Location 1445
 (B) First Initial Flow 51 Jars 250' T-Started 1625
 (C) First Final Flow 69 Safety Joint 75' T-Open 1900
 (D) Initial Shut-In 1036 Circ Sub - T-Pulled 2200
 (E) Second Initial Flow 76 Hourly Standby - T-Out 0007
 (F) Second Final Flow 103 Mileage 170 RT 212⁵⁰ Comments _____
 (G) Final Shut-In 971 Sampler _____
 (H) Final Hydrostatic 2194 Straddle _____
 Shale Packer _____ Ruined Shale Packer _____
 Extra Packer _____ Ruined Packer _____
 Extra Recorder _____ Extra Copies _____
 Day Standby _____ Sub Total 3
 Accessibility _____ Total 1762.50
 Sub Total 1762.50

Initial Open 45
 Initial Shut-In 45
 Final Flow 45
 Final Shut-In 45

Approved By _____ Our Representative RAY SCHWINGER Thank you

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **American Warrior Inc**

P O Box 399
Garden City Ks 67846-0399

ATTN: Cecil O'Brate

4-23s24w Hodgeman KS

King #1-4

Start Date: 2010.06.18 @ 08:02:22

End Date: 2010.06.18 @ 12:32:46

Job Ticket #: 38714 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior Inc
P O Box 399
Garden City Ks 67846-0399
ATTN: Cecil O'Brate

King #1-4
4-23s24w Hodgeman KS
Job Ticket: 38714 **DST#: 2**
Test Start: 2010.06.18 @ 08:02:22

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 54.00 sec/qt	Cushion Volume: bbl		
Water Loss: 10.34 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4300.00 ppm			
Filter Cake: 2.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	SOCM 2%O98%M	0.070

Total Length: 5.00 ft Total Volume: 0.070 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior Inc
P O Box 399
Garden City Ks 67846-0399

ATTN: Cecil O'Brate


King #1-4
4-23s24w Hodgeman KS
Job Ticket: 38714 **DST#: 2**
Test Start: 2010.06.18 @ 08:02:22


Tool Information

Drill Pipe:	Length: 4653.00 ft	Diameter: 3.80 inches	Volume: 65.27 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 70000.00 lb
			<u>Total Volume: 65.27 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	31.00 ft			String Weight: Initial 54000.00 lb
Depth to Top Packer:	4650.00 ft			Final 54000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	15.02 ft			
Tool Length:	43.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4623.00	
Shut In Tool	5.00			4628.00	
Hydraulic tool	5.00			4633.00	
Jars	5.00			4638.00	
Safety Joint	2.00			4640.00	
Packer	5.00			4645.00	28.00 Bottom Of Top Packer
Packer	5.00			4650.00	
Stubb	1.00			4651.00	
Recorder	0.01	8365	Inside	4651.01	
Recorder	0.01	6625	Outside	4651.02	
Perforations	11.00			4662.02	
Bullnose	3.00			4665.02	15.02 Bottom Packers & Anchor
Total Tool Length:	43.02				





TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

NO. 38714

RECEIVED JUN 21 2010

12/09

Well Name & No. King # 1-4 Test No. 2 Date 6-18-10
 Company American Warrior Inc Elevation 2371 KB 2363 GL
 Address P.O. Box 399 Garden City, Mo 67846-0399
 Co. Rep / Geo. Jason Alm Rig Duke rig 8
 Location: Sec. 4 Twp. 23^s Rge. 24^w Co. Hodgeman State Ko

Interval Tested 4650-4665 Zone Tested Miss
 Anchor Length 15 Drill Pipe Run 4653 Mud Wt. 9.1
 Top Packer Depth 4645 Drill Collars Run - Vis 54
 Bottom Packer Depth 4650 Wt. Pipe Run - WL 10.4
 Total Depth 4665 Chlorides 4300 ppm System LCM -

Blow Description IFP - surface Blow thru-out
ISIP - NO Blow
FFP - NO Blow
FSIP -

Rec	Feet of	%gas	%oil	%water	%mud
<u>5</u>	<u>50 CM</u>	<u>2</u>		<u>98</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 5 BHT 114 Gravity - API RW - @ - °F Chlorides - ppm

(A) Initial Hydrostatic 2276 Test 1225' T-On Location 0725
 (B) First Initial Flow 16 Jars 250' T-Started 0802
 (C) First Final Flow 17 Safety Joint 75' T-Open 0955
 (D) Initial Shut-In 1450 Circ Sub _____ T-Pulled 1105
 (E) Second Initial Flow 17 Hourly Standby _____ T-Out 1232
 (F) Second Final Flow 18 Mileage 170 RT 212.50 Comments _____
 (G) Final Shut-In _____ Sampler _____
 (H) Final Hydrostatic 2236 Straddle _____

Initial Open 30 Ruined Shale Packer _____
 Initial Shut-In 30 Ruined Packer _____
 Final Flow 10 Extra Packer _____
 Final Shut-In out Extra Recorder _____
 Day Standby _____
 Accessibility _____
 Sub Total 1762.50 Total 1762.50

Approved By _____ Our Representative Ray Schwager Thank you

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.